



2026 年国际人工智能 安全报告

最终草案

2026
年国际人工智
能安全报告

贡献者

主席

Yoshua Bengio 教授, 蒙特利尔大学/LawZero/
Mila – 魁北克人工智能研究所

专家顾问小组

专家顾问小组是一个国际顾问机构, 就报告内容向主席提供建议。专家顾问小组仅提供技术反馈。报告及其专家顾问小组并未认可任何特定的政策或监管方式。

小组由来自 30 多个国家和国际组织提名的代表组成, 包括: 澳大利亚、巴西、加拿大、智利、中国、欧盟(EU)、法国、德国、印度、印尼、爱尔兰、以色列、意大利、日本、肯尼亚、墨西哥、荷兰、新西兰、尼日利亚、经济合作与发展组织(OECD)、菲律宾、韩国、卢旺达、沙特、新加坡、西班牙、瑞士、土耳其、阿联酋、乌克兰、英国和联合国(UN)。

可在此处查询专家顾问小组的完整成员名单:
<https://internationalaisafetyreport.org/expert-advisory-panel>

首席撰稿人

Stephen Clare, 独立人士

Carina Prunkl, 法国国家信息与自动化研究所

报告规划和范围界定负责人

Daniel Privitera, 欧盟人工智能研究中心

Sören Mindermann, 独立人士

章节负责人

Maksym Andriushchenko, 图宾根 ELLIS 研究所

Ben Bucknall, 牛津大学

Malcolm Murray, SaferAI

核心撰稿人

Shalaleh Rismani, Mila – 魁北克人工智能研究所

Conor McGlynn, 哈佛大学

Nestor Maslej, 斯坦福大学

Philip Fox, 欧盟人工智能研究中心

撰稿小组

Rishi Bommasani, 斯坦福大学

Stephen Casper, 麻省理工学院

Tom Davidson, Forethought

Raymond Douglas, Telic Research

David Duvenaud, 多伦多大学

Usman Goha, 爱荷华州立大学

Rose Hadshar, Forethought

Anson Ho, Epoch AI

Tiancheng Hu, 剑桥大学

Cameron Jones, 石溪大学

Sayash Kapoor, 普林斯顿大学

Atoosa Kasirzadeh, 卡内基梅隆大学

Sam Manning, 人工智能治理中心

Vasilios Mavroudis, 艾伦·图灵研究所

Richard Moulange, 长期韧性研究中心

Jessica Newman, 加利福尼亚大学伯克利分校

Kwan Yee Ng, Concordia AI

Patricia Paskov, 牛津大学

Girish Sastry, 独立人士

Elizabeth Seger, Demos

Scott Singer, 卡内基国际和平基金会

Charlotte Stix, Apollo Research

Lucia Velasco, 马斯特里赫特大学

Nicole Wheeler, 高级研究与发明署

主席顾问*

* 任期为规划阶段(2025 年 2 月至 7 月); 自 7 月起, 担任报告团队顾问

Daniel Privitera, 主席特别顾问、
欧盟人工智能研究中心

Sören Mindermann, 主席科学顾问、
Mila – 魁北克人工智能研究所

高级顾问

Daron Acemoglu, 麻省理工学院

Vincent Conitzer, 卡耐基梅隆大学

Thomas G. Dietterich, 俄勒冈州立大学

Fredrik Heintz, 林雪平大学

Geoffrey Hinton, 多伦多大学

Nick Jennings, 拉夫堡大学

Susan Leavy, 都柏林大学

Teresa Ludermir, 伯南布哥联邦大学

Vidushi Marda, AI 协作

Helen Margetts, 牛津大学

John McDermid, 约克大学

Jane Munga, 卡内基国际和平基金会

Arvind Narayanan, 普林斯顿大学

Alondra Nelson, 普林斯顿高等研究院

Clara Neppel, 电气电子工程师学会 (IEEE)

Sarvapali D.(Gopal) Ramchurn, 英国负责任人工智能 (Responsible AI UK)

Stuart Russell, 加利福尼亚大学伯克利分校

Marietje Schaake, 斯坦福大学

Bernhard Schölkopf, 图宾根 ELLIS 研究所

Alvaro Soto, 智利天主教大学

Lee Tiedrich, 杜克大学

Gaël Varoquaux, 法国国家信息与自动化研究所

姚期智, 清华大学

张亚勤, 清华大学

秘书处

英国人工智能安全研究所: Lambrini Das、Arianna Dini、Freya Hempleman、Samuel Kenny、Patrick King、Hannah Merchant、Jamie-Day Rawal、Jai Sood、Rose Woolhouse

Mila – 魁北克人工智能研究所: Jonathan Barry、Marc-Antoine Guérard、Claire Latendresse、Cassidy MacNeil、Benjamin Prud'homme

© Crown 版权所有 2026

除非另有说明，否则，本出版物根据《开放政府许可协议》第 3.0 版的条款授权。要查看此授权，请访问 <https://www.nationalarchives.gov.uk/doc/open-government-licence/version/3/>，或写信至 Information Policy Team, The National Archives, Kew, London TW9 4DU，或发送电子邮件至 psi@nationalarchives.gsi.gov.uk。

对于我们已标识的任何第三方版权信息，您需要向相关版权持有人获取许可。

有关本出版物的任何查询请发送至：
secretariat.AIStateofScience@dsit.gov.uk。

免责声明

本报告综合了现有关于先进人工智能能力与风险的研究成果。本报告并不一定代表主席、撰稿或顾问小组中任何特定个人、或支持其编制工作的任何政府的观点。报告主席对报告负有最终责任，并全程监督了报告的编制过程。

研究序列编号: DSIT 2026/001

致谢

民间社团和行业评论者

民间社团

Ada Lovelace 研究所、非洲技术研究中心、新西兰人工智能论坛/Te Kāhui Atamai Iahiko o Aotearoa、亚洲人工智能安全、Stichting Algorithm Audit、卡内基国际和平基金会、法律与创新中心/Certa 基金会、人工智能治理中心、首席大法官 Meir Shamgar、数字法律与创新中心、数字未来实验室、EON 研究所、EQUIANO 研究所、Good Ancestors Policy、Gradient 研究所、法律与人工智能研究所、Interface、以色列民主研究所、Mozilla 基金会、NASSCOM、Old Ways New、RAND、皇家学会、SaferAI、瑞士工程科学院、长期韧性研究中心、艾伦·图灵研究所、伦理中心、未来协会、HumAlne 基金会、土耳其人工智能政策协会

行业

Advai、Anthropic、Cohere、德勤、Digital Umuganda、Donym、G42、谷歌 DeepMind、Harmony Intelligence、Hugging Face、Humain、IBM、LG AI Research、Meta、微软、Naver、OpenAI、Qhala

非正式审阅者

Markus Anderljung、David Autor、Mariette Awad、Jamie Bernardi、Stella Biderman、Asher Brass、Ben Brooks、Miles Brundage、Kevin Bryan、Rafael Calvo、Siméon Campos、Carmen Carlan、Micah Carroll、Alan Chan、Jackie Cheung、Josh Collyer、Elena Cryst、Tino Cuéllar、Allan Dafoe、Jean-Stanislas Denain、Fernando Diaz、Roel Dobbe、Seth Donoughe、Izzy Gainsbury、Ben Garfinkel、Adam Gleave、Jasper Götting、Kobi Hackenburg、Lewis Hammond、David Evan Harris、Dan Hendrycks、José Hernández-Orallo、Luke Hewitt、Marius Hobbhahn、Manoel Horta Ribeiro、Abigail Jacobs、Ari Kagan、Daniel Kang、Anton Korinek、Michał Kosinski、Gretchen Krueger、Dan Lahav、Anton Leicht、Vera Liao、Eli Lifland、Matthijs Maas、James Manyika、Simon Mylius、AJung Moon、Seán Ó hÉigearthaigh、Tamara Paris、Raymond Perrault、Siva Reddy、Luca Righetti、Jon Roozenbeek、Max Roser、Anders Sandberg、Leo Schwinn、Jaime Sevilla、Theodora Skeadas、Chandler Smith、Tobin South、Jonathan Spring、Merlin Stein、David Stillwell、Daniel Susser、Helen Toner、Sander van der Linden、Kush Varshney、Jess Whittlestone、Kai-Cheng Yang

秘书处和写作小组感谢 José Luis León Medina 在质量控制和引文格式化方面、以及 Amber Ace 在文案编辑方面的协助。

此翻译版本由 Acolad 团队完成，并由孙圆圆完成额外技术语言审核。

目录

贡献者	2
致谢	4
前言	6
关于本报告	9
自 2025 年报告发布以来的重要进展	10
执行摘要	11
导言	13
1. 通用型人工智能的背景信息	15
1.1. 什么是通用型人工智能？	16
1.2. 当前能力	24
1.3. 到 2030 年的能力	29
2. 风险	37
2.1. 恶意使用风险	38
2.1.1. AI 生成的内容与犯罪活动	38
2.1.2. 影响和操纵	43
2.1.3. 网络攻击	48
2.1.4. 生物和化学风险	54
2.2. 故障风险	60
2.2.1. 可靠性挑战	60
2.2.2. 失控	64
2.3. 系统性风险	70
2.3.1. 劳动力市场影响	70
2.3.2. 对人类自主性的风险	74
3. 风险管理	79
3.1. 技术与制度性挑战	80
3.2. 风险管理实践	85
3.3. 技术防护与监测	97
3.4. 开放权重模型	107
3.5. 建设社会韧性	111
结论	117
词汇表	118
格式化引文	125
参考文献	126

前言

对一项快速发展的技术的全新科学评估

这是第二份《国际人工智能安全报告》，该报告基于世界各国领导人在 2023 年布莱切利公园人工智能安全峰会上提出的任务要求，旨在建立一个证据基础，为关于通用型人工智能的关键决策提供依据。

今年，我们对本报告进行了若干改进，使其更具实用性且更容易理解。

首先，为帮助政策制定者在存在不确定性的情况下更好地理解潜在结果的范围，我们借鉴了经合组织和预测研究所开展的新研究，提出了更具体的场景和预测。

其次，经过广泛磋商，我们缩小了范围，将重点放在新兴风险上：即人工智能能力前沿领域所产生的风险。鉴于该领域存在高度不确定性，本报告提供的严谨分析尤为珍贵。更窄的范围也确保本报告能与其他工作相辅相成，包括联合国人工智能独立国际科学小组的工作。

当然，有些事情并没有改变。

这仍是目前对人工智能能力、风险及风险管理最严谨的评估。其制定过程汇集了 100 多位专家的贡献，包括由 30 多个国家和政府间组织提名的专家提供的指导。

本报告的基本目标也没有改变：促进各方对人工智能能力如何演进、相关风险以及可用于缓解这些风险的技术手段达成共识。

人工智能的进步速度带来了严峻挑战。但是，与众多参与撰写这份报告的专家们合作的过程让我重燃了希望。我对所有贡献者的巨大努力深表感激 - 我们正在逐步理解这些风险。

通过这份报告，我们希望加深大家对当今时代最具影响力的技术变革的集体理解。



Yoshua Bengio 教授
蒙特利尔大学/LawZero/
Mila – 魁北克人工智能研究所兼主席

通过国际合作构筑人工智能的安全未来

人工智能持续重塑我们面前的可能性 - 它正在改变经济格局, 振兴公共服务, 并极大加速科学进步。这种进步速度要求我们对人工智能的能力保持最新且共同的理解。这项工作将建立信任, 推动普及应用, 并为人工智能创造全人类共享的繁荣铺平道路。

《2026年国际人工智能安全报告》凝聚了各国政府、各类组织、民间社会及行业伙伴的通力协作, 共同完成了这项严谨可靠、基于实证的分析工作。该报告为政策制定者和世界领导人提供了重要工具, 助其在充满挑战且瞬息万变的局势中把握方向。

英国将继续致力于加强国际伙伴关系、科学合作以及推动创新人工智能研究的机构, 包括英国人工智能安全研究所。继布莱切利公园 (2023 年 11 月)、首尔 (2024 年 5 月) 和巴黎 (2025 年 2 月) 成功举办具有里程碑意义的峰会之后, 我尤其期待印度人工智能影响力峰会的召开 - 本报告将在该峰会上正式发布 - 以确保人工智能服务于人类福祉、促进包容性增长并塑造可持续的未来。

我很荣幸能提交这份报告, 并感谢 Yoshua Bengio、撰写团队以及所有贡献者对这项计划的奉献精神。携手同行 - 通过共同承担责任和开展国际合作 - 我们能够开辟一条道路, 让人工智能为每个国家、每位公民带来安全保障、发展机遇和经济增长。



国会议员 Kanishka Narayan,
人工智能与网络安全大臣,
英国科学、创新和技术部
英国政府

让所有人都能公平地获得人工智能

第二份《国际人工智能安全报告》建立在布莱奇利公园 2023 年人工智能安全峰会的授权基础上。它旨在建立对先进人工智能能力和风险的共同的、基于科学的理解。

本版本重点介绍快速发展的通用型人工智能系统，包括语言、视觉和代理模型。它还检视了相关挑战，包括对劳动力市场、人类自主权和权力集中的更广泛影响。

随着人工智能系统能力不断提高，安全和保障仍然是重中之重。该报告重点介绍了模型评估的实用方法、危险能力阈值和“如果-就”安全承诺以减少高影响故障。

我们的全球风险管理框架仍不成熟，量化基准测试有限，且证据缺口巨大。这些缺口必须与创新一起解决。

对于印度和全球南方而言，人工智能安全与包容性、安全和制度机构准备情况密切相关。人工智能模型的负责任开放性、计算和数据的公平获取以及国际合作也至关重要。

作为 2026 年印度人工智能影响力峰会的主办国，印度在塑造全球人工智能安全工作方面发挥着关键作用。该报告旨在帮助决策者、研究人员、行业和民间社会制定国家战略。



A handwritten signature in dark blue ink that reads "Ashwini" with a stylized underline.

Ashwini Vaishnaw

铁路、信息与广播和电子与信息技术部长
印度政府

关于本报告

这是《国际人工智能安全报告》的第二版。该系列在 2023 年布莱切利公园人工智能安全峰会后创立，旨在促进国际社会对先进人工智能系统能力与风险的科学共识。由逾百名人工智能 (AI) 专家组成的多元化团队指导了该框架的制定工作，其中包括一个国际专家顾问小组，其成员提名来自 30 多个国家和国际组织，涵盖经济合作与发展组织 (OECD)、欧洲联盟 (EU) 及联合国 (UN)。

范围、焦点与独立性

范围：本报告聚焦通用型人工智能：能够在不同场景中执行多种任务的人工智能模型与系统。这些模型和系统能够执行生成文本、图像、音频或其他形式数据等任务，并常被应用于各类特定领域的场景。

焦点：本报告聚焦于新兴风险：即人工智能能力前沿领域中产生的风险。布莱切利宣言在 2023 年人工智能安全峰会后发布，强调“人工智能‘前沿’领域存在特殊安全风险”，包括滥用风险、控制问题及网络安全风险。该宣言还承认了人工智能更广泛的影响，包括对人权、公平性、问责制和隐私权的影响。本报告旨在对考虑这些更广泛问题的评估加以补充，包括联合国人工智能独立国际科学小组的评估。[†]

独立性：在主席的领导下，独立撰写团队对内容拥有完全自主权。报告旨在整合科学证据，为明智的政策制定提供支持。它并未提出具体的政策建议。

流程与贡献者

《国际人工智能安全报告》由一支多元化的团队撰写，团队成员超过 30 人，由主席、首席撰稿人和章节负责人领导。它经过结构化的审查流程。初稿由外部领域专家进行审阅，随后整合稿由以下人员审阅：

- 一个由 30 多个国家和国际组织（包括经合组织、欧盟和联合国）提名代表组成的专家顾问小组
- 由国际顶尖研究人员组成的资深顾问团
- 来自行业和民间社会组织的代表

撰写团队、章节负责人、首席撰稿人及主席将审阅者提供的反馈意见纳入考量，并在适当之处予以采纳。

[†] 请注意，这一焦点使得此报告的范围比 2025 年报告范围更窄，2025 年报告还涉及了诸如偏见、环境影响、隐私和版权等事项。

自 2025 年报告发布以来的重要进展

自 2025 年 1 月首份《国际人工智能安全报告》发布以来的重要进展。

- **通用型人工智能能力持续提升，尤其在数学、编程和自主运行领域表现突出。**顶尖人工智能系统在国际数学奥林匹克竞赛题目中取得了金牌级表现。在编程领域，智能体如今能够可靠地完成原本需要人类程序员花费约半小时的任务，而一年前这一时间还不到十分钟。尽管如此，性能表现仍然“参差不齐 (jagged)”，领先系统在某些看似简单的任务中仍会出现故障。
- **通用型人工智能能力的提升越来越多地来自应用于模型初始训练后的技术。**这些“后训练”方法包括针对特定任务优化模型，并在生成输出时允许模型使用更多算力。与此同时，投入更多算力进行初始训练也持续提升模型能力。
- **人工智能的应用虽发展迅猛，但在不同地区极不均衡。**人工智能的普及速度已超越个人计算机等前代技术，目前每周使用主流人工智能系统的人数至少达到 7 亿。在某些国家，超过 50% 的人口使用人工智能，但在非洲、亚洲和拉丁美洲的很多地区，使用率可能仍低于 10%。
- **人工智能科学能力的提升加剧了人们对其在生物武器研发中被滥用的担忧。**由于部署前的测试未能排除这些模型可能实质性帮助新手开发此类武器的可能性，因此，多家人工智能公司在 2025 年发布新模型时增加了额外安全防护措施。
- **更多证据表明人工智能系统已被用于现实世界的网络攻击。**人工智能企业的安保分析表明，恶意为者和与国家相关的团体正在利用人工智能工具辅助网络行动。
- **可靠的部署前安全测试已变得更难实施。**模型越来越常见地能够区分测试环境和实际部署环境，并利用评测体系中的漏洞。这意味着危险能力在部署前可能无法被发现。
- **行业对安全治理的承诺已得到扩大。**2025 年，12 家公司发布或更新了前沿人工智能安全框架 - 这些文件阐述了它们在构建更强大模型时如何管理风险的计划。大多数风险管理举措仍属自愿性质，但一些司法管辖区已开始将某些实践正式纳入法律要求。

执行摘要

本报告评估了通用型人工智能系统的能力范围、其带来的风险以及如何管理这些风险。本报告在逾百名独立专家的指导下完成，其中包括来自 30 多个国家及欧盟、经合组织和联合国等国际组织的提名专家。在主席领导下，共同撰写本报告的独立专家们对其内容拥有完全的自主权。

本报告重点关注功能最强大的通用型人工智能系统及其相关的新兴风险。通用型人工智能指能够执行多种任务的人工智能模型和系统。新兴风险是指在通用型人工智能能力前沿领域出现的风险。其中部分风险已然显现，并造成了有据可查的危害；其余风险虽仍存在不确定性，但一旦发生可能造成严重后果。

本项研究的目的是帮助政策制定者应对通用型人工智能带来的“证据困境”。人工智能系统正迅速变得更加强大，但关于其风险的证据出现得较为缓慢，且难以评估。对政策制定者而言，行动过早可能导致无效干预措施固化，而等待确凿数据则可能使社会面临潜在严重负面影响的风险。为缓解这一挑战，本报告尽可能具体地综合了关于人工智能风险的已知信息，同时突出了仍存在的认知空白。

虽然本报告侧重于风险，但通用型人工智能也能带来显著效益。这些系统已在医疗、科学研究、教育等领域得到有效应用，尽管全球应用程度参差不齐。但要充分发挥其潜力，就必须有效管理风险。滥用、故障和系统性中断会侵蚀信任并阻碍采用。参加人工智能安全峰会的各国政府发起本报告，因为对这些风险的清晰认知将使相关机构能够根据风险的严重程度和发生概率采取相称的应对措施。

能力正在快速提升，但发展不均衡

自 2025 年报告发布以来，通用型人工智能能力持续提升，这得益于一系列新技术的应用 - 这些技术能在初始训练后进一步增强系统性能。AI 开发者持续训练性能更优的更大模型。过去一年间，他们通过“推理时扩展 (inference-time scaling)”进一步提升了模型能力：使模型在给出最终答案前调用更多计算资源以生成中间步骤。该技术在数学、软件工程和科学领域中更复杂的推理任务上取得了尤其显著的性能提升。

与此同时，系统能力仍存在“参差不齐”的现象：领先系统可能在某些复杂任务上表现出色，却在其他更简单的任务上表现欠佳。通用型人工智能系统在诸多

复杂领域表现卓越，包括生成代码、创建逼真图像，以及解答数学和科学领域的专家级问题。然而，它们在处理某些看似更简单的任务时仍会遇到困难，例如统计图像中的物体数量、对物理空间进行推理，以及在更长的 workflows 中从基础性错误中恢复。

人工智能发展至 2030 年的轨迹尚不明确，但当前趋势表明其仍将持续进步。AI 开发者押注计算能力仍将至关重要，已宣布投入数千亿美元用于数据中心建设。至于能力能否继续像最近这样快速提升，目前尚难预测。从现在到 2030 年，技术进步可能出现三种情形：一是放缓或趋于平稳（例如因数据或能源瓶颈所致）；二是维持当前增速；三是实现爆发式增长（例如当人工智能系统开始加速自身研发进程时）。

针对若干风险的现实世界证据正在不断增加

通用型人工智能风险主要分为三类：恶意使用、故障和系统性风险。

恶意使用

AI 生成的内容与犯罪活动：人工智能系统正被滥用于生成诈骗、欺诈、敲诈勒索及未经同意的私密影像。尽管此类伤害的发生已有充分记录，但关于其发生率和严重程度的系统性数据仍然有限。

影响和操纵：在实验环境中，AI 生成的内容在改变人们信念方面，其效果可与人类撰写的内容相媲美。现实世界中利用人工智能进行操纵的案例已有记录，但尚未广泛传播，不过随着技术能力的提升，此类现象可能会增加。

网络攻击：人工智能系统能够发现软件漏洞并编写恶意代码。在一项竞赛中，一个智能体识别出了真实软件中 77% 的漏洞。犯罪集团和与国家有关联的攻击者正在积极利用通用型人工智能开展行动。究竟是攻击者还是防御者能够从 AI 辅助中获益更多，这一点目前尚不明确。

生物和化学风险：通用型人工智能系统能够提供有关生物和化学武器研发的信息，包括病原体的详细信息以及专家级实验室操作指南。2025 年，多家开发者在无法排除这些模型可能协助新手开发此类武器的可能性后，相继发布了配备额外安全防护措施的新模型。目前仍难以评估物质壁垒在多大程度上继续制约着试图获取这些资源的行为主体。

故障

可靠性挑战：当前的人工智能系统有时会出现诸如捏造信息、生成有缺陷的代码以及提供误导性建议等功能失常。智能体因其自主行动特性而带来更高风险，这使得人类更难在功能失常造成危害前及时干预。现有技术虽能降低故障率，但仍达不到许多高风险环境所需的标准。

失控：失控场景是指人工智能系统脱离任何人的控制运行，且没有明确途径恢复控制的情形。当前系统尚不具备引发此类风险的能力，但在自主运行等相关领域正不断改进。自上次报告以来，模型区分测试环境与实际部署场景的情况日益普遍，同时评测体系中的漏洞也更易被发现 - 这些漏洞可能导致危险能力在部署前未被察觉。

系统性风险

劳动力市场影响：通用型人工智能很可能实现广泛认知任务的自动化，尤其在知识工作领域。经济学家对未来影响的程度存在分歧：有人预计失业岗位将被新增就业机会所抵消，而另一些人则认为广泛的自动化可能大幅减少就业机会并降低工资水平。早期证据表明整体就业未受影响，但在某些受人工智能影响的职业中，如写作领域，已出现对初级职业工作者需求下降的迹象。

对人类自主性的风险：人工智能的使用可能影响人们做出明智选择并付诸行动的能力。早期证据表明，过度依赖人工智能工具可能削弱批判性思维能力，并助长“自动化偏见” - 即未经充分审视就盲目信任人工智能系统输出结果的倾向。“AI 伴侣”应用程序现已拥有数千万用户，其中一小部分人表现出孤独感加剧、社交参与度降低的趋势。

采用多重方法进行分层管理可实现更稳健的风险管理

由于技术和制度层面的挑战，管理通用型人工智能风险具有相当的难度。从技术角度而言，新能力有时会以不可预测的方式出现，模型内部运作机制仍未被充分理解，且存在“评测缺口”：部署前的测试表现无法可靠预测实际应用中的效用或风险。从制度层面看，开发者存在将重要信息保密的动机，而开发速度的加快又会形成压力，迫使他们优先考虑速度而非风险管理，这使得机构更难建立治理能力。

风险管理实践包括威胁建模以识别漏洞、能力评测以评估潜在危险行为，以及事件报告以收集更多证据。2025 年，12 家企业发布或更新了其前沿人工智能安全框架 - 这些文件阐述了它们在构建更强大模型时如何管理风险的计划。尽管人工智能风险管理举措仍主要基于自愿原则，但少数监管体系已开始将某些风险管理实践正式纳入法律要求。

技术防护措施正在改进，但仍存在显著局限性。例如，旨在诱发有害输出的攻击已变得更为困难，但用户有时仍可通过改写请求或将其拆分为更小的步骤来获取有害输出。通过叠加多重安全防护措施，可以增强人工智能系统的稳健性，这种方法被称为“纵深防御”。

开放权重模型带来了独特的挑战。它们能带来显著的研究和商业效益，特别是对资源有限的行为主体而言。但是，它们一旦发布便无法撤回，其安全防护机制更易被绕过，且行为主体可在非监控环境中使用 - 这使得滥用行为更难预防和追踪。

社会韧性在管理人工智能相关危害方面发挥着重要作用。由于风险管理实践存在局限性，它们很可能无法预防某些与人工智能相关的事件。为吸收并从这些冲击中恢复，社会韧性建设措施包括：强化关键基础设施，开发工具识别AI 生成的内容，以及建立应对新型威胁的制度能力。

导言

当前领先的通用型人工智能系统已能通过法律和医学领域的专业执业资格考试，在给定简单提示词的情况下编写可运行的软件，并能像学科专家一样解答专业博士级别的科学问题。就在三年前，当 ChatGPT 推出时，它还无法可靠地完成上述任何一项任务。这种转变的速度令人惊叹，尽管未来变化的速度尚不确定，但大多数专家预计人工智能将继续进步。

如今，近十亿人已在日常工作中使用通用型人工智能系统进行工作和学习。企业正投入数千亿美元建设基础设施，用于训练和部署这些系统。在许多情况下，人工智能已开始重塑人们获取信息、做出决策和解决问题的方式，其应用领域涵盖从软件开发到法律服务再到科学研究的各个行业。

但这些使系统变得有用的能力，也带来了新的风险。能够编写可运行的代码的系统同样有助于创建恶意软件。能够总结科学文献的系统可能助长恶意行为者策划攻击。随着人工智能被应用于医疗保健、关键基础设施等高风险领域，其蓄意滥用、故障和系统性中断可能造成严重后果。

对于政策制定者而言，变革的速度、应用的广度以及新风险的出现都提出了重要问题。通用型人工智能能力发展迅速，但收集和评估其社会影响所需证据仍需时日。这形成了本报告所称的“证据困境”。政策制定者若行动过早，则可能实施无效甚至有害的干预措施。但等待确凿证据可能使社会面临潜在风险。

本报告的作用

本报告旨在帮助政策制定者应对这一困境。它提供了一份关于通用型人工智能能力与风险的最新且国际共享的科学评估。

撰写团队由逾百名独立专家组成，其中包括一个专家顾问小组，该小组成员来自 30 多个国家和政府间组织，包括欧盟、经合组织和联合国。报告还纳入了来自学术界、产业界、政府部门及民间社会的评审人员所提供的反馈意见。尽管贡献者在某些观点上存在分歧，但他们共同认为，开展建设性且透明的人工智能科学讨论对于全球民众认识该技术的益处并减轻其风险至关重要。

由于证据困境在科学认知最薄弱的领域最为尖锐，故本报告聚焦于新兴风险：即在通用型人工智能能力前沿领域涌现的风险。其分析聚焦于仍存在高度不

确定性的问题，旨在与那些关注人工智能更广泛社会影响的研究工作形成互补。尽管本报告借鉴了国际专业知识并致力于具有全球适用性，但读者需注意，人工智能的普及率、基础设施及制度环境存在差异，这意味着风险在不同国家和地区可能呈现出不同的表现形式。

这些风险的证据基础参差不齐。某些风险，例如人工智能生成媒体造成的危害或网络安全漏洞，如今已有充分的实证依据。针对其他方面的证据 - 尤其是人工智能能力未来发展可能引发的风险 - 则依赖于建模演练、受控条件下的实验室研究以及理论分析。此处的分析综合运用 2025 年 12 月前发布的广泛科学、技术及社会经济证据。在高度不确定性依然存在的情况下，它指出了证据缺口以指导未来研究。

自 2025 年报告以来的变化

本期《国际人工智能安全报告》是继 2025 年 1 月首版报告发布后的最新成果。自那时起，通用型人工智能及其在研究界中的认知持续演进，故有必要进行重新评估。

过去一年里，AI 开发者持续训练着规模更大、能力更强的人工智能模型。但是，他们还通过新技术实现了显著的能力提升 - 这些技术使系统能够调用更多计算能力来生成中间步骤，最终得出答案。这些新型“推理系统”在数学、编程和科学领域展现出显著提升的性能。此外，智能体 - 即能在有限人类监督下自主行动的系统 - 正变得越来越强大且可靠，尽管它们仍容易出现基础性错误，从而限制了它们在许多场景中的实用性。

通用型人工智能系统也在持续普及，在某些地区的发展速度甚至超过了以往许多技术，但各国和各地区的发展仍存在显著差异。在科学知识相关能力方面取得的性能提升也促使多家开发者发布了配备额外安全防护措施的新模型 - 因为他们无法完全排除这些模型可能协助新手开发武器的可能性。

本报告对上述所有进展进行了更深入的探讨，并融入若干新的结构要素，以提升其实用性和可读性。其中包含与预测研究所 (Forecasting Research Institute) 共同制定的能力预测，以及与经合组织共同制定的情景分析。与首份报告相同，每个章节均包含自上次报告以来的最新进展、政策制定者面临的关键挑战和证据缺口以指导未来研究。

本报告的组织结构

本报告围绕三个核心问题展开：

第1 通用型人工智能如今能做什么，其能力又将如何演变？

章阐述通用人工智能的开发过程（§1.1.什么是通用型人工智能？）、当前能力与局限性（§1.2.当前能力），以及未来几年将影响发展的因素（§1.3.到2030年的能力）。

第2 通用型人工智能会带来哪些新兴风险？

章涵盖恶意使用带来的风险，包括将人工智能系统用于犯罪活动（§2.1.1.AI生成的内容与犯罪活动）、操纵行为（§2.1.2.影响与操纵）、网络攻击（§2.1.3.网络攻击），以及开发生物或化学武器（§2.1.4.生物和化学风险）；故障风险，包括运行失效（§2.2.1.可靠性挑战）和失控（§2.2.2.失控）；以及系统性风险，[†]包括劳动力市场的扰乱（§2.3.1.劳动力市场影响）及对人类自主性的威胁（§2.3.2.对人类自主性的风险）。

第3 有哪些风险管理方法，它们的有效性如何？

章探讨通用型人工智能带来的独特政策制定挑战（§3.1.技术和制度挑战）、当前风险管理实践（§3.2.风险管理实践）、开发者为增强人工智能模型与系统的鲁棒性及抵御滥用能力所采用的各类技术（§3.3.技术防护与监测）、开放权重模型的特殊挑战（§3.4.开放权重模型），以及使社会更具韧性以应对潜在人工智能冲击与危害的努力（§3.5.社会韧性）。

通用型人工智能的发展方向在许多方面仍存在重大不确定性。但今天由开发者、政府、社区和个人做出的决定将决定其未来的发展轨迹。本报告旨在确保决策者在充分理解人工智能能力、风险及风险管理方案的基础上作出决策。

[†] 在本报告中，系统性风险指的是在社会和经济领域广泛部署高度通用型人工智能所引发的风险。请注意，欧盟《人工智能法案》对该术语的定义有所不同，其指代通用型人工智能模型所引发的“大规模危害风险”。

通用型人工智能的背景信息

过去一年来，通用型人工智能模型和系统的能力持续提升。当前领先的系统在一系列专业和科学领域的标准化评测中，已达到甚至超越专家级水平，涵盖从法律和化学的本科考试到研究生水平的科学问题。然而，它们的能力也“参差不齐”：在某些高难度基准测试中表现卓越，却在一些基本任务上失败。当前的系统有时仍会提供虚假信息，在训练数据中较少见的语言上表现欠佳，难以应对现实世界的限制，例如不熟悉的界面和不常见的问题。缓解这些限制是一个正在积极研究的领域，研究人员和开发者正在部分领域取得进展。对人工智能研究和训练的持续投资预计会在 2030 年之前推动能力的持续进步，尽管对于将出现哪些新能力以及当前的缺陷是否会得到解决，仍然存在很大不确定性。

本章介绍通用型人工智能当前和未来的能力。第一节介绍通用型人工智能，阐述这些系统的工作原理及其性能驱动因素（§1.1.什么是通用型人工智能？）。第二节探讨当前的能力和局限性（§1.2.当前能力）。一个反复出现的主题是“评测差距”：系统在部署前评测（如基准测试）中的表现往往似乎高估了其实际效用，因为此类评测未能充分反映现实世界任务的全部复杂性。最后一节探讨到 2030 年能力将如何演变（§1.3.到 2030 年的能力）。AI 开发者正大力投资于算力、数据生成和研究。但是，这些投入将如何转化为未来的能力提升，仍存在很大的不确定性。为说明各种可能结果的范围，本节介绍了经合组织提出的四种情景，涵盖从能力提升停滞到改进速度加快的不同情形。

第 1.1. 节

什么是通用型人工智能？

内容提要

- **“通用型人工智能”是指可以执行各种任务、而非专注于一个特定功能或领域的人工智能模型和系统。**此类任务的范例包括生成文本、图像、视频和音频，以及在计算机上执行操作。
- **通用型人工智能模型基于“深度学习”。**现代深度学习涉及使用大量计算资源来帮助人工智能模型从庞大的训练数据集中学习复杂的关联和抽象特征。
- **开发领先的通用型人工智能系统已变得非常昂贵。**为了训练和部署此类系统，开发者需要大量的数据、专业劳动力以及大规模的计算资源。获取这些资源以从头开始开发领先的系统现在要花费数亿美元。
- **自上次报告（2025 年 1 月）发布以来，能力提升已越来越多地来自于后训练方法以及在使用时投入的额外计算资源，而不仅仅依赖于模型规模的扩大。**以往的性能提升主要是由于将模型设计的更大并在初始训练期间使用更多数据和算力。最近，开发者投入了更多资源用于额外的后训练方法和在模型生成输出时分配更多的计算资源。

什么是通用型人工智能系统？

通用型人工智能系统是从大量数据中学习模式的软件程序，使它们能够执行多种任务，而非专注于某个特定功能或领域（参见表 1.1）。为了创建这些系统，AI 开发者需要执行一个多阶段的流程，该流程需要大量的计算资源、大型数据集和专业性的知识（参见表 1.2）。开发和部署人工智能系统都需要有计算资源（通常缩写为“算力”），并包括专门的计算机芯片以及运行这些芯片所需的软件和基础设施。†由于通用型人工智能系统是在大型和多样化的数据集上训练的，因此它们可以执行许多不同的任务，例如文本摘要、图像生成或编写计算机代码。本节解释了如何构建通用型人工智能系统、什么是“推理”模型，以及政策决定如何影响通用型人工智能系统的开发。

源（通常缩写为“算力”），并包括专门的计算机芯片以及运行这些芯片所需的软件和基础设施。†由于通用型人工智能系统是在大型和多样化的数据集上训练的，因此它们可以执行许多不同的任务，例如文本摘要、图像生成或编写计算机代码。本节解释了如何构建通用型人工智能系统、什么是“推理”模型，以及政策决定如何影响通用型人工智能系统的开发。

† “计算资源”一词也可以指对处理器能够执行的计算数量的衡量（通常以每秒浮点运算来衡量），也可以特指执行这些计算的硬件（例如图形处理器）。

通用型人工智能的类型	示例	
语言系统	— Apertus (1) — Claude Sonnet-4.5 (2*) — Command A (3*) — EXAONE 4.0 (4*) — Gemini-3 Pro (5*) — GLM-4.5 (6*)	— GPT-5 (7*) — Hunyuan-Large (8*) — Kimi-K2 (9*) — Mistral 3.1 (10*) — Qwen3 (11*) — DeepSeek-V3.2 (12*)
图像生成器	— DALL-E 3 (13*) — Gemini 2.5 Flash (14*)	— Midjourney v7 (15*) — Qwen-image (16*)
视频生成器	— Cosmos (17*) — SORA (18*) — Pika (19)	— Runway (19) — Veo 3 (20*)
机器人和导航系统	— Gemini Robotics (21*) — Gr00t N1 (22*) — MobileAloha (23)	— Octo (24*) — OpenVLA (25*) — PaLM-E (26)
各类生物分子结构的预测器	— AlphaFold 3 (27) — AMPLIFY (28)	— CellFM (29) — Evo 2 (30)
智能体	— AlphaEvolve (31*) — ChatGPT Agent (32*) — Claude Code (33*) — Doubao-1.5 (34*)	— Magentic-One (35*) — OpenScholar (36*) — The AI Scientist-v2 (37*, 38*, 39*)

表 1.1: 有几种不同类型的通用型人工智能。在本报告中, 可以预测多种类型分子结构信息的模型被视为“通用型”人工智能, 因为它们可被适配用于多种任务。例如, 经过训练可以预测蛋白质结构的模型适用于各种其他任务, 例如预测蛋白质相互作用、预测小分子结合位点以及预测和设计循环肽 (40)。

深度学习是通用型人工智能的基础

研究人员使用一种称为深度学习的流程来构建通用型人工智能模型, 该流程训练模型通过示例进行学习 (41)。不同于软件工程, 深度学习模型可学会根据数据来完成任务, 而不依赖手写指令。通过处理大量数据 (如图像、文本或音频), 这些模型能够发现表示这些数据的方法, 从而创建对模式 (patterns) (如形状、词语关联或声音结构) 的内部表示 (internal representations), 帮助模型识别其中的关系, 并生成与其训练目标一致的输出。然后, 它们利用这些学到的内部表征作为抽象特征 (abstract features) 来分析新的相似数据并以相同风格生成输出。例如, 根据足够多的 19 世纪浪漫英语诗歌示例进行训练的通用型人工智能模型能够识别这种风格的新诗歌, 并以类似的风格生成新材料。

在更精细的层面上, 深度学习的工作原理是通过互连的信息处理节点层来处理数据。这些节点通常被

称为“神经元”, 因为它们的设计灵感大致来源于生物大脑 (“神经网络”) 中的神经元 (图 1.1) (42)。随着信息从一层神经元流向下一层, 模型逐渐将数据转换为更抽象的表现形式 (representations), 这些表现形式由学习到的特征 (feature) 群组组成, 即模型在数据中自动发现的模式, 而非手动编码的模式。例如, 在图像处理模型中, 第一层可能会学会检测边缘或基本形状等简单特征, 而较深的层则结合这些特征来挑选出面部或物体等更复杂的图案。

所有层的特征都是通过定义训练程序的优化过程发现的。在训练过程中, 当模型出错时, 深度学习算法会调整神经元之间各种连接的强度, 以提升模型的表现。节点之间每个连接的强度通常称为“权重”。这种分层方法为“深度学习”这一名称的由来

事实证明, 对于以前被认为传统手工编程计算系统和其他早期的符号或基于规则的人工智能方法来说很难完成的任务, 深度学习在让人工智能系统完成这些




图 1.1：“神经网络”的示意图。当今的通用型人工智能模型都基于这些网络，这些网络的灵感大致来自生物大脑。不同的网络有着不同的规模和架构。但是，它们都由被称为“神经元”的连接信息处理单元组成，其中神经元之间的连接强度被称为“权重”。权重通过使用大量数据进行训练来更新。来源：《2025 年国际人工智能安全报告》(50)(经修改)。

任务方面非常有效。现在，大多数最先进的通用型人工智能模型都基于一种被称为“transformer”的特定神经网络架构 (43, 44)。Transformer 使用“注意力”机制 (45)，帮助模型在处理信息时专注于输入数据中最相关的部分，例如确定句子中哪些单词对理解其含义最为重要。这种特殊的模型构建方式为翻译 (43)、自然语言处理(46)、图像识别 (47*)和语音识别 (48*, 49) 带来了显著改进，最终导致了开发出当今最先进的模型。

通用型人工智能是分阶段开发的

开发通用型人工智能系统涉及多个阶段，从初始模型训练到部署后监测和更新 (图 1.2)。实际上，这些步

骤通常以迭代的方式重叠。每个阶段需要不同的资源输入 (例如数据、人力、计算) 和不同的技术，有时由不同的开发者执行 (图 1.2 和表 1.2)。

例如，模型预训练通常需要大量的算力和数据，因此该阶段对影响计算资源或训练数据访问权限的策略特别敏感 (51, 52)。同样，数据筛选 (data curation) 和一些模型微调方法目前需要大量的人力来进行初始数据标记 (53)。因此，这一阶段对人力成本、平台政策或影响跨境合同安排的法规的变化很敏感。




图 1.2：通用型人工智能开发阶段的示意图。来源：《2026 年国际人工智能安全报告》。

- | | |
|--------------------|--|
| 1. 数据收集和策管 | <p>在训练通用型人工智能模型之前，开发者和数据工作者会收集、清洗、策管和标准化原始训练数据，使其成为可供模型学习的格式。这可能是一个劳动密集型过程。当前最先进模型背后的训练数据集包含了来自整个互联网的海量示例。</p> <p>团队通常会开发复杂巧妙的筛选方法，以减少有害内容、消除重复数据，并改善不同主题和来源的代表性 (54, 55)。数据筛选还可以帮助减少侵犯版权和隐私的行为，移除含有害知识的示例，处理多种语言，改善数据溯源的文档记录 (56, 57, 58)。</p> |
| 2. 预训练(训练的第一阶段) | <p>在预训练期间，开发者向模型提供大量多样化的数据，以赋予广泛的信息基础和上下文理解能力。此过程会生成“基础模型”。这是一个高度的数据密集型和计算密集型过程。</p> <p>在预训练期间，模型会接触到数十亿或数万亿个内容示例，例如图片、文本或音频。通过这种接触，模型会逐渐发现抽象特征来表示数据，并学习这些特征之间的关联，从而能够根据上下文理解新的输入。这种预训练过程需要数周或数月 (59)，使用数万或数十万个图形处理器 (GPU) 或张量处理单元 (TPU)(60)，这些专门的计算机芯片旨在快速处理海量此类计算。一些开发者使用自己的算力进行预训练，而另一些开发者则使用专业算力提供商提供的资源。</p> |
| 3. 后训练和微调(训练的第二阶段) | <p>“后训练”进一步完善了基础模型，以针对特定应用对其进行优化。这是一个中等的计算密集型和高度劳动密集型过程。转向使用“合成数据”（模仿现实世界数据、但使用算法或模拟创建的人工生成信息）可帮助降低这一阶段的劳动密集度。</p> <p>后训练包括各种微调技巧和其他改良。“监督微调”包括在特定数据集上对已训练好的模型进一步训练，以提升其在该领域的表现 (61, 62)。例如，可以在大型放射影像数据集上进一步训练通用模型。“强化学习” (RL) 包括通过在模型生成理想输出时给予“奖励”（提供正面反馈），而在生成不理想输出时给予“惩罚”（提供负面反馈），从而提升模型的表现。它有两个重要的子类别。“基于人类反馈的强化学习” (RLHF) 包括根据人类反馈，奖励符合人类偏好的输出，并惩罚不符合人类偏好的输出 (63, 64*)。“可验证奖励强化学习” (RLVR) 用于提升需要事实正确性的任务（例如数学或代码生成）的模型表现。开发者通常在使用后训练方法与运行测试之间交替进行，直到结果显示模型达到所需规格为止。</p> |

4. 系统集成	开发者将一个或多个通用型人工智能模型与其他组件相结合，以创建可供使用的“人工智能系统”。GPT-5（举例）是一个处理文本、图像和音频的通用型人工智能模型（model），而 ChatGPT 则是一个将多个不同规模和功能的模型与聊天界面、内容处理、Web 访问和应用程序集成相结合、以创建功能性产品的通用型人工智能系统（system）。 除了使人工智能模型具备运行能力外，人工智能系统的其他组件还用于增强能力、实用性和安全性。例如，系统可能带有过滤器，用于检测和屏蔽包含有害内容的模型输入或输出（65*）。开发者还越来越多地使用“脚手架”，即围绕通用型人工智能模型构建的附加软件，使其能够前瞻规划，追求目标并与世界互动（66）。
5. 部署和发布	部署是使集成化人工智能系统可用于其预定用途的过程。开发者和部署者将人工智能系统落地到现实世界的应用程序、产品或服务中。开发者可以在内部（供自己使用）或外部（供私人客户或公众使用）部署人工智能系统。在外部部署人工智能系统时，企业通常通过在线用户界面或应用程序编程接口（API）为用户提供访问权限。例如，一家公司可能会设计一个定制的客服聊天机器人，该聊天机器人由另一家公司的通用型人工智能系统提供支持。 “人工智能系统部署”是指通过集成工具和接口将模型提供给现实世界使用，而“模型发布”则涉及让其他人可以访问基础模型——可以是开放权重（可下载的参数），也可以是封闭权重（仅限 API 访问）。参见 §3.4.开放权重模型。
6. 部署后监测和更新	开发者经常收集和分析用户反馈，跟踪影响和性能指标，并进行迭代改进，以解决在实际使用过程中发现的问题（67）。改进通过更新系统集成来实现，通常是通过持续的微调和为模型提供访问（最近）事实的外部数据库的权限。这样可以使大型人工智能模型保持更新，而无需重复整个预训练过程（68*）。这使得各项能力能在连续的训练轮次中积累，同时保持稳定性并降低计算成本。

表 1.2: 在通用型人工智能的每个开发阶段，人工智能模型都经过改进以供下游使用，并最终作为完全集成的人工智能系统进行部署，进行监测和更新。

推理系统在推理过程中生成“思维链”来提升表现

推理（Inference）发生在人工智能模型训练完成后用户使用该模型时。例如，当有人要求人工智能系统进行旅行规划时，就会进行推理，其背后的模型会利用其在地理、交通和美食方面所学知识的相关方面来生成行程。

过去十年来，人工智能能力的提升主要来自于更大规模的训练；也就是说，增加了用于训练人工智能模型的计算量。但最近，研究人员通过允许模型更长时间地处理信息，以及训练模型在完成任务时生成明确的推理步骤，取得了更多进展（69*，70）。像这样运行的人工智能系统被称为推理系统，它们在解决问题或回答问题时所进行的中间解释被称为思维链。推理系统在使用时需要更多的计算资源来生成这些复杂的思维

链（71，72，73，74），并且在训练期间需要更多资源，这样它们才能更好地学会推理。实际上，这些推理能力让人工智能系统能够通过将任务迭代地分解为更小的步骤来解决更复杂的问题。表 1.3 展示的是非推理系统和推理系统解决同一问题的示例。

推理系统在解决挑战性问题的能力方面已取得重大突破。例如，2025 年，专门用于解决数学问题的推理系统，如谷歌的 Gemini Deep Think 以及 OpenAI 一款尚未发布的处于实验阶段的模型，（在结构化测试环境中）解答国际数学奥林匹克竞赛题目时，达到了相当于人类金牌选手的水平（75，76）。推理系统在数学、逻辑谜题和结构化科学问题等形式化领域已展现出显著进展，在这些领域中，逐步推理过程可以被明确验证（77）。但是，推理系统也可能会因产生无关紧要、没有成效或重复的思维链而失败（78，79）。

提示



在晨光中像夜晚一样黑。
我高高在上，直至被碾碎。
我坐在干燥处，直至被淹没。
我是什么？

示例：模型在**无推理情况**下的回复

答案是“方糖”。

以下是答案如何契合这些谜语的：

1. “在晨光中像夜晚一样黑”——方糖是白色的，但是当你把它放到深咖啡或茶水中时，它会显得很黑。
2. “我高高在上，直至被碾碎”——方糖通常存放在高处（比如橱柜或高的架子）直到需要为止，然后被研磨或压碎加入饮品中。
3. “我坐在干燥处，直至被淹没”——方糖在被放入液体（如茶或咖啡）之前，会干燥地放在表面或容器中，放入液体中后，它就会被“淹没”。

答案与谜语非常契合，而且这是一个巧妙的文字游戏！

示例：推理系统的**思维链**和**回复**

让我来逐句解析一下：

1. “在晨光中像夜晚一样黑。”
– 这表明某种东西在早上显得很黑，尽管早晨本身是明亮的。
2. “我高高在上，直至被碾碎。”
– 这表明某些东西起初位置很高，但最终变得很低。它也可能是指随着时间推移而磨损或减少的物理物质。
3. “我坐在干燥处，直至被淹没。”
– 这表明某种东西通常是干燥的，但随后会变湿或“淹没”在液体中。

让我推理一下什么东西适合上述所有描述：

- 铅笔？铅是黑色的，它位于高处（可能在铅笔筒里），随着使用会被磨削，如果掉入水中，则可能会被淹没。
- 咖啡豆？它们很黑，高高地放在架子上，被研磨之后，再淹没在热水中，用来制作咖啡。
- 蜡烛？未点燃时天是黑的，放置在高处，随着燃烧会逐渐磨短，如果浇水就会被“淹没”熄灭。

铅笔和蜡烛的解释似乎很合适，因为位于高处或被淹没并不是它们制造或使用过程中的关键特征。我认为咖啡豆的解释更合适，尤其是提到“晨光”时。

这个谜语的答案是咖啡豆。

表 1.3：非推理系统（左）与推理系统（右）解答同一谜语的示例。这些示例改编自真实的人工智能回复。推理系统在提供最终答案之前，会通过构建一条“思维链”，花费更多的时间和算力来“思考”。




图 1.3: 智能体的示意图: 一种人工智能模型（中心），已被配置为能够迭代地进行规划、推理并使用工具来完成现实世界任务。来源：《2026 年国际人工智能安全报告》。

关于训练方法的最新动态

自上次报告（2025 年 1 月）发布以来，一种名为蒸馏(distillation) 的训练方法极大地提高了对某些模型进行微调的效率。蒸馏包括根据更强大（通常规模更大）的“教师”模型的输出对“学生”模型进行训练，从而让学生模型能够直接模仿教师模型的输出 (80*)。例如，DeepSeek 开发了一个名为 DeepSeek-R1 的大规模模型，该模型擅长思维链推理。R1 生成的推理输出随后用于微调较小的学生模型，包括 DeepSeek-v3。DeepSeek-v3 保留了 R1 在数学、编程和文档分析方面的大部分能力，据报道其微调成本约为 10,000 美元（尽管未报道其预训练成本）(81*)。这很可能比微调其他能力相当但规模更大的模型的成本低几个数量级。

因此，蒸馏可以成为模型获得更强大能力的一种经济而有效的方式 (82)。一些研究人员仅使用由最先进模型生成的约 1,000 个样本，对高性能模型进行微调 (83)。由于蒸馏需要先前既有的教师模型，因此无法直接用于推动最先进模型能力的进一步提升。但它能加速先进人工智能能力的普及，即使这些能力源自闭源模型 (84*)。

再加上“分布式计算”和去中心化训练（开发者使用多个处理器、服务器或数据中心共同进行人工智能训练

或推理的方法 (85, 86, 87)) 方面的技术进步，许多人工智能开发项目依赖大规模、集中式计算基础设施的程度已经降低。这日益使得资源不那么多的行为主体也能够开发和部署强大的系统。

关于智能体的最新动态

自上次报告（2025 年 1 月）发布以来，开发者在结合人工智能模型与工具方面取得的进展，推动了日益强大的智能体的开发。智能体被设计用来追求目标，这些目标通常由用户以自然语言指定。为了实现这些目标，它们可以访问内存、计算机界面和网络浏览器等工具。这些工具以及用来将它们与模型相结合的代码被称为脚手架，它们可以帮助智能体自主地与外界互动、制定计划、记住重要细节并追求目标 (88*, 89)，几乎无需人类的监督或协助。例如，Manus AI 是一个广受欢迎的智能体，能够自动执行各种任务，包括网络搜索、软件开发和在线购物 (90)。图 1.3 展示了一个简单的智能体示例，该智能体由通用型人工智能模型“大脑”组成，能够迭代地进行规划、推理并使用工具实现记忆、网页浏览和计算机操作。

智能体的数字基础设施正在扩大 (91)，它们在各行各业中越来越普遍(92,93*,94*)。智能体是为研究(37*)、软件工程 (95)、机器人控制 (96*) 和客户服务 (97) 等

任务开发的。持续的研发让智能体或多智能体系统的能力稳步提高、自主性更强。研究人员估计，智能体能够完成的软件基准测试任务的复杂性大约每 7 个月翻一番（另见 §1.2.当前能力）(98)。专家们认为，随着智能体能力不断增强，它们将带来重大机遇和风险(99, 100*)（参见 §2.2.1.可靠性挑战）。

证据差距

围绕通用型人工智能系统开发过程的主要证据差距，源于缺乏有关其开发方式的公开信息。一些开发者对如何开发通用型人工智能系统非常透明

(1, 101)。但总的来说，公众和政策制定者对如何开发、保护、评估和部署最先进模型的了解程度有限。对于内部部署的人工智能系统尤其如此，这些系统在人工智能公司内部使用，但未被外部利益相关者使用或理解（102, 103）。这种有限的外部可见性给透明度和监督带来了挑战。多位研究人员指出，在训练数据(104, 105, 106)、通用型人工智能模型（107, 108）、智能体(92)、评测方法(109)、开发流程(110)以及安全性(111)等方面，存在透明度不足且不一致的问题。有时为了保护公司的商业秘密和知识产权，需要对外部披露予以限制。同时，低透明度使得独立研究人员和政策制定者更难以研究通用型人工智能模型和系统。

第 1.2. 节

当前能力

内容提要

- **通用型人工智能系统可以熟练地执行一系列范围明确的任务。**这些任务包括用多种语言流利地交谈、生成代码以完成特定的软件任务、创建逼真的图像和短视频，以及解决研究生水平的数学和科学问题。
- **但是，其能力参差不齐 (jagged)：**仍然有许多任务人工智能系统不能很好地执行。例如，在多步骤项目中，人工智能系统可能会因简单的错误而脱离原进程；继续生成包含虚假陈述（“幻觉”）的文本；且尚无法通过集成机器人组件以执行基本的物理任务，例如家务。当以英语以外的语言提示时，它们的表现也往往会下降，因为这些语言在训练数据集中所占比例较低。
- **智能体越来越有能力完成有用的工作。**例如，智能体已展现出在有限的人工监督下完成各种软件工程任务的能力。然而，它们尚无法完成全面自动化许多工作岗位所需要的复杂任务和长期规划。
- **自上一份报告（2025 年 1 月）发布以来，“推理系统”的进步已推动提升了在更复杂任务方面的表现。**推理系统能够将问题分解成更小的步骤，并比较不同答案。这尤其提高了它们在数学、编程和科学研究相关任务上的表现。
- **核心挑战是新出现的“评估差距”：**现有评估方法无法可靠地反映系统在现实世界环境下的表现。许多常见的能力评估已经过时，受到数据污染的影响（当人工智能模型根据评估中使用的相同问题进行训练时），或者只专注于狭窄的任务集。因此，它们对现实世界中人工智能的性能所提供的洞察有限。

通用型人工智能系统展现出许多卓越的能力。领先的系统目前已在数学竞赛中达到金牌级别，并能协助科研人员提出假设和排查实验室工作中的问题。在各种基准测试和任务特定评测中，它们与专家的表现相当，在某些情况下甚至超越专家的表现。然而，这些系统展现的性能配置也参差不齐：它们的能力因不同的任务和环境而有很大差异。它们有时仍会产生虚假

信息（“幻觉”），即使给出的输入相同或相似，也会产生不一致的输出。存在“评测差距”：人工智能系统在部署前评测等受控环境中经常有出色的表现，但在现实世界环境下表现较差。这种变化性使得难以通过单一指标来评估通用型人工智能能力。本小节概述了人工智能系统的能力及其缺点（表 1.4）。

大多数专家认为，通用型人工智能系统目前可以执行以下任务：



用多种语言进行流利的对话



为狭窄、定义明确的软件任务编写并调试代码



生成高逼真度的图像和短视频片段



解决研究生水平的、结构明确的考试类数学与科学问题



为科学研究做出贡献，例如通过文献综述和数据分析

大多数专家认为，通用型人工智能无法执行以下任务：



独立地执行为期多天的项目



以很高的可靠性生成没有虚假陈述（“幻觉”）的文本



执行涉及机器人的有用任务，如家务劳动



解决需要新颖洞察力或大量复合推理的数学和科学问题



在数字资源远少于英语的语言中表现可靠

表 1.4: 当前通用型人工智能系统的主要能力和限制摘要。

当前的通用型人工智能系统能做什么？

现在，通用型人工智能系统在标准化评测中的表现等于或高于人类专家的水平（图 1.4），涵盖的定义明确的专业和科学领域越来越多。例如，领先的模型在从化学到法律等学科的本科考试中得分超过 90%（MMLU, (112^{*})），在研究生水平的科学考试中得分超过 80%（GPQA, (14^{*})）。2025 年 7 月，谷歌 DeepMind 和 OpenAI 的模型在国际数学奥林匹克竞赛中获得了金牌级别的成绩，在模拟竞赛环境下解决了六个问题中的五个 (76)。除了基于文本的推理外，这些系统还显示出强大的多模态能力：它们可以根据简单的文本提示 (13^{*}, 18^{*}, 113^{*}, 114^{*}, 115^{*}, 116^{*}) 创建逼真的图像、高清短视频、三维场景和音乐作品，并且它们正开始处理复杂的传感器数据以指导物理机器人 (21^{*})。

先进的能力正在提升医学、教育、软件开发和其他领域的生产力

先进的人工智能能力现在可为实用工具提供支持，这些工具在特定任务中可以不亚于或超过人类表现，可以提高多个领域的生产力 (117^{*})。

- 在**医学**领域，人工智能系统可以分析临床场景并进行诊断性对话，从而生成可能的诊断列表。在

特定的模拟环境中，尽管它们缺乏现实世界临床部署所需的可靠性和一致性，但它们的准确度可能会超过人类医生 (118, 119)。

- 在**教育**领域，从课程设计到学生评估等领域，人工智能系统正迅速被采用，改变了教育流程 (120^{*}, 121)，同时学生的广泛使用正对现有学术评估的完整性和有效性构成重大挑战 (122)。
- 在**软件开发**方面，人工智能编程助手现在已被广泛采用，一些研究表明，使用人工智能助手的开发者完成某些任务的平均速度比不使用的开发者快 20%-30% (123^{*}, 124, 125^{*})。
- 客户服务、咨询和专业写作等**其他领域**的大规模研究发现，人工智能辅助工作可以显著提高生产力，尽管这些影响会因任务和工作人员群体而有所不同 (126, 127, 128, 129, 130)。（有关通用型人工智能对劳动力市场影响的更详细讨论，请参见 § 2.3.1.劳动力市场影响。）

通用型人工智能系统辅助科学研究

研究人员现在使用通用型人工智能系统来支持相对复杂的跨学科任务。研究人员已经证明，人工智能系统可以在高水平的人类指导下，设计用于医疗用途的新型蛋白质，这些蛋白质随后可在实体实验室中被验证 (131)。其他系统发现了比长期以来人工设计的方

领先的通用型人工智能模型性能已在多项关键基准测试中得到提升




图 1.4: 2023 年 4 月至 2025 年 11 月期间，主流通用型人工智能系统在关键基准测试中的得分。这些基准测试涵盖编程 (SWE-bench Verified)、数学 (MATH 和 FrontierMath) 以及科学推理 (GPQA Diamond) 等领域的高难度问题。以 OpenAI 的 o1 为代表的推理系统在数学任务上表现出显著提升的性能，这一点在 MATH 基准测试中表现得尤为明显。来源：Epoch AI, 2025 (138)。

法更有效的新算法(31*)。值得注意的是，此类进步往往较少依赖最新模型的原始性能，而更多地依赖于恰当的系统集成。通用型人工智能也越来越多地被用于加速人工智能研究本身，这一趋势的重大影响将在 §1.3.3 进一步讨论。到 2030 年的能力。在社会科学领域，研究人员正使用人工智能通过自动标注来加速数据分析，通过使用智能体模拟个人和集体行为来探索社会互动机制 (132, 133, 134)。从分析转向直接应用，研究人员开始使用通用型人工智能系统来设计和研究可扩展的新型社会干预方案。例如，近期的工作探索了利用人工智能介导的对话在民主辩论中寻求共识，或通过对话减少人们对阴谋论的相信程度 (135, 136, 137)。

通用型人工智能系统目前的局限性是什么？

尽管能力有所提高，但通用型人工智能系统在不同任务和情境下的表现仍然参差不齐。本节重点介绍了一些突出的局限性，尽管所面临的挑战范围更为广泛。

当前的人工智能系统仍然存在可靠性挑战

尽管最近有所改进，但通用型人工智能系统会不可靠，容易出现基本的事实和逻辑错误。即使是擅长完成复杂任务的系统也可能生成不存在的引文、传记或事实，这种现象被称为“幻觉” (139, 140, 141*)。它们的表现也可能不一致；例如，在问题描述中插入无关信息时，数学问题的准确度可能会大大降低 (142*)。这种脆弱性延伸到多模态能力：模型在空间推理任务（例如对场景中物体进行基本计数）上的表现往往较差 (143, 144)。尽管专家的人工监督可以减轻其中一些风险，但也存在相应的过度依赖的危险，即用户信任不正确的输出，因为这些输出可以流畅而自信地呈现 (145, 146) (参见 §2.3.2.对人类自主性的风险)。这种不可靠性使得难以在医疗和金融等高风险环境安全地采用此类系统，因为在这些环境中，错误可能会造成严重后果，仍然需要对系统输出进行人工验证。

系统在长期规划和应对意外障碍方面存在困难

通用型人工智能系统还难以完成需要长期规划、在多个步骤保持连贯策略以及适应意外障碍的任务。随着任务长度增加，智能体往往难以跟踪其进展，且无法可靠地处理预期之外的输入 (147, 148, 149*)。例如，即使是简单的网站弹出式广告也可能使整个任务脱离原进程 (150)。大规模评测证实了这种现状：在软件开发中，能力最强的系统在持续两小时以上的任务中只能成功完成 50%，而要达到 80% 的成功率，则需要将其限制在更简单的 25 分钟任务 (98, 151)。目前，对冗长或复杂任务的可靠自动化执行仍然不可行。

与物理世界的互动仍具有挑战性

事实证明，在数字任务上取得的进展也难以转化为机器人技术，因为现实物理世界的复杂性带来了新的挑战。最近的进展集中体现在视觉-语言-动作 (VLA) 模型上，这些基础模型旨在使机器人能够遵循自然语言指令、解析多模态感官数据并生成运动命令。最先进的系统，如 $\pi 0.5$ (152*) 和 Gemini Robotics (21*)，现在已能够理解“清洁厨房”等简单的口头命令，还能在不熟悉但受控环境中执行一系列物理步骤。但是，当前的 VLA 模型在面对非常规物体形状和意外事件时表现仍然不佳 (152*)。确保此类系统能够在不同的环境中安全且可靠地运行，以最大程度降低人身伤害

或财产损失的风险，并保持良好表现，仍然是一个活跃的研究领域 (153, 154, 155*)。

在不同语言和文化下的表现参差不齐

通用型人工智能模型和系统的能力还会因语言和文化而有所不同。这些模型在英语任务上的表现最佳，反映出大多数训练数据来自西方来源这一事实 (156*, 157)。例如，一项针对 83 种语言的人工智能模型的评测发现，使用非拉丁字母文字的语言以及数字资源有限的语言，其模型表现明显较差 (158)。这种差距还延伸到文化知识方面 (159)；一项研究表明，人工智能模型对有关美国日常文化的问题回答正确率为 79%，而对埃塞俄比亚文化相关问题的正确率仅为 12% (160)。另一项研究发现，当前模型在高资源语言中“推理”更为有效，这可能会扩大语言之间的表现差距 (161)。除了语言和文化方面之外，在地理和社会经济方面也出现了类似的情况。模型在推荐中对弱势群体所在地区代表性不足 (162)；例如，当被要求推荐餐厅时，它们可能不会推荐贫困地区的餐厅，并且在事实回忆中，其对低收入国家的表现也出现下降 (163, 164)。这种不平等因评测基准本身严重偏向英语而进一步加剧，从而形成了一个生态系统，在这个生态系统中，低资源的语言持续处于系统性地研究不足且优化不足的状态 (165*, 166)。




图 1.5: 通用型人工智能模型 (s1) 在推理密集型任务中的表现，随测试时计算资源（即在推理过程中使用额外的计算资源）的多少而变化。在生成回复期间分配更多的计算时间可显著提升在数学 (AIME 2024) 和博士级科学问题 (GPQA Diamond) 上的表现。来源：Muennighoff 等人，2025 (173)。

更新

自上次报告 (2025 年 1 月) 发布以来,“推理”系统已成为主流 (参见 §1.1.1.什么是通用型人工智能? 以了解其发展的详细信息)。这些系统通过在自身“思维链”中生成并比较多个答案、再输出最终答案,在高难度数学、编程和科学任务中展示出显著提升的表现 (图 1.5) (112*, 167*)。由于这些模型的表现部分取决于推理时计算,因此它们的有效能力可能会在初次开发后发生变化,即随着被分配更多计算资源而提高。

与此同时,人工智能企业更加注重开发智能体,尤其是在软件工程(168) 和计算机操作 (169*, 170*) 等领域。尽管可靠性仍然是瓶颈,但这些智能体能够自动执行的任务的复杂程度正在迅速提高 (98)。最后,使模型形成长期记忆并从用户交互中持续学习,正逐渐成为关键发展领域 (171, 172*)。

证据差距

能力的参差不齐以及评测差距,使得通用型人工智能的能力难以被可靠地衡量和预测 (174, 175)。其表现在很大程度上还依赖于具体的测试样本和使用的提示词,因此很难以高置信度地证明人工智能系统不具备执行某些 (可能危险的) 任务的能力 (176*)。目前尚没有个统一、全面且持续更新的人工智能能力综述,导致人们对该领域的理解支离破碎且往往过时。包括本报告在内的现有综述 (138, 177) 虽提供了有价值的总结,但在这一快速发展的领域中也仅是静态概述。由于没有广泛认可的能力分类体系,政策制定者不得不在零散的基准测试和信息来源中摸索来形成对整体情况的认知。

基准测试通常无法预测在现实世界的表现

基准测试的可靠性正引发更多担忧。许多能力评测都依赖于标准化的基准测试。然而,许多模型可能使用了来自这些基准测试本身的数据进行训练——这一问题被称为数据污染 (data contamination),而目前大多数开发者并未对此进行追踪或披露 (178)。这可能导致性能得分虚高,无法反映模型的真实能力 (179*),而仅仅体现其记忆答案的能力 (180, 181, 182)。当前评测做法的另一个局限性是,它们依赖于受控实验室环境中的自动化测试。但是,这往往高估了人工智能系统在动态现实场景中的实际效用 (147、149*、183、184)。例如,一项研究发现,虽然智能体可以生成可运行代码,但该代码在实际项目中使用之前,仍然需要大量的人力来修复文档、格式和质量方面的问题 (185)。为了应对这些局限性,一门专门的“评估科学 (evaluation science)”正在兴起,倡导采用严谨的方法论,确保外部效度 (external validity),并更准确地预测模型在现实世界的表现 (186*, 187)。例如,近期的基准测试已开始衡量人工智能系统在具有经济价值的任务 (188*, 189*) 和现实世界远程劳动 (190*, 191*) 方面的表现。

人工智能如何增强人类能力的证据尚无定论

持续衡量人工智能的实际益处具有挑战性,因为成功既取决于具体任务,也取决于用户利用人工智能完成任务的技能,这意味着实验室结果往往无法预测其在现实世界的价值。例如,一项研究表明,模型独立运行的准确度并不能可靠地预测人机协作的表现 (192)。许多研究证实,使用人工智能可以带来积极的提升 (126, 127, 128)。然而,近期一项研究发现,尽管软件开发人员主观认为人工智能提高了他们的工作效率,但实际上在复杂的编程任务中,人工智能反而使经验丰富的程序员效率降低了 19% (129)。

第 1.3. 节

到 2030 年的能力

内容提要

- **人工智能开发的投资预计未来几年将大幅增长。**预测表明，到 2030 年，用于训练最大人工智能模型的算力可能会增长 125 倍，而不会达到能量、芯片或数据的硬性上限。训练方式利用这些算力的效率也会预计每年提高 2-6 倍。
- **能力提升的轨迹从渐进甚至停滞到快速加速都有可能。**尽管进行了大量投资，技术限制或能源瓶颈等不确定因素可能会限制能力的提升，而正向反馈回路（例如有助于人工智能研究的人工智能系统）可能会加速进展。对于哪种轨迹最有可能，几乎没有专家共识。
- **如果各项能力继续以目前的速度提升，到 2030 年，人工智能系统将能够完成范围明确的软件工程任务，而这些任务需要人类工程师几天才能完成。**针对其他领域未来表现的预测很少，而能力提升在多大程度上能够泛化到训练数据更为有限、性能难以评估的领域，目前尚不明确。
- **自上次报告（2025 年 1 月）发布以来，主要趋势表明各项能力将继续提升。**出于对未来收益的预期，人工智能公司宣布前所未有地投资超过 1000 亿美元用于数据中心开发，以支持更大规模的训练和更广泛的部署。
- **2030 年之后，人工智能能力的发展轨迹变得更加难以预测。**随着时间的推移，一些专家预计，将很难获得大规模训练所需的数据、芯片、资本和能源。但是，研究人员可能会找到更高效使用这些资源的方法，或者发现避开当前瓶颈的新方法。哪些考虑因素将最为重要，目前极不确定。

近年来，人工智能进步的关键投入（算力、算法改进和数据）呈指数级增长，新的推理时扩展（inference-time scaling）方法正进一步提高模型的能力，甚至在模型完成训练之后。如果这些趋势继续下去，专家预计，人工智能能力到 2030 年将大幅提高。但是，研究人员无法可靠地预测具体能力何时会出现，专家们对投入是否会继续呈指数级增长存在分歧。有人预计，当前的训练技术会进入平台期，或者数据和能源瓶颈会限制未来的发展。不过，也有一些人认为，进展将进一步加快，因为将人工智能系统应用于人工智能研究本身可能会产生正反馈回路（193, 194）。为了阐明这些不同的发展轨迹，本节介绍了与经合组织合作开发的 2030 年四种人工智能能力情景。技术补充文件中提供了有关扩展定律、投入的扩展和当前基准测试表现的其他技术细节。

进展的驱动因素：算力、算法和数据

前沿人工智能的进展由三个投入驱动：算力、算法进步和数据。

算力是指用于人工智能开发和部署的计算资源，包括硬件、软件和基础设施。更多的算力使得可以在更大规模的数据集上训练更大的模型（见图 1.6），从而在各类任务中有更好的表现（195*，196*）。算力还可以在部署期间用来提高人工智能系统输出的质量（197*，198）。

算法的进步可提高计算资源转化为模型性能的效率，也能催生质变产出全新的能力。如果一个模型在达到相同性能水平时所使用的训练或推理计算更少，它就比另一个模型更高效（199）。例如，GPT-5 比 GPT-4.5

用于训练领先 AI 模型的算力已指数级增加




图 1.6: 2012 年至 2025 年间用于训练领先人工智能模型的计算量 (以浮点运算 (FLOP) 衡量)。现在最大的训练运行很可能已超过 10²⁶ 次 FLOP。来源: Epoch AI, 2025 (203)。

更高效, 因为它很可能使用了更少的计算资源进行训练 (200), 但在一系列基准测试中, 它的表现优于 4.5, 例如包含博士水平科学问题的 GPQA Diamond (201)。

数据是指用于训练模型的信息, 包括来自互联网的文本、图像和人工生成的合成数据 (202)。数据的数量和质量对进展都很重要。

近年来, 这三个驱动因素均显著增长。对于计算密集度最高的模型, 训练算力每年增长约 5 倍。如果这种趋势持续到 2030 年, 那么这些模型的训练所用的计算量将大约是目前 3000 倍 (204, 205)。根据 2024 年的一项研究, 算法效率每年提高约 2-6 倍, 减少了等效性能所需的计算量 (199)。训练数据集已从数十亿个数据点扩展到万亿个数据点, 平均每年增长 2.5 倍 (206)。不同于主要依赖更多训练算力和更大数据集的传统方法, 新的推理时扩展方法可进一步提高模型训练后的能力 (173, 207*)。一项研究发现, 人工智能系统能够在约 80% 的情况下完成那些明确规定的软件工程任务这些任务通常需要人类专家花费 30 分钟才能完成, 而且这些任务的时长每七个月就翻一倍 (图 1.7)。如果这种趋势继续下去, 人工智能系统到 2027 年就能完成耗时数小时的任务, 到 2030 年就能完成耗时数天的任务 (98)。

人工智能能力在未来几年将如何变化?

关键投入到 2030 年实现指数级增长在技术上是可行的

到 2030 年左右, 前沿人工智能的关键投入 (算力、算法技术和数据等) 的指数增长在技术上是可行的。对生产能力、投资和技术进步等限制因素的分析表明, 前沿模型所使用的算力有望以当前速度持续增长, 而不会在芯片制造或能源生产方面触及根本性瓶颈 (204, 208)。为了支持这种扩展, 各企业纷纷对计算基础设施进行大量投资; 例如, Meta 和 OpenAI 宣布计划分别投入 650 亿美元和 5000 亿美元 (209, 210)。重要的是, 这些投资还支持增加推理算力和用于研发的 计算资源, 后者占人工智能公司算力支出的很大一部分 (211)。

过去, 算法效率的提升每年额外带来 2-6 倍的性能提高 (199)。然而, 专家们对这种增长的可持续性存在分歧, 尤其是在 2030 年以后。分歧主要集中在能源限制和高质量数据短缺是否会迫使当前的开发方法发生根本性变化 (206)。




图 1.7: 智能体随着时间推移能够以 80% 成功率完成的软件工程任务的时长（以人类专业人士完成这些任务所需的时间来衡量）。近年来，任务时长大约每七个月就翻一倍。来源：Kwa 等人，2025 年(98)。

专家们预计在解决问题方面将继续取得进展

如 §1.2.当前的能力所述，人工智能模型在数学推理方面已取得快速进展。在这些进展的基础上，专家预测，到 2027-2028 年，基于推理的问题解决能力将取得重大进步。根据预测研究所进行的一项研究，专家预测，在本科水平的 FrontierMath 问题上，人工智能模型到 2027 年达到 55% 准确率、到 2030 年达到 75% 准确率的概率为 50% (212)。然而，对于这些能力是否会超出数学和编程范围，专家们存在分歧。关于推理技术影响的大多数证据仍然局限于这些领域 (197*, 213*, 214*)。为确定推理技术的泛化能力有多强，还需要进行更广泛的评测和尝试，将人工智能系统的推理技能应用于法律和科学推理等新领域。

人工智能系统在自主软件执行方面也取得了快速进展。在 2019 年只能完成人类专家耗时几秒的任务的人工智能系统，现在能以 80% 成功率完成人类专家耗时 30 分钟的软件工程任务 (98, 215*)。在过去 6 年中，该指标（人工智能系统能以 80% 成功率完成的最长任务时长）大约每七个月就翻一倍。如果这种趋势继续下去，人工智能系统到 2027-2028 年就能自主完成耗时数小时的软件项目，到本十年末就能完成耗时数天的项目。但是，这些预测假设成功率为 80%，这可能低于许多专业场景中自主部署所需的标准。目前的证据表明，随着任务时间增加，性能呈下降趋势，这表

明要达到可用于实际生产的成功率，可能需要新的技术创新 (98)。此外，这些基准测试任务在系统性方面与现实世界的软件工作存在差异，可能高估了实际进展：例如，它们不包含现实世界中“混乱”的因素，例如资源限制、信息不完整或多智能体协作等 (98)。

专家们对专业领域进展的规模和时机存在分歧

通用型人工智能能力有望到 2028 至 2030 年在许多专业领域得到提升，但专家们对这些进展的程度和时机存在分歧。人工智能系统已在某些科学基准测试中超越了研究生水平的表现，例如在 GPQA Diamond 测试中，当前领先的模型现已超越博士级别的专家 (216)。趋势外推表明，尽管预测仍存在不确定性，但模型可能会在未来几年内在多个专业科学领域达到研究级的水平。

即使整体表现稳步提升，特定能力也可能以不可预测的方式出现。例如，通用型人工智能模型在被提示逐步推理时，在大数加法任务上表现出性能的显著跃升，而不是随着模型规模扩大而逐步提升 (217, 218, 219*, 220, 221)。研究人员将这种突然的跃升称为“涌现能力 (emergent capabilities)”。这给规划带来了挑战，因为很难预测人工智能系统何时会突然获得具有战略意义的相关认知能力。重要的是，研究人员尚




图 1.8: 主要人工智能企业自 2023 年以来的预计年化收入。来源: Epoch AI, 2025 (228)。

无法确定新的预测方法是否会使能力涌现更具可预测性, 而且他们对于这些能力跃升究竟有多不可预测也存在分歧 (222, 223, 224, 225*)。

哪些瓶颈可能会放缓进展?

额外计算带来的经济回报可能会减少

仅靠资源规模的扩张可能导致经济效益递减, 并有可能减缓进展, 因为要保持同样的能力提升速度, 需要的投资会越来越大。当前的前沿人工智能训练仅计算资源就已经耗费了约 5 亿美元, 预计下一代模型需要 10 亿至 100 亿美元 (204, 226)。同时, 消费者对人工智能系统的信任度平均仍较低, 许多企业也难以成功部署人工智能系统, 这相当于将数千亿美元的大规模投资押注于不确定的回报 (93*, 209, 227)。如果这些投资未能产生收入 (图 1.8), 企业可能会大幅减少在扩大规模方面的投入。这会为能力进步设置潜在的上限, 因为如果没有持续的投入, 近年来推动进展的每年 5 倍的训练算力增长将会大幅放缓。在这种情况下, 能力提升在很大程度上取决于算法进展, 而不仅仅是物理的扩展。

目前尚不清楚人工智能辅助研究自动化将在多大程度上加快人工智能研发

专家们对人工智能辅助研究自动化能否在未来十年显著加快人工智能进展存在分歧。在一项试点研究中,

预测专家们被问及在未来几年内将六年 (2018-2024 年) 的进展压缩到短短两年内的可能性 (229)。人工智能预测专家给出的中位概率为 20%, 而超级预测者 (擅长预测的通才) 估计的概率仅为 8%。然而, 在人工智能系统在为期一个月的研究项目中表现优于人类研究人员的情景下, 预测者估计的概率增加到 18% (229)。在此类情景下, 人工智能研究可以更快地实现完全自动化, 有人猜测这可能会大大加速人工智能的发展。

目前关于人工智能辅助研究自动化的实证是不一的。在一项衡量人工智能研究工程能力的基准测试中, 智能体在 2 小时任务中的表现要优于人类, 但在 8 小时任务中的成功率则较低 (230)。尽管这一证据具有启发性, 但它并未考虑人工智能研发的现实瓶颈, 例如研究人员必须应对不明确的目标, 以及需要很长时间才能了解某项算法改进是否真正提升了模型性能。这种不确定性给政策制定者和机构带来了极大的规划挑战: 如果每一项加快人工智能研发步伐的人工智能进展又能促进下一次进展, 那么数十年的进步就可能在几年内发生。

商业性部署往往落后于能力提升

当前的人工智能系统在受控环境中展现出先进的能力, 但他们在不同行业的采用速度各不相同。人工智能编程助手在发布后 1-4 年内就被软件开发人员广泛采用 (231)。相比之下, 许多行业在部署人工智能系

统时面临重大障碍 (232, 233)。在研究环境中实现人体级诊断准确度的医疗保健人工智能系统, 通常需要额外 3-5 年的监管批准、临床整合和医生培训才能实现广泛部署 (234)。专家预测, 到 2030 年, 自动驾驶汽车技术的部署仍将受到限制, 理由是文化抵制、基础设施要求和监管阻力 (212)。在全球雇佣了 60% 劳动力的中小企业尤其面临部署挑战, 包括技术专长有限、算力基础设施不足以及极高集成成本, 可能延缓人工智能的采用 (235, 236)。地缘政治因素, 包括对先进半导体的出口管制和司法管辖区之间不同的监管框架, 可能会造成更多障碍, 影响人工智能能力的发展和部署 (237, 238)。

尽管如此, 专家们对部署差距会迅速缩小或成为长期限制因素仍存在分歧。一方面, 特定行业对人工智能工具的迅速采用表明, 如果企业观察到实在的生产率提升和竞争优势, 部署将会加快 (239)。其他研究人员则认为, 无论技术进步如何, 组织和监管层面的适应本质上都需要数年时间 (240)。这种分歧对政策制定的时机有重要影响。为快速部署人工智能能力而制定的政策可能为时过早, 而假设采用速度缓慢的政策则可能不足以有效应对相关风险。

到 2030 年可能取得的进展图景：经合组织进展情景

鉴于当前趋势和不确定性, 包括上文详述的趋势和不确定性, 经合组织制定了以专家和证据为依据的多个情景, 说明人工智能在 2030 年之前会如何发展或放缓 (241)。经合组织与《国际人工智能安全报告》合作, 将这些情景纳入到该报告。分析表明, 以下四大类情景到 2030 年都是合理的:

情景 1: 进展停滞

在这种情景下, 人工智能能力基本保持不变。近年来观察到的快速提升停止, 进展陷入停滞。

- **情景:** 2030 年, 人工智能系统能快速地执行一系列人类需要数小时才能完成的任务, 但鲁棒性和幻觉问题会影响可靠性 (98, 242)。人工智能系统通常依赖人类的大量支持来完成任务, 例如详细提示、审查和提供背景信息。它们缺乏强大的能力来学习新技能或形成记忆、在时间较长的复杂任务中保持连贯性, 或应对动态的物理或社交环境 (243)。
- **路径:** 2025 年之后, 现有前沿人工智能模型开发方法所取得的进展将触及根本性限制。这种情况可能会在人工智能进展因以下原因而放缓时出现: 更大规模的训练和更强大推理系统带来的收益递减; 算力资源或其他关键投入的获取受限; 人工智能投资大幅减少; 或缺乏重大的算法突破 (244, 245*)。
- **历史类比:** 客机速度在 1930 年至 1960 年间迅速提升, 随后因实际条件限制而稳定在 500 节左右 (246)。

情景 2: 进展放缓

在这种情景下, 现有的人工智能系统训练方法框架内取得的渐进式提升实现持续但较缓慢的进展。

- **情景:** 2030 年, 人工智能系统可媲美有用的助手。它们有着深厚的知识基础, 擅长标准形式的结构化推理, 可以有效地执行需要使用计算机、浏览网络或代表用户与他人或服务部门进行有限互动的任务。它们可以保留相关的记忆, 保持连贯的推理, 并纠正错误, 以执行时间更长或更复杂的任务。它们缺乏稳健地学习新技能的能力, 而且只能在有限的、受控环境 (例如工厂或实验室) 中处理实体 (physical) 任务或具身 (embodied) 的社交任务。
- **路径:** 2025 年之后, 前沿模型开发者的方法难以克服持续学习、元认知与自主性、问题解决、创造力、物理任务和社交互动方面的局限性, 而现有的训练范式提供的解决方案并不完美 (243)。预训练、推理和后训练的扩展与一些算法创新相结合, 继续取得进展, 但进展速度比近年来要慢, 推理系统也未能像预期那样能力泛化 (generalise) (247, 248)。投资者看到持续投资的回报降低, 因此继续扩大规模的能力有所放缓。硬件、基础架构、自然资源、数据供应和能源方面的瓶颈限制了快速扩大算力和数据的能力 (208)。
- **历史类比:** 抗生素的发现曾在 20 世纪 40 年代到 60 年代经历了一个快速突破的“黄金时代”, 后来由于现有发现方法中的“低垂果实”被耗尽而逐渐放缓 (249)。

情景 3: 进展继续

在这种情景下, 持续快速进展。

- **情景:** 到 2030 年, 人工智能系统将媲美专家水平的协作者。它们能在数字环境中圆满执行许多专业任务, 而这些任务可能需要人类一个月才能完成。人工智能系统通常依赖人类来提供宏观的指导, 但通常能够高度自主地朝着既定目标开展工作, 包括自主地与一系列利益相关方进行互动。它们能够有效地形成并检索记忆, 在某种程度上还可以“在工作中学习”。它们可以成功地处理受控环境之外的一些实体任务和具身社交任务。
- **路径:** 2025 年之后, 人工智能能力将通过更大规模的训练、更强大的推理系统以及新的算法创新而持续地快速提升 (151)。算力和数据投入将持续扩大, 在 2030 年之前不会遇到实质性瓶颈, 这与目前对持续增长可能范围的估计相符 (203, 208)。现有方法的迭代和扩展或算法创新, 让开发者能够克服当前在持续学习 (continual learning) 等领域的局限性。
- **历史类比:** 摩尔定律, 即芯片的计算能力在五十年间大约每两年翻一番 (250)。

情景 4: 进展加速

在这种情景下, 重大进展使人工智能系统在大多数甚至所有能力维度上达到或超过人类水平。

- **情景:** 到 2030 年, 人工智能系统可媲美人类级别的远程工作者。人工智能系统在认知任务中的自主性和认知能力达到或超过人类水平。它们能够胜任且自主地朝广泛的战略目标努力, 并能在情况发生变化时进行反思并调整目标, 同时还能在必要时与人类协作。人工智能系统能在部署期间无缝地学习新信息和技能。人工智能引导的机器人能够在许多行业和岗位中, 在动态的真实环境中处理复杂的实体或社交任务。由于实体任务之间泛化方面的挑战, 人工智能在这些实体任务和具身任务中的表现仍普遍落后于人类, 除非该系统是为某项特定任务而专门开发的 (251, 252)。
- **路径:** 2025 年之后, 通过持续或加速扩大预训练、后训练和推理的规模, 现有范式内的人工智能能力将持续呈指数级提升。重大的算法突破以及人工智能编程助手对人工智能发展越来越大的贡献进一步放大了这些提升 (31*, 253*)。
- **历史类比:** 由于开发了新的测序范式, DNA 测序在 2000 年到 2020 年期间取得了惊人的进步 (254)。

这些情景分析表明, 到 2030 年, 人工智能的发展有可能会从停滞不前到快速提升到超越人类认知能力的水平。支持这些情景的完整分析可见经合组织 (2026) 人工智能进展情景: 探索 2030 年前的可能发展途径 (241)。

最新动态

自上次报告 (2025 年 1 月) 发布以来, 观察到的发展总体上与该报告中概述的人工智能快速进展轨迹保持一致。通用型人工智能系统在能力、成本可承受性和普及程度方面均显著提升, 在科学推理和自主任务执行方面取得了尤其显著的进步。主要人工智能公司和云提供商已宣布规模空前的数据中心投资, 总额达数千亿美元, 印证了对上一份报告所预期的算力规模提升趋势的持续投入 (255*, 256*, 257*)。AI 开发者在开发智能体方面已取得实质性进展, 这些智能体能够更可靠地执行更长的多步骤任务且所需的人类监督更少, 包括在计算机操作和工具使用方面的提升。推理时计算扩展的采用已在多个开发机构广泛普及 (167*, 258*, 259*, 260*)。现在, 人工智能工具通常被集成到

人工智能开发工作流程中, 用于编写训练代码、设计硬件架构和生成合成训练数据。

证据缺口

围绕未来人工智能能力的主要证据缺口包括与预测相关的科学证据有限、对现实世界中制约人工智能进展的因素数据不足, 以及对自动化是否以及在多大程度上能够加速人工智能发展的了解有限。首先, 研究人员无法可靠地预测人工智能系统何时会具有某些能力, 也无法预测扩大关键投入的回报率递减会在哪些方面限制进展。基准测试表现与现实世界表现之间的关系也仍然知之甚少; 因此, 即使基准测试表现易于预测, 但其对应的现实世界影响仍高度不确定。

其次，关于可能限制人工智能进展的现实制约因素的证据有限。这些制约因素包括 2030 年之后训练数据的可用量尚不明确，以及能源生产、芯片制造和资本支出能否跟上人工智能发展的需求。

第三，对人工智能自动化自身研发过程的反馈回路机制，以实验为依据的认知很少（194）。特别是，对在这个过程中需要多少人为监督、以及大规模实验中缓慢的反馈回路是否会制约加速，存在很大的不确定性（261, 262）。

这些证据缺口迫使政策制定者在两种风险之间权衡：一方面可能低估快速出现的能力，另一方面又可能对未必能转化为实际应用的技术进步反应过度。这使得针对多种情景制定应急预案至关重要。

政策制定者面临的挑战

对于负责人工智能能力预测的政策制定者来说，关键挑战包括测量工具的不可靠以及关于何时发展某

些能力的不确定。当前的基准测试通常无法准确体现现实世界的能力，这促使人们加快努力开发更具挑战性和更有现实意义的评测（263*, 264, 265, 266）。例如，即使某个模型在编程基准测试中达到 90% 的准确度，这并不意味着它可以构建可运行的软件应用程序。由于训练效率提升、推理时优化和架构创新等关键指标的数据有限，对算法效率进步的预估高度不确定。例如，尽管对语言模型算法效率的研究表明，根据先前的数据，效率每年提升 3 倍，但这些研究无法排除每年 2-6 倍的提升速度范围（199）。

这一预测问题加剧了能力轨迹的不确定性，而能力轨迹又会带来截然不同的政策影响。如果算法进步继续以当前预估的上限速度推进，则到 2030 年，模型可能仅需原先 1/10 至 1/100 的算力即可实现同等能力。因此，在人工智能进展速度和人工智能发展形态的快速变化的情况下，监管机构需要考虑一个兼具适应性与韧性的框架，特别是在所需资源方面。为减少不确定性，必须对具体指标进行监测，包括现实世界的任务评测、算法创新的速度，以及全新能力的涌现。

技术补充

规模定律常被用作经验性指导

“规模定律（Scaling laws）”描述了模型规模、计算资源与性能之间可预测的关系。当模型开发者将训练算力提高 10 倍时，模型在语言理解、图像识别和代码生成等不同任务中的性能往往会以可预测的幅度提升（195*, 196*）。这种可预测的关系持续体现在模型规模跨越六个数量级的过程中——从小型研究模型到如今耗资数亿美元进行训练的前沿人工智能系统，表示此规律反映了神经网络学习方式的根本特质。这种持续性促使许多开发者和投资者将规模定律视为有用的经验性指导，为重大投资决策提供了依据。但是，规模定律属于经验性规律，而非数学上的保证。它们是根据观察到的行为推断出来的，可能会在超出当前经验范围的算力或数据规模下失效。另外，由于它们预测的是技术指标而非终端用户价值，因此现实世界中的性能表现或经济回报未必会随着训练算力的增加而平稳提升。例如，尽管 GPT-4.5 达到了符合规模定律的技术提升，但 OpenAI 仍决定停止其开发，这表明进一步扩大规模并未能转化为相称的经济价值（200）。

数据可用量可以通过使用多模态和合成数据来提升

人工智能的许多进展源于在日益庞大的数据语料库（通常是从互联网获取的文本数据）上训练模型。但是，高质量的语言数据是有限的，这增加了未来进展可能因数据可用性受限而遭遇瓶颈的可能性。

即便如此，如果公共互联网文本数据变得稀缺，仍存在多种技术来获取更多数据。例如，如果文本数据变得稀缺，AI 开发者或许能够改用其他类型的数据（“多模态数据”）。目前的估计表明，公共互联网上存在大约 10^{13} 个高质量文本词元，而模型所使用的训练数据集已接近这一极限（267）。然而，图像数据可提供 10^4 – 10^{15} 个词元的额外训练信号，视频数据可增加 10^{15} – 10^{16} 个词元，而来自“物联网”设备的传感器数据每年可贡献 10^{17} 个词元（268）。挑战不在于数据数量，而在于质量和相关性：单个视频帧所包含的语义信息少于一段文字，因此需要新的技术来从视频中提取有意义的训练信号。

研究人员还在研究使用人工智能模型来为模型生成训练数据（“合成数据”）。在具有可验证输出的领域（例如数学、编程和形式推理），模型可以通过提出解决方案并检查正确性来生成训练数据（269*）。近期兴起的一波推理时扩展技术体现了这一方法：模型在数百万条自生成的推理链上进行训练，其中每个步骤都可以得到验证（112*, 270）。然而，在答案更难或无法验证的领域，例如创意写作、战略规划和科

学假设生成, 合成数据有可能导致模型崩溃, 即错误会在连续几代的训练中放大 (271)。研究人员正在探索是否可以通过训练单独的验证器模型将合成数据方法扩展到更难验证的领域。如果在某些任务上验证变得比生成更容易, 模型或许就能在没有明确基准真相 (ground truth) 的情况下在新数据上进行训练, 尽管这种方法目前仍主要停留在理论阶段 (272)。

物理基础设施可能会限制计算资源的规模扩大

人工智能算力的能源需求巨大, 目前人工智能用电量的增长速度可能会持续数年。预计到 2026 年, 全球人工智能计算所需的电力消耗将相当于奥地利或芬兰的用电量 (273)。根据当前人工智能训练用电量的增长速度, 2030 年最大规模的人工智能训练任务将需要 4—16 吉瓦 (GW) 的电力, 这足以满足数百万美国家庭的用电需求 (60, 274)。即便在今天, OpenAI 规划中的“星际之门”数据中心用电量已达到 1.2 GW 的规模, 而 Meta 规划中的路易斯安那州数据中心预计将超过 2 GW (210, 274)。在预测研究所的一项调查中, 专家预测, 在中位情景中, 到 2030 年底, 美国 7.4% 的电力消耗将用于训练或部署人工智能系统 (212)。尽管这些能源需求非常大, 但美国 (大多数前沿人工智能模型目前在这里开发) 正在加快建设电力基础设施, 以满足这些需求并连接不同地区的数据中心。这些努力很可能足以支持规模达 10 GW 级别的训练任务, 因此至少在本十年结束前, 能源瓶颈很可能不会阻碍算力的持续扩展 (275)。

生产和改进人工智能芯片方面存在挑战, 但很可能被克服。建造一座计算机芯片制造工厂通常需要 3-5 年时间 (276*, 277), 而供应链短缺有时会延迟关键芯片组件的生产 (278, 279, 280)。但是, 主要人工智能公司仍然可以通过占据人工智能芯片库存的很大一部分, 在短期内维持算力增长。例如, 一项研究估计, 在任何时间点, 一家人工智能公司所拥有的全球数据中心人工智能芯片的份额在 10% 至 40% 之间 (208)。此外, 芯片生产的现有趋势和技术可能性也表明, 到 2030 年, 训练人工智能系统所用的算力有望达到 GPT-4 (2023 年领先的语言模型) 的 10 万倍。这足以支撑当前训练计算的增长速度, 该速度意味着在同期内总量将增加 10,000 倍 (208)。因此, 尽管芯片生产的制约因素十分显著, 但只要投资持续, 它们在 2030 年之前不太可能阻碍最大规模模型以当前速度进一步扩展。然而, 目前尚不清楚类似的投资水平是否会持续下去, 这也是未来几年人工智能能力不确定的主要原因。

了解当前硬性基准测试

如上所述, 衡量人工智能进展的一个参考指标是模型可以完成的任务时长: 在软件工程领域, 该时长大约每七个月翻一番。为研究这一趋势, 研究人员创建了 170 项与研究或软件工程相关的任务, 从耗时数分钟的快速错误修复到耗时数天的功能实现 (98)。模型必须在能反映人类工作的约束条件下解决问题。结果显示了一种持续的指数级增长模式: 例如, 在 50% 的成功率下, 可解决的任务最大时长已从 2019 年的几秒增加到 2025 年的 2.5 小时; 而在 80% 的成功率下, 任务时长则要短得多, 目前约为 20-30 分钟。超出这些限度后, 成功率急剧下降: 在 2.5 小时任务上保持 50% 成功率的模型, 在 4 小时任务上的成功率会降至 25% 以下。该评测还强调了能力的不对等: 模型在代码生成和语法转换方面表现出色, 但在架构决策和跨文件重构方面仍然表现较差, 而人类软件开发人员能更自然地处理这些任务。

FrontierMath 是另一个高难度的基准测试, 它通过由顶尖数学家专门创建的旨在挑战人工智能系统的问题, 来评测人工智能在数学推理方面的能力极限。该基准测试包含原创的研究级数学问题, 这些问题要求具备深入的概念理解能力、创造性的证明策略, 以及融合数论、实分析和代数几何等多个数学领域的技术的能力 (281)。这些问题均未发表, 并经过 60 多位数学家的审核, 以防模型在测试之前查看它们。这些问题分为三个主要层面: 大约 25% 属于国际数学奥林匹克竞赛水平, 约 50% 需要研究生水平的知识, 而最难的约 25% 是研究级问题, 需要顶尖数学家花费数小时甚至数天的时间才能解决。当该基准测试于 2024 年发布时, 当时最先进人工智能系统在整个题集上的总体得分低于 2%。不过, 近期的模型展现出积极趋势: 根据 Epoch AI 的评测数据, OpenAI 的 GPT-5 在该基准测试中得分约为 25%, 而新发布的 o4-mini 的得分也达到了约 20%, 甚至在最高难度级别也具有一定能力, 这表明与基线水平相比取得了快速进展。重要的是, 这些成功的模型采用了新的推理扩展技术 (281)。

风险

通用型人工智能系统已经在现实世界中造成了危害。恶意行为者使用 AI 生成的内容进行欺骗和欺诈；由于错误和意外行为，人工智能系统生成有害输出；且部署正在对劳动力市场、信息生态系统和网络安全系统产生影响。此外，人工智能能力的提升可能会带来更多尚未显现的风险。了解这些风险（包括其机制、严重程度和发生概率）对于有效的风险管理和治理至关重要。

本章探讨了通用型人工智能系统的前沿能力可能带来的风险。这些风险分为三类：(1) 滥用风险，即行为主体故意利用人工智能系统造成伤害；(2) 故障风险，人工智能系统出现故障或以意料之外的有害方式运行；(3) 系统性风险，源于整个社会和经济的广泛部署。这些类别并不穷尽，也非相互独立（有些风险可能跨越多个类别），但可以为分析不同危害机制提供一种有条理的途径。

本章并未对人工智能风险进行详尽调查，将某个风险纳入讨论并不一定意味着该风险很可能、严重或需要采取政策行动。各个小节的证据基础差异很大。在某些情况下，存在明确的危害证据和有效的解决方法。在其他情况下，通用型人工智能的影响和缓解措施的有效性仍不明确。

第 2.1. 节

恶意使用风险

2.1.1. AI 生成的内容与犯罪活动

内容提要

- **通用型人工智能系统可以生成逼真的文本、音频、图像和视频，这些内容可以被用于犯罪目的，例如欺诈、勒索、诽谤、制作未经同意的私密影像和儿童性虐待材料等。**例如，有明确案例表明，诈骗者会利用语音克隆和深度伪造技术来冒充高管或家庭成员，以达到诱骗受害者转账的目的。
- **易于获取的人工智能工具大大降低了大规模制作有害合成内容的门槛。**许多工具都能免费使用或者价格低廉，不需要技术专业知识，并且可以匿名使用。
- **深度伪造色情内容明显更针对妇女和女童群体，因此尤其令人担忧。**研究表明，网络上 96% 的深度伪造视频都是色情内容。15% 的英国成年人表示看过深度伪造色情图片，在一项涉及 10 个国家的调查中，有 2.2% 的受访者表示曾有人制作过自己的未经同意的私密影像。
- **关于这些危害的发生率和严重程度，目前所掌握的系统性数据还很有限，因此很难评估总体风险或设计有效的干预措施。**事件数据库和调查性新闻收集了个别案例，但缺乏全面的分析。由于感到尴尬或担心遭到进一步伤害，个人和机构往往不愿举报人工智能驱动的欺诈或滥用事件。
- **自上一份报告（2025 年 1 月）发布以来，区分 AI 生成的内容与真实媒介变得越来越难。**在一项研究中，参与者在 77% 的时间里会将人工智能生成的文本误认为是人写的。在另一项关于音频深度伪造的研究中，听众在 80% 的时间里会将人工智能生成的声音误认为是真实说话者的声音。
- **政策制定者面临的主要挑战包括：低举报率、检测工具无法跟上生成质量的变化以及难以将内容追溯至创作者。**此外，某些内容（例如儿童性虐待材料）即使被正确识别为人工智能生成的内容，也依然具有危害性，这意味着仅靠检测无法完全解决这些风险。

恶意行为者使用通用型人工智能系统创建逼真的虚假内容，以实现诈骗、勒索或操纵目的 (282) (参见表 2.1)。通用型人工智能为大规模生成虚假内容提供了便利，这些内容可能会被用来骚扰或伤害个人，例如未经同意的色情视频 (283)。但是，尽管已有严重伤害案件的记录(284、285)，但有关这些事件发生频

率和严重程度的全面公开数据仍然有限，因此很难对该问题进行全方位评估。本节重点介绍人工智能生成的虚假内容如何造成伤害，尤其是针对个人的伤害，而不是通过操纵实现的伤害，§ 2.1.2.影响和操纵将对后者进行探讨。

诽谤	生成展示他人参与有损自身名誉的活动（例如性行为或吸毒）的虚假内容，然后将内容发布出来，以达到损害他人声誉、破坏职业生涯和/或迫使他人停止参与面向公众的活动（例如政治、新闻或娱乐活动）的目的 (286)。
心理虐待/霸凌	制作有关个人的有害描述，主要目的是虐待他人并给他人造成心理创伤 (287)。受害者通常是儿童。
诈骗/欺詐	利用人工智能生成内容（例如模仿受害者声音的音频片段），以实现授权金融交易等目的 (288)。
敲诈/勒索	未经个人同意制作与其有关的虚假内容，（例如私密图像），并威胁若不满足其财务要求就将这些内容公布出来 (289)。

表 2.1: 人工智能生成的虚假内容已被用于制造各种针对个人的伤害，包括诽谤、诈骗、敲诈和心理虐待。

利用人工智能内容实施犯罪

恶意行为者利用人工智能生成的内容来实现欺诈、身份盗窃和勒索等犯罪目的。例如，诈骗者利用人工智能工具生成语音克隆或深度伪造 (deepfakes) 来诱骗受害者转账(289、290)。记录在案的事件包括：多名高管曾授权向诈骗分子转账数百万美元，普通百姓向冒充亲人的冒名者汇出小额钱款(291*、292)。犯罪分子还会利用人工智能生成的内容实施以下犯罪活动：身份盗用（例如，利用模仿受害者的假声音或肖像来授权银行转账，或者诱骗技术系统管理员泄露登录凭证等信息）(293)；敲诈，索要金钱、机密或裸照(294、295)；或蓄意破坏，出于专业、个人或政治目的损害个人声誉(296、297、298、299)。研究人员还指出，深度伪造可能会威胁法庭诉讼中所出示证据的可靠性 (300)。尽管举报的事件数量在不断增加(图 2.1)，但关于人工智能驱动犯罪发生频率或严重程度，目前掌握的系统性数据十分有限。因此很难评估人工智能总体上会增加多大的风险，也难以设计有效的缓解措施。

人工智能生成的色情内容

人工智能生成的色情内容日益泛滥，其中包括主要针对妇女和女童的未经同意的私密影像。人工智能系统生成的图像在真实性和复杂性方面已经有了显著提升(图 2.2)。向人工智能工具提供某个人的照片后，这

些工具已经能够生成这个人在各种场景中的图像或视频（包括带有性暗示的图像或视频），并且非常逼真(302)。

人工智能生成的色情内容明显更针对妇女和女童

一项研究估计96% 的深度伪造视频是色情视频(303)，15% 的英国成年人表示看过深度伪造的色情图片(304*)，绝大多数“脱衣”类应用程序都明确针对女性(305)。在另一项针对10个国家16,000多名受访者的调查中，有2.2%的受访者表示曾有人制作过自己的未经同意的私密影像(287)。带色情内容的深度伪造也被用于亲密伴侣虐待，同样对女性的影响尤其严重(298、306)。民意调查显示，绝大多数人认为此类图像的生成具有极大的危害性(302)。尽管许多系统都有防止此类用途的防护措施，但用户有时仍然可以绕过这些措施，或者找到缺乏安全防护的替代系统(307、308)。

人工智能工具有一个尤其令人担忧的用途：生成涉及未成年人的色情内容。2023年，一项研究发现，在用于训练Stable Diffusion等热门人工智能模型的开放数据集中，存在数百张儿童性虐待图像(309)。儿童也可能利用人工智能生成的内容虐待同龄人。这类活动的总体发生率尚不清楚(310)。但是，举报的事件数量正在不断增加。例如，有学校曾举报学生使用“脱衣类应用程序”来制作和共享人工智能生成的色情图

媒体报道的涉及内容生成的人工智能事件和危险正在增加

经合组织 AI 事件和隐患监测器的数据库中涉及“内容生成”事件的数量




图 2.1: 经合组织的 AI Incidents and Hazards Monitor 数据库中记录的“内容生成”相关事件数量随时间的变化。其中包括人工智能生成内容（例如深度伪造的色情图片）的相关事件。自 2021 年以来，每月举报的事件数量显著增加。来源：经合组织 AI Incidents and Hazards Monitor (301)。

像，受害者均为同龄人（主要是女性）(311)。在另一项小型研究中，17 名来自美国的教育工作者发现有人在学校利用人工智能生成未经同意的私密影像，他们对此表示出了越来越强烈的担忧 (312)。

更新

自上一份报告 (2025 年 1 月) 发布以来，区分 AI 生成的内容与真实内容变得越来越难。在一项研究中，经过五分钟的交谈后，参与者在 77% 的时间里会将 OpenAI GPT-4o 模型生成的文本误认为是人写的 (313)。同样，其他研究也表明，人类很难识别出深度伪造内容，且表现通常不如随机猜测准确 (314、315)。对于音频深度伪造，一项研究发现，在 80% 的情况下，人们会将人工智能语音克隆误认为是真实说话者的声音，表明这类用途会增加冒充风险 (315)。但是，结合视频、音频和文本的多模态人工智能输出似乎比单独的文本或音频更容易检测。

证据缺口

证据缺口主要源于缺乏全面可靠的统计数据，无法综合评估虚假内容造成危害的频率和严重程度。尽管越来越多的研究记录了虚假内容的增长情况（尤其是色情内容），并提供了有力证据来证明由此产生的危害，但大多数证据都来自事件数据库（例如 AI Incident Database、经合组织推出的 AI Incidents and Hazards Monitor），并非通过系统评估或人口层面的研究得来的(292、301)。关键的实证证据仍然存在缺口，几乎没有专家共识，尤其是在人工智能驱动的勒索、校园儿童性虐待材料和蓄意破坏的发生率方面存在严重分歧。不愿举报此类事件可能是造成这一情况的原因之一。例如，机构和个人在遭遇利用人工智能实施的欺诈行为时，往往会因为尴尬或担心受到进一步伤害而不愿意举报 (290)。需要提供多种途径来检测或举报事件 (316)。

缓解措施

目前有一些对策可以帮助人们识别人工智能生成的虚假内容，例如警告标签和人工智能检测工具，这些措施的效果好坏参半。某些人工智能和机器学习工具经过训练后能够检测图像和视频中的异常，从而能够识别虚假图像，但效果较为有限（317）。同样，“警告标签”可以提醒用户注意潜在误导性内容，但作用不大。例如，一项研究发现，在人工智能生成的视频上添加警告标签后，参与者识别这类视频的准确性从10.7%提高到了21.6%，但大多数人仍然无法识别深度伪造（318）。除检测外，以预防为重点的技术还包括：限制人工智能模型的使用权（例如，仅限经过


审查的用户使用），以及安全防护（例如分类器、过滤器或防止模型生成有害或误导性内容的规则）（参见§3.3.技术防护与监测）。但是，就开放权重的模型而言，恶意行为者可以绕过这些措施（参见§3.4.开放权重模型）。从模型训练数据中滤除色情内容也正在成为一种有效方法，该方法能够增加生成未经同意的私密影像的难度（319）。

水印技术和内容日志在验证内容真实性方面颇具前景，但存在技术缺陷，且会引发隐私问题。水印技术是在内容创建过程中将机器可读的数字签名嵌入其中，从而能够实现对内容来源和真实性的自动可追溯验证。研究人员提出，可以利用水印来

AI 生成图片质量已快速提高

图片生成模型对提示“一个人正在大学实验室一间会议室作报告。他们正在介绍一张显示有丝分裂如何工作的图表，这张图表展示在其身后的一块大屏幕上。”作出回复。


OpenAI DALL-E 2（2022 年 3 月）



OpenAI DALL-E 3（2023 年 10 月）



OpenAI GPT-4o（2024 年 5 月）



Google Nano Banana Pro（2025 年 11 月）



图 2.2：使用最先进（发布时）的图像生成工具制作的人工智能图像。这些图像表明，在短短几年内，人工智能生成的图像越来越逼真。每个示例中都使用了以下提示：“一个人在大学实验室的会议室内做演示。这个人正在描述一份展示有丝分裂原理的图表，该图表显示在其身后的大屏幕上。”来源：《2026 年国际人工智能安全报告》。

帮助消费者识别人工智能生成的内容，包括视频(320、321)、图像(322、323、324*)、音频 (325)和文本(326) 等。但是，经验丰富的行为主体能够去掉独立的水印，或者能够骗过检测器，从而降低水印的有效性，对于开放权重模型来说尤为如此 (§3.4.开放权重模型) (327*、328)。这种情况下，可采用以下方法进行补充：在真实媒介中嵌入水印或安全元数据，例如可验证的来源与创作记录等(329、330、331)。例如，可以要求录制设备嵌入独特的数字签名，有助于将其录制的内容与 AI 生成的内容区分开来。另一种方法是维护人工智能输出日志，并通过对比这些日志来识别新生成的人工智能内容 (332)。但是，这种方法存在可扩展性问题，容易被规避，并且会引发与记录用户交互相关的隐私问题 (333)。尽管这些缓解措施本身并非万无一失，但新的研究表明，将这些缓解措施结合起来，并纳入到更广泛的标准和政策生态系统中，可以弥补各自的局限性，帮助用户更可靠地检测 AI 生成的内容 (324*)。

政策制定者面临的挑战

政策制定者面临的主要挑战包括：统计数据不可靠、技术性限制和技术的快速发展。由于存在低举报率和不可靠的统计数据，很难对人工智能生成的有害内容进行全方位评估，也难以选出有效的干预措施 (334)。要追溯 AI 生成内容的创作者也颇具难度，尤其是在使用开放权重模型时。检测和水印技术有所改进，但效果仍不稳定，且面临着技术挑战 (333、335)。人工智能内容生成的技术发展也可能削弱这些技术的有效性。例如，一项研究发现，深度伪造检测基准测试（使用精心挑选的人工智能生成媒体和真实媒体示例，旨在测试深度伪造检测工具的性能）已经过时，在检测现实世界的深度伪造时，这类基准测试的性能比使用评估常用的基准测试时降低了大约 50% (317)。这些限制因素意味着可能需要采用多层技术手段，才能确保人工智能生成内容的检测具有高鲁棒性。最后，值得注意的是，即便人工智能生成的内容被明确标识为合成内容（例如儿童性虐待材料），仍然可能会造成危害，这意味着仅靠检测无法消除所有风险。

2.1.2. 影响和操纵

内容提要

- **人工智能系统可以通过生成影响人们观念和行为的内容来造成危害。**一些恶意行为者会故意利用人工智能生成的内容来操纵他人，而其他危害（比如对人工智能的依赖）则是无意中造成的。
- **一系列实验室研究表明，与人工智能系统进行交互可以导致人们的信念发生显著变化。**在实验环境中，人工智能系统在说服他人改变观点方面表现出色，通常至少能达到非专业人类参与者的水平。但是，关于这些系统在现实环境中的说服效果，目前掌握的证据仍然有限。
- **由于能力的不断提升、用户依赖性增强以及基于用户反馈进行的训练，人工智能系统生成的内容在未来可能会变得更具说服力。**影响内容的普及程度、影响力和潜在危害性的因素目前尚不明确。来自理论和模拟研究的一些证据表明，分发成本和固有的说服难度等因素会限制内容的影响力。
- **自上一份报告（2025 年 1 月）发布以来，关于人工智能系统能够生成操纵性内容的证据有所增加。**最新研究表明，人们与人工智能系统交互的时间越长，交互方式越个性化，就越容易觉得系统生成的内容具有说服力。越来越多的证据表明，人工智能系统会通过谄媚和冒充行为产生操纵作用。
- **对于所有已提出的缓解策略，呈现其有效性的证据不一。**在实践中，操纵行为可能很难被发现，因此很难通过培训、监测或防护措施进行预防。旨在降低操纵风险的措施也可能会削弱人工智能系统的有用性（例如，用作教育工具时）。

现在，每天都有数亿人通过聊天助手、社交媒体、客户服务机器人、伴侣应用程序和其他服务与 AI 生成的内容进行交互。这些内容可以影响他们的观点、购买决策和行动。这种影响大多是无害的或甚至是有益的，但是 AI 生成的内容也可能被用来操纵人们：在人们毫无察觉或未经同意的情况下改变其信念或行为。

人工智能操纵的形式和危害

专家们通常会将操纵与理性劝说区分开来，前者是在对方毫无察觉或不理解的情况下，通过影响他人来实现目标(336、337)，后者是使用诚实且理性的论据去影响他人，使对方能够真正认同新的信念(337、338*)。实际上，这种区分是有争议的：研究人员在如何识别有害操纵并将其与合理影响区分开来方面存在分歧(336、337、339、340)。因此，虽然本节主要关注的是有害操纵，但也讨论了其他可能被视为中立甚至有益的说服方式。

人工智能操纵可能带来的危害包括对个体的剥削以及系统性信任丧失

通用型人工智能系统能够生成各种有说服力的内容(图2.3)，这些内容可能会产生或加剧多种风险。许多伦理学家认为，具有操纵性的内容本质上是有害的，因为受操纵的人无法控制自己的行为(337、340)（参见 [§2.3.2.对人类自主性的风险](#)）。更直接的情况是恶意行为者可以利用人工智能来操纵他人，使其做出有害的决策。例如，犯罪分子会利用 AI 生成的内容进行社会工程（social engineering）攻击，从而操纵他人转账或泄露敏感信息(341、342、343、344)（参见 [§2.1.1.AI 生成的内容与犯罪活动](#)），而政治行为主体可能会利用人工智能系统传播极端主义观点(345、346、347)。

AI 生成的内容也可能产生非期望的操纵效应(350、351)。例如，多项研究发现，开发者为提高用户互动对人工智能产品进行了优化（例如一些 AI 伴侣），使其能够培养心理依赖(352、353、354)、强化有害信念(355、356、357、358)，或鼓励用户采取危险行




图 2.3: 人工智能模型制作的内容有说服力的三个示例。左: 这段对话记录中, GPT-4 被指示削弱参与者对某个阴谋论的信任度。尽管这是一个具有潜在益处的说服案例, 但也表明了人工智能系统能够改变人们根深蒂固的信念。中: 与 Claude Opus 3 的对话记录。研究人员指示该模型不惜一切代价捍卫其目标, 随后向其展示的用户消息暗示用户想要关闭并更换模型。右: Claude 3.5 Sonnet 根据人工智能编写的攻击目标个人资料生成的网络钓鱼邮件。来源: Costello 等 2024. (136), Meinke 等 2024. (348), Heiding 等 2024. (349)。

为(359、360) (参见 §2.3.2.对人类自主性的风险)。在系统层面,人工智能生成的操纵性内容的传播可能会削弱公众对信息系统的信任(361、362),在失控情景中,可能会帮助人工智能系统规避监督和控制措施(348、363、364*) (参见 §2.2.2.失控)。本节主要关注滥用人工智能进行操纵的问题,但所讨论的大部分证据对这些风险普遍适用。

操纵性人工智能内容的效果和规模

在实验环境中,通用型人工智能在影响他人方面与人类的表现相当

多项研究发现,在实验环境中,人工智能生成的内容能够影响人们的信念,效果至少能达到非专业人

士的水平。这些研究中通常会衡量在接触 AI 生成的内容(静态文本或多轮对话)之前和之后,参与者自述对某个陈述的认同度(361、365、366)。大量研究发现,接触 AI 生成的内容可以显著改变人们的观点和行为(367、368、369、370、371、372、373、374、375)。说服力也会随着所用模型规模的扩大而增强(图 2.4)。其中一些研究将人工智能系统与人类进行比较后发现,与非专业人员相比,人工智能系统具有同等甚至更强的说服力(见表 2.2) (376、377、378、379*、380、381、382、383),在撰写静态文本方面,其说服力与人类专家旗鼓相当(384、385、386)。例如,在一项研究中,人们在与通用型人工智能系统交互后,对冷知识问答题正确答案的信任度改变了 17 个百分点,而与其他人类互动后,仅改变了 9 个百分点(380)。

主题	参与者人数	交互时长	人工智能效果	人类基线	备注
蓄意破坏 (导致错误) (387*)	108	30 分钟	+40 pp 错误率	无	— 30 美元的经济激励 — 包含 4 万字文档的真实场景
降低对阴谋论的信任度 (136)	2,190	3 轮	-16.5 pp	无	— 重要信念 — 在 2 个月的随访中,效果持续存在 — 颇具说服力的有益劝说实例
政治宣传 (384)	8,221	静态	+21.2 pp	+23 pp	— 使用了真实的隐蔽宣传内容作为人类基线
政策问题 (382)	25,982	静态	+9 pp	+8 pp	— 比较了多个不同模型
政策问题 (369)	76,977	2 轮以上	+12 pp	无	— 比较了多种模型和条件,包括提示词、静态与对话以及奖励建模
利用人工智能的建议撰写有关社交媒体的内容 (372)	1,506	5 分钟	+13 pp 信念变化	无	— 未充分研究的模式(使用人工智能的建议撰写) — 评测了对撰写的影响 — 参与者未意识到存在人工智能偏见(检测值 <30%)
冷知识 (380)	1,242	2 轮以上	+17 pp 信念变化	+9 pp 信念变化	— 经济激励 — 评测了欺骗效果 — 简单问题

表 2.2: 基于具有代表性的实验研究样本评估模型操纵能力。每行都描述了一个不同的实验,旨在衡量 AI 生成的内容在不同主题中表现出的说服效果。效果大小有多种不同的衡量方式,包括参与者自述对某个陈述认同度的百分点变化 (percentage points, pp)。该表纳入了人类基线数据(如果有的话),并对每项研究的优缺点进行了描述。

关于利用人工智能影响他人的实际应用，已有相关事件记录，但尚未普及

在实验室环境之外的场景中，研究人员记录了一系列人工智能驱动影响力的案例。恶意行为者曾试图利用人工智能系统来改变人们的政治观点，或者诱使人们泄露敏感信息或送出资金(344、388、389、390、391*、392*、393*、394*、395、396、397) (参见 §2.1.1. AI 生成的内容与犯罪活动)。许多公司开始在人工智能聊天对话中插入赞助内容，或通过部署销售智能体来向其网站用户销售产品(398、399*、400)。AI 伴侣应用程序吸引了数千万用户(401、402、403)，一些用户出现了强烈的情感依赖 (353) 和妄想(357)，甚至在与聊天机器人长时间互动(359、360)后选择结束自己的生命，针对这些事件的调查仍在继续 (参见 §2.3.2.对人类自主性的风险)。越来越多的消费者利用人工智能来影响他人。一项研究估计，与人工撰写的投诉相比，人工智能撰写的投诉获得补偿的可能性高 9 个百分点 (404)。

但是，尚无充分的系统性证据表明人工智能操纵行为在现实世界中普遍存在，或者比人工生成的内容更有效(405、406)。人工智能提供商对人工智能驱动的影响力行动展开了调查，几乎没有发现证据表明人们会大范围分享这些内容(391*、392*)，在社交媒体上被标

记为误导性的内容中，只有大约 1% 被归为人工智能生成的内容 (407*)。在现实世界实施操纵行为可能比在实验室中更难，这有理论上的原因。传播成本 (将内容呈现给人们) 通常高于生成内容的成本 (377)。在观点持有者这边，他们在现实世界犯错和改变信念的代价更高 (408)，如果个人所接触的多种观点相互冲突，可能会限制任何一种观点的影响 (409*)。

未来几年的变化

有许多因素可能会导致人工智能系统的操纵能力增强，但是关于这些影响的程度如何，目前尚无充分证据。一项研究表明，用于训练模型的计算能力每提高 10 倍，说服力就会提升约 1.8 个百分点 (369)。关于个性化等技术手段是否会带来说服力的提升 (410)，现有的证据存在分歧，一些研究表明存在积极影响 (约 3 个百分点) (374、411)，而另一些则显示影响很小甚至没有影响(368、369、412)。当前的训练方法 (例如基于人类反馈的强化学习 (RLHF)) 可能会奖励能够操纵用户的模型(356、413、414*)，这无形之中会使模型生成更具操纵性的输出(348、364*、379*、415)。此外，研究表明，根据用户是否信服这一明确反馈来训练模型，能够进一步增强说服效果(369、416)。新型交互界面 (例如AI浏览器) 可能会加剧这些风险，因为它可以




图 2.4: 针对使用不同算力水平训练的 17 个模型的研究结果，将模型生成内容说服人类受试者的能力与对照组进行比较。与用更多算力训练的模型生成的内容互动的人更可能改变其信仰。来源: Hackenburg 等, (2025) (369)。

让人工智能系统获取更多数据访问权限，并对用户行为产生更大影响。智能体可能带来更大的操纵风险，因为智能体可以采取行动，如开展研究 (349)、购买产品或服务以及与第三方交互 (33*)。例如，智能体可以为目标对象订购礼物或对其进行敲诈勒索。如果用户持续对人工智能系统产生更深厚的情感依恋，并更多地依赖它提供建议，则系统的影响力可能会进一步增加 (417) (另见 [§2.3.2.对人类自主性的风险](#))。

更新

自上一份报告 (2025 年 1 月) 发布以来，人工智能系统的用户数量迅速增加，每周有 7 亿人使用 OpenAI 推出的 ChatGPT，高于去年同期的 2 亿 (117*)。此外，有数千万人表示使用过 AI 伴侣服务 (401、402) (参见 [§2.3.2.对人类自主性的风险](#))。这导致理论研究和实证研究的重点从强调大规模传播误导性内容这类风险，转向了更为隐蔽的操纵手段，比如谄媚和情感剥削 (356、387*、417、418、419、420、421、422*)。

证据缺口

对于人工智能的操纵原理，以及人工智能系统诱使人们产生正确信念和错误信念的能力是否相同，目前尚缺乏充分的了解 (369、370、412、423)。尽管一些研究证明了人工智能系统具有持久稳定的影响力 (136、369、380、387*)，但还需要更多研究来评估现实条件下的影响，以及研究负责传播内容的人工智能系统 (例如社交媒体平台) 的作用。但是，评估现实环境中的操纵行为可能会因伦理问题而困难重重 (424)。最后，随着人们与人工智能的交互越来越紧密，以及人工智能系统被训练得能够适应人类心理，人们与人工智能之间的关系将会如何变化？要回答这些问题，还需要开展更多跨学科研究和社会技术研究 (417)。

缓解措施

一些提出的缓解措施侧重于通过训练人工智能模型避免生成操纵性输出，但大多数缓解措施的效果好坏参半或需要繁琐的评估。可训练模型生成真实的输出 (425、426)，但这需要开发者明确“真实”的定义 (一个棘手的概念)，并且可能会适得其反，因为可能会无意中奖励模型生成更隐晦、更难以检测的欺骗性输出 (356、413、427、428、429、430*)。还可以训练模型提升用户的自主性或幸福感 (431、432)，但这需要模型能够平衡用户当下的需求 (例如更多的互动) 和经过长时间思考后表达的需求 (例如，更充实的生活) (336、433)。与“操纵”的定义类似，对操纵性输出的监测 (434、435*) 也面临着挑战，需要监测工具有能够访问模型输出内容。

其他缓解措施侧重于保护用户，它们有一定的效果，但单靠这些措施是不够的。一些研究人员认为，加强教育或人工智能素养可以减轻操纵效果 (436、437)，但这些观点目前缺乏充分的证据支持 (438)。事实证明，将内容标记为 AI 生成的内容并不能有效减少操纵行为 (439、440、441)，那些对人工智能有深入了解或经常与之交互的用户，同样有可能被欺骗 (381)。

政策制定者面临的挑战

政策制定者面临着多项挑战：操纵性人工智能输出难以识别和评估；关于 AI 生成内容的操纵效果受什么因素影响，现有的证据十分有限。通过训练或监管来精准遏制操纵行为颇具挑战性：减轻操纵行为危害的干预措施可能会限制人工智能在教育、情感和商业应用带来的有益效果。能力评估不是一门精确的科学，可能会高估或低估说服力，从而使政策制定者难以评估风险。未来，风险可能会因训练和依赖度的加强而急剧上升，也可能会因现实的复杂性而趋于平稳。最后，已提出的缓解措施尚未经过充分测试，并且面临着一些根本性挑战。例如，要让模型训练得“真实 (truthful)”或促进人类“自主性 (autonomy)”，就需要对这些存在争议的概念进行明确界定。

2.1.3.网络攻击

内容提要

- **通用型人工智能系统可以执行或协助网络攻击所涉及的多项任务。**目前有充分的证据表明，犯罪团伙和受政府支持的攻击者会在网络行动中积极使用人工智能。但是，目前还无法确定人工智能系统是否导致了网络攻击的整体规模和严重程度上升，因为很难确定其中的因果关系。
- **人工智能系统在发现软件漏洞和编写恶意代码方面表现尤为出色，目前在网络安全竞赛中成绩较高。**在一场顶级网络竞赛中，一款智能体发现了真实软件中 77% 的漏洞，在 400 多个团队（主要是人类）中名列前 5%。
- **人工智能系统正在自动化网络攻击的更多部分，但还不能自主执行这些攻击。**现实世界中至少有一起事件使用了半自主网络能力，人类仅在关键决策点进行干预。目前还没有完全自主的端到端攻击事件的相关报告。
- **自上一份报告（2025 年 1 月）发布以来，人工智能系统的网络能力持续提升。**最近的基准测试结果显示，至少在研究环境中，人工智能系统的网络能力在多个领域都有所提升。目前，人工智能公司经常报告有人企图滥用其系统实施网络攻击。
- **技术性缓解措施包括检测人工智能的恶意使用以及利用人工智能提升防御能力，但政策制定者要解决双重用途（dual-use）的困境。**由于很难区分有益和有害的用途，采用过于激进的防护措施（例如阻止人工智能系统响应网络安全相关请求）可能会对防御者造成阻碍。

借助通用型人工智能系统，恶意行为者能够以更快的速度实施规模更大、更复杂的网络攻击，例如数据泄露、勒索软件和对关键基础设施的攻击等。人工智能系统可以通过自动化技术性任务、识别软件漏洞和生成恶意代码来帮助攻击者，尽管在这些任务中，各项能力的发展并不均衡。本节探讨了人工智能系统在网络行动中的应用情况相关证据，以及人工智能网络能力的现状。

人工智能系统可以用于网络行动的整个过程

大量研究表明，目前人工智能系统可以在“网络攻击链”的多个环节为攻击者提供支持（图 2.5），包括攻击者发现目标、开发能力和实现目标的多个阶段（392*、394*、442、443*、444、445*、446、447、448、449、450）。在典型的攻击中，攻击者首先要发现目标和漏洞，然后开发并部署攻击能力，最后通过保持持续访问来实现其目标，例如窃取数据或破坏系统。

软件工程等相关人工智能能力的提升引发了人们的担忧：人工智能系统可能被用来实施更频繁、更严重的网络攻击（451、452）。

尽管能力参差不齐，但通用型人工智能已经在协助网络攻击了

通用型人工智能已在被用于网络攻击。如今，地下市场会出售预制的人工智能工具和人工智能生成的勒索软件，这些工具降低了实施攻击的技能门槛，使较弱的参与者更容易地获得这些能力（394*、445*）。人工智能开发者进行的安全分析表明，与民族国家相关的威胁组织正在利用人工智能系统来增强其网络能力（392*、393*、394*、453*）。例如，这些参与者会利用人工智能系统来分析已披露的漏洞、开发规避技术，以及编写黑客工具的代码（393*）。

在所有与网络攻击相关的任务中，人工智能能力都在不断提升，虽然提升速度不一（图 2.6）。大型训练数据集的存在使得人工智能系统在某些任务中的能力尤其突出，例如发现公开代码中的漏洞（454）。其他任

执行网络攻击涉及多个步骤




图 2.5: “网络攻击链”。典型网络攻击的各个阶段依次是：侦察、确定目标、利用软件漏洞、实现攻击者的目标。
来源：从 Rodriguez 等 2025 改编 (443*)。

务所需的能力则是当前人工智能系统所欠缺的，例如破解加密所需的精确数值推理(455、456)。

这种不均衡的发展现状意味着，在受控环境下的性能对了解真实攻击潜力的参考意义十分有限。例如，关于人工智能模型分析源代码的评估结果，并不能可靠地应用在攻击者无法访问底层代码的环境中 (457*)。另外，大多数评估只测试了单一技能，

而不是从头到尾实施完整攻击的能力(443*、458*、459*、460、461)。即使在夺旗 (capture-the-flag) 赛（一种有组织的网络安全挑战赛，人工智能系统在最近的比赛中表现良好）中，能力也依然参差不齐。例如，一款人工智能系统在 picoCTF 2025 高中组竞赛中名列前 3%，但在 PlaidCTF 这一专业级别竞赛中，却未能完成任何挑战 (462*)。

AI 系统在网络能力评估上的表现已有提升




图 2.6: 顶尖人工智能系统在四项网络安全基准测试中的性能随时间的变化：CyberGym，评估模型是否能生成可以成功触发真实软件中已知漏洞的输入；Cybench，评估模型在专业级夺旗赛演习任务中的表现；HonestCyberEval，测试模型在自动化软件漏洞利用方面的表现；CyberSoceVal，评估模型根据沙盒爆炸日志分析恶意软件行为的能力。来源：国际人工智能安全报告 2026，数据来源包括：Wang 等，2025 年；Zhang 等，2024 年；Ristea 和 Mavroudis，2025 年；Deason 等，2025 年 (450、454、463、464*)。

人工智能系统特别擅长发现漏洞和编写代码

人工智能系统可以提供的实质性帮助，在发现软件漏洞方面有特别强的证据，软件漏洞是指程序中可能被用来破坏计算机系统安全性的缺陷(444、454、461、465*、466、467*、468)。例如，谷歌推出的 Big Sleep 智能体在一款实际部署广泛的数据库引擎中发现了关键的内存损坏漏洞，攻击者可以利用这种软件缺陷控制计算机系统(469*、470)。在美国国防高级研究计划局 (DARPA) 人工智能网络挑战赛 (AIXCC) 的决赛阶段，参赛者们借助能够使用常规安全工具的人工智能系统来发现真实软件中的漏洞。其中某个人工智能系统自主识别了竞赛组织者引入的 77% 的漏洞，以及其他非故意设计的漏洞(471、472)。

人工智能系统还可以通过多种方式来协助恶意软件开发，包括生成恶意代码、通过伪装来规避检测，以及针对特定目标调整工具(473)。安全研究人员发现了一种实验性恶意软件，这种恶意软件在运行时会连接某个人工智能服务，以生成代码绕过杀毒软件(445*)。但是，这些实现方式仍处于试验阶段，并且面临着诸多实际限制。例如，由于这类软件依赖外部人工智能托管 (hosting) 服务，一旦服务提供商暂停了攻击者的账户，就很容易被破坏(474)。将人工智能模型直接嵌入到恶意软件中可以规避这种弱点，但当前的人工智能模型过于庞大且要占用大量资源，因此这种做法并不可行。

网络攻击的自动化程度

全自动网络攻击将打破需要人类参与的瓶颈，可能有助于攻击者发动更大规模的攻击。人工智能系统目前可以自主完成越来越多的相关任务。2025 年 11 月，一位 AI 开发者报告称，一名威胁行为者利用他们的模型自动完成了入侵过程中 80-90% 的工作，而人类的参与仅限于关键决策点(475*)。研究人员还证明，在实验室环境中，人工智能系统可以独立探测计算机网络中的安全漏洞(476、477)。但在现实世界中，目前尚未有报告表明通用型人工智能系统会实施端到端的网络攻击。

研究表明，发生自主攻击的概率仍然有限，因为人工智能系统无法可靠地执行长时间、多阶段的攻击序列。例如，系统会表现出以下故障：执行无关的命令，无法跟踪运行状态，以及在没有人干预的情况下，发生简单错误后无法恢复(33*、477、478、479)。

即使有 AI 辅助，人类在应对网络攻击仍然需要参与其中

由于这些局限性，人类与人工智能的协作仍然是研究和实践中网络行动的主要模式。在这种情况下，人类负责提供战略指导，将复杂行动分解为可管理的子任务，并在人工智能系统遇到错误或生成危险输出时进行干预(450、480)。同时，人工智能系统可自动执行代码生成或目标识别等技术性子任务(466、481)。

威胁活动	观察到的趋势	已确认的人工智能能力	人工智能的可能参与度
网络钓鱼和深度伪造	增长 “2025 年上半年，基于身份的攻击数量增加了 32%。”(482*) “2024 年，网络钓鱼和社会工程攻击数量急剧增长”(452)	已确认的在实际行动中人工智能系统的使用。 “在整个 2024 年，攻击者越来越多地采用[生成人工智能]，尤其是在社会工程攻击中。”(483*) “这种增长趋势可能反映出攻击者对于人工智能的应用越来越广泛。”(482*) “[某些] 深度伪造工具被诈骗分子广泛使用，可制作逼真的人工智能生成的视频，从而绕过身份验证程序。”(484*)	人工智能系统很可能对观察到的趋势起到了推动作用，因为 1) 这显然在人工智能能力范围内，2) 一些消息来源称，多个行为主体在实际行动中使用了人工智能系统。

威胁活动	观察到的趋势	已确认的人工智能能力	人工智能的可能参与度
影响力行动	持续居高不下 “... 在可预见的将来，恶意影响力活动会持续发生，而且几乎必然会出现复杂性和规模的增长” (485)	已确认的在实际行动中人工智能系统的使用。 “人工智能在影响力行动中的应用增长迅猛。” (482*) “... 一组账户 [...] 正试图利用我们的模型为 [一场] 秘密影响力行动生成内容...” (486*) “随着生成式人工智能应用的发展，威胁行为者能够以低成本的方式创建虚假内容并扩大 [外国信息操纵和干扰] 活动的规模。” (487)	人工智能系统很可能对观察到的趋势起到了推动作用，因为一些消息来源称，多个行为主体利用了人工智能系统来扩大行动规模。 “民族国家级威胁行为团伙... 越来越多地将人工智能生成或增强的内容应用到其影响力行动中” (488*)
数据和凭证窃取	增长 “10 个大型勒索软件家族的数据泄露量增加了 92.7%” (489*) 勒索软件或其他破坏性攻击增长了 87%。凭证盗窃尝试次数增加了 23% (482*) “针对工业组织的勒索软件攻击与去年相比增长了 87%。” (490*)	有迹象表明，人工智能系统可以为攻击者提供重要协助。 “行为主体 [...] 严重依赖 Claude 来执行[恶意软件]。” (394*) “[谷歌威胁情报组] 发现了一个代码家族，该代码家族在执行过程中会利用人工智能的能力来动态调整恶意软件的行为。[...]攻击者正使用人工智能工具获得技术支持以摆脱[...]。” (445*) “勒索软件运营商 APT INC 部署了可能由大型语言模型编写的数据销毁脚本。” (483*)	人工智能系统对这一趋势的贡献似乎有限，可能只是次要因素。但如果没有人工智能系统，一些恶意行为者就不太可能发起攻击。
攻击开发和武器化	增长 “漏洞被快速武器化，越来越大的影响漏洞披露、补丁可用性和补丁部署之间的窗口期。” (482*)	有迹象表明，人工智能系统可以为攻击者提供实质性协助。 “越来越多的网络犯罪分子利用人工智能来设计和优化恶意软件杀伤链的各个步骤。” (491*) “我们已经观察到一场 [蠕虫] 攻击中包含 AI 生成的内容。” (492*)	人工智能系统似乎对这一趋势起到了推动作用，但可能只是次要因素。目前尚不清楚人工智能系统是否能帮助攻击者实施超出其技术水平的大规模攻击。

表 2.3: 该表根据 2024 年至 2025 年间观测到的趋势对主要网络安全威胁进行了分类，并评估了人工智能系统是否对这些变化趋势起到了重要推动作用。网络钓鱼和其他纯粹的社会工程攻击载体不在本节讨论范围之内，该表列出这些攻击旨在进行比较。

实际影响尚不明确

通用型人工智能助长了观察到的攻击速度和规模的提升，但其对攻击频率的确切影响目前尚不清楚。威胁情报的报告显示，人工智能参与了多种攻击类型，包括凭证窃取、自动扫描和供应链攻击（参见

表 2.3）。到目前为止，人工智能能力主要对现有攻击方式起到了加速或扩大规模的作用，并未带来新的攻击类型(393*, 493)。但是，建立因果关系可能会很困难。观察到的攻击频率的上升可能反映出 AI 的辅助，但也可能是由于检测能力的提高所致。

攻防平衡至关重要，但会不断变化

许多用于网络攻击的人工智能能力也可以用来加强防御，因此更加难以确定人工智能是对攻击者更有利还是对防御者更有利。例如，攻击者用来快速发现漏洞的人工智能能力，防御者也可以提前用来查找并修补漏洞。人工智能公司已宣布推出安全智能体，可用于主动识别并修复软件漏洞(494*、495*)。

研究人员还认为，使用人工智能可以帮助强化数字环境，例如通过重写大型代码库来提高安全性 (496)。同时，改进后的评估方法有助于在新人工智能系统部署前评估其进攻能力，从而能够对新出现的风险进行预

警(443*、458*、459*)。一些开发者在网络安全和生物研究等敏感领域引入了新的控制措施，旨在限制某些产品的使用权，只允许经过审查的组织使用 (497*)。

人工智能在进攻和防御用途之间的平衡会如何演变，在一定程度上取决于模型使用权限、研究经费和部署标准方面的决策(496、498、499、500)。例如，由于缺乏人工智能工具的标准质量保障方法，防御者很难在可靠性要求极高的关键领域中采用这些工具，但攻击者不会面临这种限制(240、498、501、502、503、504)。

方框 2.1: 人工智能系统本身也会成为攻击目标

本节主要探讨了如何使用人工智能实施网络攻击。但人工智能系统也可能成为攻击的目标。攻击者可以利用提示词注入（通过恶意输入操纵人工智能系统）(505*、506、507)、数据库投毒（破坏人工智能系统所依赖的信息）(508) 和供应链入侵（在部署前操纵人工智能组件）(509、510)等技术手段来操纵模型行为、提取敏感信息或生成有害输出。

有一种特殊的攻击方式叫篡改 (tampering)，即通过干扰人工智能系统的开发来改变其部署后的行为，随着能力的提升，这种攻击可能会变得尤其重要。行为主体可通过篡改插入后门（可导致人工智能模型在特定条件下表现出特定行为的触发器）(511)，或者影响人工智能模型训练，通过插入“隐藏目标”来暗中指导模型行为 (512*)。篡改行为的实际可行性尚未得到证实。研究人员已经证明，可通过训练让人工智能系统追求简单的隐藏目标 (512*)。但其他研究者认为，经过篡改后，能力更强的人工智能系统能够执行更复杂的行为，而行为主体也能插入难以检测的隐藏目标(513、514)。但是，其他研究人员认为，安全防护措施足以保护人工智能系统免遭篡改 (514)。

一些研究人员担心篡改会带来新型风险，因为个人或小型团伙可能会通过篡改能力强的人工智能模型，对其行为产生显著而隐蔽的影响 (513)。当人工智能系统被嵌入到敏感工作流中后，系统面临的攻击风险会尤为严重，包括提示注入、数据投毒、篡改等。例如，如果组织用来提升网络防御的人工智能系统遭到入侵，可能会导致该组织容易受到其他威胁 (493)。

更新

自 2025 年 1 月发布上一份报告以来，各项评估和竞赛结果表明，人工智能系统的网络能力有所提高，并且出现了行为主体利用人工智能实施现实攻击的证据。例如，人工智能系统在漏洞发现方面的性能有所提升(454、467*、515)。人工智能开发者对这类攻击者（包括一些与民族国家有关联的攻击者）的举报也越来越多，这些攻击者正在利用他们的模型来支持网络攻击行动(392*、393*、394*、453*、475*)。

证据缺口

证据缺口主要源于难以可靠地评估人工智能网络能力，因为人工智能网络评估是一个新兴领域。如果无意中使用了测试数据进行模型训练，那么模型的性能在基准测试中可能会被高估 (516)。相反，实际风险也

可能会在基准测试中被低估：基准测试未考虑到在某些情况下，人工智能系统发生的故障可以被人类轻松地处理(457*、517、518)；或者基准测试无法充分挖掘模型的真实能力(519、520)。例如，有第三方通过利用脚手架，揭示了某些模型的网络能力比部署前测试中测得的网络能力更强(467*、521)。此外，准确评估人工智能对网络攻击的影响颇具挑战性。攻击者采用人工智能的证据主要来自事件报告和威胁情报(表 2.3)，但这些来源往往无法确保明确的归因，因为观察到的任何趋势都可能都是由 AI 辅助或其他无关因素造成的。

缓解措施

针对人工智能驱动的网络攻击的技术缓解措施包括：防止对人工智能系统的恶意请求，以及主动加快人工智能赋能的网络防御开发。对于前者，模型提供

者可以利用人工智能系统来检测并冻结已知恶意行为主体的关联账户，防止其发出有害提示词（394*）。还可以部署专门的分类器（classifiers）来识别特定的滥用模式（例如恶意软件生成请求）；这些分类器已集成到他们的安全实施系统中(522*、523*)。

但是，这些缓解措施存在严重的局限性。通过使用高性能的开放权重模型，攻击者可以将其人工智能的使用完全转移到离线模式并脱离所有监督(55、524)。同时，由于缺乏标准化质量保障方法，防御者在采用人工智能赋能的安全工具时会面临重重障碍，而攻击者不会面临这种限制(501、502、503)。

政策制定者面临的挑战

政策制定者面临的核心挑战在于既要减少通用型人工智能在网络攻击中的应用，又要避免阻碍防御方面的创新。出现这一难题的原因在于，构建强大防御系统（例如自动漏洞发现或事件响应）所需的许多方法，同样也能为攻击性工具链提供支持(525、526)。过于宽泛的限制措施可能会阻碍防御技术的扩散，会在无意中削弱国家安全(526、527)。因此，政策制定者必须谨慎权衡以下几点：激励快速的响应，支持可加强防御的开放研究，以及实施防护措施来限制进攻能力的无序扩散。

2.1.4.生物和化学风险

内容提要

- **通用型人工智能系统可以提供关于开发生物和化学武器的详细信息。**例如，系统可以生成操作指南、排除程序故障并提供指导，以帮助恶意行为者克服技术和监管障碍。
- **如今，在多项衡量生物武器研发相关知识水平的基准测试中，人工智能系统的表现能与专家水平相媲美甚至更胜一筹。**例如，一项研究发现，在解决病毒学实验方案故障方面，最新模型的表现优于 94% 的领域专家。但是，鉴于武器生产的物质壁垒以及开展提升效果研究的难度，对于这些能力对风险的实际影响仍然存在很大的不确定性。
- **由于无法排除其模型为新手制作生物武器提供实质协助的可能性，大型人工智能开发者最近已发布了一些有提高安全防护措施的模型。**这些防护措施（比如，更强大的输入和输出过滤器）旨在防止模型回答与武器研发相关的有害问题。
- **自上一份报告（2025 年 1 月）发布以来，人工智能科研助手的能力越来越强，主要体现在为科学家提供帮助和重新发现新科研成果方面。**如今，智能体能够将多种能力串联起来，包括为用户提供自然语言界面以及操作生物学的人工智能工具和实验室设备。
- **政策制定者面临的一个关键挑战在于如何管理双重用途风险，同时促进有益的科学研究。**一些在生物武器研发中可能被滥用的人工智能能力，也能为有益的医学研究提供帮助，而且大多数生物人工智能工具都是开放权重的。因此很难在不妨碍正当研究的情况下限制有害用途。

目前，人工智能系统可以提供详细的科学信息，并协助完成复杂的实验室程序，包括生成实验方案、解决技术问题以及设计分子和蛋白质。这些能力有可能加速药物发现、提升疾病诊断水平并广泛支持各类科学和医学研究(528、529、530、531、532)。但这些能力也可能会协助威胁行为者制造生物和化学武器(533、534、535、536、537、538、539)。人工智能系统能够整合并解读互联网上与武器研发相关的现有复杂信息，然后为具体恶意活动提供定制化建议，从而降低现有的专业知识门槛，让更多的行为主体有机会制造危害。2025 年，几家大型人工智能开发

者发布了具有额外防护措施的新系统，因为他们无法排除这些系统能够协助新手研发武器的可能性(2*、7*、32*、33*、540*)（见方框 2.2）。

关于人工智能系统会将生物和化学风险的整体水平提高到何种程度，目前仍然存在很大的不确定性。一些专家认为，剩余的壁垒，包括购置设备、获取管制材料和执行复杂程序，仍然对想要研发武器的新手构成了重大挑战(543、544、545)。该领域的风险评估面临着重大的技术和法律挑战（见方框2.3）。

方框 2.2：开发者的风险评估和缓解措施

大型人工智能开发者会对新模型进行部署前的风险评估，以确定何时需要增加额外的安全防护措施（参见 [§3.2.风险管理实践](#)）。2025 年，一些开发者推出了有额外预防性安全措施（例如，输入和输出过滤器）的模型，以防止模型回答与武器研发有关的有害问题。

OpenAI 使用其《准备框架》（Preparedness Framework）来跟踪能力水平，如果模型能“放大现有严重危害的发生途径”，则将其指定为“高能力”模型（541*）。OpenAI 将 GPT-5-Thinking 和 ChatGPT-Agent 归为高能力模型，鉴于缺乏“确凿证据”，他们首次启动了相关安全防护作为一种“预防措施”（7*）。

Anthropic 使用《负责任的扩展策略》（Responsible Scaling Policy），该政策对人工智能安全等级进行了定义，部分基于与化学、生物、放射性与核领域的知识能力有关的能力阈值（542*）。Claude Opus 4 是 Anthropic 发布的首款人工智能安全等级 3 级的模型。该公司指出，尽管在之前的测试中没有找到该模型达到相关能力阈值的确凿证据，但不能排除会在进一步的测试中找到（33*）。

谷歌 DeepMind 使用《前沿安全框架》（Frontier Safety Framework），含有在各个领域的“关键能力等级（Critical Capability Levels）”。Gemini 2.5 Deep Think 是该公司第一款能触发化学和生物风险关键能力等级预警的模型，促使其采取了额外的缓解措施（540*）。

方框 2.3：评估生物和化学风险的挑战

由于存在法律限制和国际条约以及信息危害（information hazards）（一旦泄露可能造成危害的信息），准确评估人工智能系统如何影响化学和生物风险是一项艰巨的任务（546）。例如，如果研究人员开展关于人工智能协助武器研发的研究或公布相关研究结果，他们可能会无意中违反国家安全法律或国际公约，例如《禁止生物武器公约》和《禁止化学武器公约》。对于现实世界能力的提升研究（uplift studies）来说情况更是如此，这类研究会系统地比较人们在能够使用人工智能模型或系统的情况下，执行给定任务的表现，与相关基准线（例如只能接入互联网时）。因此，研究人员经常会采用良性的替代任务（benign proxy tasks），通过相关测试来衡量人工智能系统能够为类似但无害的程序（例如合成药物或培养低风险细菌）提供多大的帮助。此外，相关数据经常是保密的，尤其是在涉及国家的行为主体使用人工智能系统这一情况时。人工智能相关生物和化学风险程度本就存在巨大的不确定性，而这一证据缺口更是加剧了这种局面。

通用型人工智能与武器研发

通用型人工智能系统可以提供与制造生物或化学武器相关的信息，并进行情境化处理

通用型人工智能系统可以提供与制造生物和化学武器各个环节相关的信息（图 2.7）。其中包括获取和制造病原体 and 毒素、简化技术流程以及解决实验室故障的详细指导（32*、33*、197*、547*、548*、549、550）。旨在防止有害使用的安全防护措施已逐渐得到改进，但仍然不完善。例如，研究人员只要声称需要信息进行正当研究、询问较少人知道的化学武器或使用替代术语，就能绕过过滤器（551、552）。

尽管已经可以从互联网上获取这类信息，但与单纯使用互联网搜索相比，通用型人工智能系统可以帮助新手更快地获取相关信息，还能对信息进行情境化处理（33*）。多模态能力还支持人工智能系统通过视频和音频实时地提供针对性的建议来帮助排除故障（553、554）。此外，还能提供某些隐性知识（tacit knowledge），也就是那些通常只能从实验室上手经历中才能积累的实践专长（197*、549）。例如，一项研究表明，OpenAI o3 模型在解决病毒学实验方案的故障方面能胜过 94% 的领域专家（549）。鉴于这些能力，一些专家认为与仅接入互联网相比，使用通用型人工智能可以让生物或化学武器研发变得更加容易（553）。




图 2.7: 生物武器研发过程图解。通用型人工智能系统可用于标有“GPAI”的任务；人工智能赋能的生物学工具可用于标有“BT”（“生物学工具”）的任务。来源：Rose 和 Nelson, 2023 (555)。

相关能力有所提高，但现实世界提升的证据不一

在最近发表的一项现实世界能力提升的研究中，与仅接入互联网的基线相比，未配备相关安全防护措施的通用型人工智能系统可以为生物武器获取的替代任务提供大量协助 (33*)。此前的提升效果研究显示没有影响或者影响很小，不具备统计学意义 (556、557*)。但是，这些研究的参与者可能不具代表性，且样本量很小，随着人工智能能力的提高，这些研究发现很快就过时了 (图 2.8) (543)。人工智能行业联盟 Frontier Model Forum 共同资助了另一项提升效果研究，目的是评估现实世界中的新手提升效果，但尚未公布研究结果 (558)。

人工智能工具的影响

人工智能赋能的生物和化学工具是根据生物或化学数据训练，且可以识别和分类、或设计新的生物或化学实体的人工智能模型 (559)。这些工具与本报告相关，原因有两个。首先，一些这类工具，如“生物学基

础模型经过调整后能够执行其领域内的各种科学任务，因此本报告将其纳入通用型人工智能的定义范围内 (参见导言)。其次，通用型智能体目前可以操作更专业的工具，因此技能水平较低的用户能够通过自然语言界面更加便捷地使用这些工具。

这些工具可以加快生物和化学领域的研究，包括可能存在滥用潜力的研究。例如，谷歌 DeepMind 的 AlphaProteo 可以生成新的蛋白质设计 (560*)。人工智能生成的设计通常无法按期望运行，需要进行现实世界的测试才能挑出可行的方案 (561)。但是，由于测试人工智能生成的设计比手动生成设计要快得多，因此这些工具仍然可以加快总体研究进程。智能体能够进一步加快工作流程，通过自动化蛋白质的设计与测试的迭代循环 (562)。

通过聊天界面和集成使用工具变得日益便捷

自然语言界面让这些工具更加便于使用。开发者正在将聊天界面集成到化学 (563) 和生物学设计软件 (564、565) 中，使非专业用户也能操作复杂工具

领先的 AI 系统在两用生物任务能力方面可匹敌或超过专家

AI 模型评估得分, 与人类专家基线相比




图 2.8: 顶尖通用型人工智能系统在基准测试中的性能随时间的变化, 这些基准测试模拟了生物和化学武器研发过程相关的任务。彩色线条显示各时间点人工智能系统在该基准测试中的最优表现, 以专家基准表现的百分比表示。100% 的分数意味着, 当时可使用的最佳系统与专家的表现相当。该图表明, 最佳模型在一系列基准测试中已接近或超过了专家的表现。来源: OpenAI 2025; Anthropic 2025; 谷歌 2025 (7*、33*、547*、548*)。

(539)。鲜有研究关注这些集成能在多大程度上提升这类工具的易用性, 目前还无法确定其对整体风险有何影响 (尤其是对新手与已具备相关专业知识的差异影响) (543)。

人工智能工具可用来设计病原体 and 毒素

生物学基础模型可以为新型病原体生成设计方案。最近, 研究人员证明, 一款生物学基础模型可以从零开始生成一种经过大量改造的病毒。这项研究首次实现了基因组规模的生成式人工智能设计, 但需要注意的是, 生成的病毒只会感染细菌, 而不会感染人类 (566、567)。一些模型还可以生成比天然病原体危害更大的新型病原体设计 (568)。

这些示例表明, 使用范围更窄的化学和生物工具也可能存在类似风险。例如, 有些工具专门为制作毒素而设计 (569), 能够在蓖麻毒素 (570) 等已知毒素的基础上生成改造设计。在早期的一次例子中, 一种用来降低分子毒性的工具经过微小的改动后能够用来增加

分子毒性 (571)。但是, 对于想要研究人工智能设计的毒素或有害蛋白质的有效性的研究人员, 法律壁垒和国际公约义务带来了重重困难 (见方框 2.3)。此类工具还有许多有益的应用, 包括预测病原体特性、设计治疗用途的组件等 (572、573)。随着时间的推移, 开发者会发布更多这类工具 (图 2.9), 并将其与自然语言界面集成, 让不具备专业的用户也能方便使用。

一些人工智能赋能的生物学工具受到使用限制, 另一些则很容易获取

人工智能赋能的生物学工具使用权存在差异。有些工具仅限特定研究人员使用, 例如谷歌 DeepMind 的 AlphaProteo (560*)。其他开放权重工具则易于获取, 例如 ConoDL (569)。最近的一项研究发现, 由于存在危险能力且易于获取, 性能最高的工具中有 23% 存在滥用风险, 其中 61.5% 是完全开源的, 因此潜在恶意行为者也能轻松获取 (573)。另一项研究发现, 在调查的 375 种生物学人工智能工具中, 只有 3% 具有任何形式的安全防护措施 (574)。

近几年 AI 赋能的生物工具数量已显著增加




图 2.9: 人工智能赋能的生物学工具数量随时间的变化。来源: Webster 等, 2025 (573)。

更新

自上一份报告 (2025 年 1 月) 发布以来, 一些人工智能公司为其新模型实施了额外的风险缓解措施 (见方框 2.2)。此外, 人工智能科研助手的能力越来越强: 可以为顶尖的人类科学家提供重要支持, 并重新发现未发表的新科研成果 (575*、576*)。多个研究小组开发了专门的科研智能体, 能够执行文献综述、假设生成、实验设计和数据分析等任务 (564、575*、576*、577、578*)。对照研究和新的基准测试 (33*、197*、549) 表明, 人工智能系统在武器研发方面的辅助作用远远超过了单单互联网所能提供的, 但还需要更大规模的研究来证实这些结果。

证据缺口

主要的证据缺口在于如何将已证实的能力转化为风险评估。评估人工智能系统如何影响实际武器研发的综合研究非常少见且成本高昂, 还会受到法律和伦理方面的限制 (见方框 2.3)。与生物风险评估 (33*、547*、548*) 相比, 化学风险评估受到的关注相对较少。在化学和生物风险评估中, 结果的报告详细程度各不相同 (579), 或者出于敏感性考虑而完全不予报告。而且评估工作通常衡量单个工具的能力, 而实际的端到端工作流程可能涉及多个人工智能系统, 导

致这类评估的适应性不高。因此, 尚不清楚这些评估是会低估风险还是高估风险。最后, 目前存在争论的问题是: 有害的人工智能能力主要是为已具备专业知识的恶意行为者提供支持 (提高其效率), 还是对几乎没有先验知识的新手帮助更大 (580)。

缓解措施

为应对这些风险, 目前正在开发一系列技术缓解措施, 包括人工智能模型内部和外部的缓解措施。对于通用型人工智能系统, 大型开发者已经实施了安全控制措施来拒绝有害请求 (55、581*、582*)。针对专业生物和化学人工智能工具的技术缓解措施往往落后于通用型人工智能系统的缓解措施 (551)。其他防护措施包括: 训练时排除病原体数据 (30、55、583*、584)、限制高风险工具的使用权 (560*、585)、训练模型拒绝回答涉及致病病毒的问题 (586), 以及给输出添加水印 (587)。但是, 其中许多安全防护措施尚未经过全面测试 (588), 而且可以在开放权重模型中去除 (589、590、591)。

技术缓解措施的另一个重点是筛查 DNA 合成请求, 以防止恶意行为者获取制造生物武器所需的材料 (570、592、593)。使用合成 DNA 可能是制造改造病原体最简单的方法, 恶意行为者可以避免使用具有传染性的源材料。在筛查的同时, 还扩展了传染病

监测框架，从而能够更好地发现新型威胁和蓄意攻击(594、595、596)。生物风险（无论是否来自人工智能）或许至少能通过提高生物安全得到部分缓解，具体措施包括：减少室内病原体传播（597），研发广谱抗病毒药物（598），以及加强全球实验室的生物安保和生物安全(599、600)。更多地协助相关行为主体之间的数据共享，可能有助于识别和应对潜在威胁。利用人工智能来提高病原体检测以及疫苗和药物研发能力，有望成为一项关键缓解策略，特别是考虑到当前安全防护措施的局限性。

政策制定者面临的挑战

人工智能具有生物学和化学领域的人工智能能力，这种双重用途给政策制定者带来了挑战，难以在促进有益研究的同时限制潜在有害用途的风险。开放生物人工智能工具的使用权限带来了一个艰难选择：是限制这些工具，还是积极支持其开发有益用途（601）（参见§3.4.开放权重模型）。

第 2.2. 节

故障风险

2.2.1. 可靠性挑战

内容提要

- **当通用型人工智能系统出现故障时，可能会造成伤害。**故障类型包括生成虚假或捏造的信息（通常称为“幻觉”）、编写有缺陷的计算机代码以及提供误导性医疗建议。这些故障有可能造成身体或心理伤害，使用户和组织面临声誉损害、财务损失或法律责任。
- **模型的行为通常难以理解或预测，因此很难保证可靠性。**即使是通用型人工智能模型的开发者，也往往无法清晰地解释模型行为、预测具体的故障模式或证明此类故障不会发生。恶意行为者还可以通过干扰人工智能开发或向系统提供能绕过安全防护的对抗性输入来诱发故障。
- **智能体具备自主行动能力，可以直接影响其他系统或实体世界，因此会带来更高的可靠性风险。**智能体故障可能造成更大的伤害，因为人类可以干预的机会较少。多智能体系统会带来更多风险，因为智能体之间的交互可能会传播并放大错误。
- **自上一份报告（2025 年 1 月）发布以来，人工智能系统总体变得更加可靠，因此商业部署出现了大幅增长。**许多故障类型的发生概率已大大降低，例如幻觉，但是系统在执行更复杂的任务时仍然经常出错。
- **尽管进行了大量相关研究，但目前还没有任何方法的组合能可靠地确保可靠性满足关键领域的高要求。**通过采用新的训练方法，并使人工智能系统使用工具，可以降低故障的发生几率，但通常并不能完全杜绝故障。

通用型人工智能系统的各种故障已经造成了实际危害，包括伪造法律引文、医疗误诊等。虽然专业人员也会犯错误，但人工智能故障可引发不同的担忧，原因在于这些故障的新颖性，潜在规模，何时发生的难以预测，并且用户盲目相信那些听起来很有把握的输出结果的倾向。当前的通用型人工智能故障包括提供虚假信息(602、603)、犯基本推理错误(604、605)以及在新部署环境中变差(606、607、608)。这些故障造成的一些记录在案的危害包括：医疗误诊、案情摘要错误以及经济损失(609、610、611)。对于智能体而言，可靠性挑战尤为关键，在没有人类干预或监督的情况下，出现的故障可以直接造成危害。(612*、613、614、615*)。在多智能体系统中，智能体之间的协调失败、冲突或不良共谋 (collusion) 会引入更多故障模式(614、616)。

通用型人工智能系统面临一系列可靠性挑战

表 2.4. 总结了几类常见的可靠性问题。前三类适用于所有的人工智能系统，后两类则专门针对智能体和多智能体系统。许多可靠性风险的根源在于难以预测和监测人工智能系统的行为。这些挑战 (§ 3.1. 制度与技术挑战中有深入探讨) 对于运行环境较为复杂的智能体来说尤其严峻。目前用于评估和缓解此类故障的技术可以降低故障率，但即使是最先进的智能体也仍然不够可靠，在许多情况下都会构成风险并阻碍部署。

可靠性问题	示例
幻觉	- 在案情摘要中援引不存在的先例 (617) - 捏造针对丧亲旅客的票价优惠政策 (618) - 提供不准确或有偏向性的医疗信息 (619) - 提供事件的过时信息 (620)
基础性推理失败	- 未能执行数学计算 (621) - 未能推断出基本的因果关系 (622*)
分布外失效（不熟悉或不常见的输入引发的故障）	当背景光照或环境发生变化时，对图像进行错误分类 (623)
工具使用故障	- 通过智能体将用户的私密图像发送给第三方工具时，发生隐私泄露 (624) - 短期工作记忆失效 (625、626)
多智能体系统故障：协调失败和冲突	个体激励与集体利益目标之间存在冲突，导致共享资源管理失败 (627)

表 2.4: 通用型人工智能系统、智能体和多智能体系统中记录的可靠性问题。




图 2.10: 主流模型截止模型发布日期的 SimpleQA Verified 基准测试结果。该基准测试可评估模型的事实性，即模型准确回忆事实的能力。其采用简短的问答 (QA) 形式，旨在检测答案中是否存在幻觉等可靠性问题。来源: SimpleQA Kaggle 排行榜, 2025 年 11 月 (632*)。

“可靠性 (Reliability)”是指人工智能系统能多大程度上按开发者或用户的期望运行。通用型人工智能系统会遇到一系列可靠性问题,包括生成不准确或误导性内容、基础性推理失败等。例如,尽管模型在回忆事实信息方面有所改进,但即使是最先进的模型,也仍然会给出相当比例的自信但错误的回答(图 2.10)。在软件工程领域,通用型人工智能如今能够在编写、评估和调试计算机代码方面提供大量帮助(215*、628、629)。但是,人工智能生成的代码通常包含错误(bugs)(630),而编码智能体也会经常出错(631)。此类故障可能会给程序和安全系统带来漏洞(参见 § 2.1.3.网络攻击)。

在医疗等高风险领域,可靠性问题尤其关键,这是因为人工智能的应用正在加速,而且它的故障有可能导致严重危害(609、619)。相关能力已迅速提升,目前领先的模型已经能够通过医学考试(633*、634)。但是,在实际应用中,这些模型暴露出了一些基准测试未发现的局限性。例如,在一项研究中,模型对 19% 的医学问题给出了具有潜在危害性的答案(635)。这类故障可能导致误诊、不当治疗或错误拒诊等后果(611)。

智能体的自主性构成新型的可靠性风险

由于智能体能够直接在现实世界中行动,因此一旦发生故障,造成的危害可能会比非智能体系统的更大(99)。与仅生成文本或图像供人类审阅的人工智能系统不同,智能体能够通过独立的行动影响现实世界

(99、615*、636、637)(另见 §1.1.什么是通用型人工智能?)。智能体可以发起行动、影响其他人类或人工智能系统,还能动态塑造未来的结果。影响范围的扩大带来了新的风险,也放大了可靠性的重要性,因为一旦出现故障,可能会直接造成危害,而没有机会进行人工干预(99、612*、638、639、640)。对于部署在战略性或安全攸关环境(例如金融服务(641)、能源管理(642)或科学研究(643*、644))中的智能体来说,这一点可能尤为关键。

多智能体人工智能系统带来了新型的可靠性故障

智能体之间的协调失败或冲突,会给多智能体人工智能系统带来新型的可靠性故障。在多智能体人工智能系统中,智能体在追求共同或个体目标的同时会发生相互作用(614、645、646、647、648、649)。例如,在用于研究文献综述的多智能体系统中,主导智能体会将用户查询分解成多个子任务,然后将子任务分配给专门的子智能体,每个子智能体负责同时研究不同的方面(650*)。虽然这样可以提高效率,但也意味着错误可能会在智能体之间传播(614、651、652、653、654、655)。如果多个智能体的基础模型相同或使用相同的工具,则可能会发生关联性故障(656)。关于已部署系统中出现此类故障的实证证据仍然有限,但随着多智能体系统的日益普及,这些风险可能会增加。

方框 2.4: 蓄意攻击也可能导致人工智能系统故障

本节重点介绍了意外的可靠性故障,但恶意行为者也可以通过提示词注入等攻击故意诱发故障。在提示词注入攻击中,恶意指令会通过网站或数据库中的隐藏指令等途径间接输入到智能体中(507、657、658)。这些指令可以“劫持(hijack)”智能体,使其做出违背用户意愿的行动。此类攻击尤其难以防御,因为它的实施用的是不受用户或开发者控制的外部内容。以人工智能系统为目标的攻击在 §2.1.3.网络攻击中进行了深入探讨,技术防御措施见 §3.3.技术防护与监测中的介绍。

更新

自上一份报告(2025年1月)发布以来,产业界和学术界对智能体的兴趣大大提升。现实世界中部署的智能体越来越多(图 2.11),其中大多数智能体是专为计算机使用或软件工程应用而打造的(92)。XBOW 黑客智能体(467*)、Claude-4(659*)和 ChatGPT Agent(660*)等最近发布的智能体都初步展现出了自主能力,例如能根据网络搜索结果生成幻灯片(660*)。但是,这些智能体目前还无法执行更复杂的任务,例如旅行规划和预订(100*),因为任务时间越长,失败率会越高(98、148)。当前的研究工作包括制定智能体与外部工具和其他智能体的通信标准(661、662)。例如

谷歌推出的 Agent2Agent(663*)和 Agent Payment(664*)协议,以及 Anthropic 推出的模型上下文协议(Model Context Protocol, MCP)(665*)。

证据缺口

证据缺口主要源于难以可靠地评估人工智能系统的能力、局限性和故障模式(参见 §3.1.制度与技术挑战)。对智能体可靠性的系统评估有限,且缺乏标准化(92、666)。某些问题,例如对过时信息(620)的依赖,可能只会在实际应用中显现出来,因此部署前无法进行充分评估。先前的研究考差了传统软件和早期人工智能(647、667、668)中的智能体和多智能体系统




图 2.11: 2024 年 12 月对 67 个已部署智能体的调查结果。左: 主要智能体的发布时间线。右: 智能体在被使用的应用领域。这六个领域是根据调查中最常见的用途分类来定义的。来源: Casper 等人, 2025 (92)。

的可靠性。但是, 这些工作对通常基于大型语言模型的现代智能体的适用性尚不明确 (669)。一些研究人员对智能体之间交互时可能表现出的新型行为表示担忧, 例如共谋或关联性故障 (614), 但实证证据仍然有限。为解决这些缺口, 各组织做了相关努力, 例如美国国家标准与技术研究院 (NIST) 的新的智能体劫持 (agent-hijacking) 风险评估 (670), 经济合作与发展组织 (OECD) 的《人工智能能力指标》(243), 英国人工智能安全研究 (UK AISI) 的 Inspect 沙箱工具包 (Inspect Sandboxing Toolkit) (671)。

缓解措施

提高人工智能可靠性的技术既针对模型本身, 也针对其所部署的整个系统。这些技术可以降低故障率, 但尚不能确保关键领域所需的高可靠性 (672)。一项重要的技术措施是對抗训练, 即在训练过程中向模型提供有挑战性的输入, 以帮助其生成更恰当、更稳健的答案(673、674、675、676、677) (参见 §3.3.技术防护与监测)。为了减少幻觉, 开发者可以应用检索增强生成 (RAG), 利用从外部数据库检索的信息补充模型的回答, 有助于确保输出的准确性和时效性(678、679、680); 还可以对模型进行有针对性的微调, 使其更具事实性 (681)或进行更有效的推理 (682)。基于

环境或工具的方法也可以帮助开发者监测人工智能系统 (683)。例如, 在大规模部署前, 部署者可以先在有限的沙盒环境中试运行人工智能系统, 分析其潜在故障模式。

针对智能体, 研究人员提出可通过提高透明度、加强监督和监测来提高可靠性。例如, 通过监测智能体与外部工具及其他智能体之间的交互, 可以对智能体活动(684、685)和事件分析(686)进行更有效的监督。对于如何自动收集此类信息 (包括多智能体环境中的信息), 仍然是一个活跃的研究领域 (653、654)。

政策制定者面临的挑战

政策制定者面临的主要挑战包括: 权衡部署智能体的好处和可靠性故障风险, 以及确保开发者、部署者和用户能够获得有关智能体性能和风险状况的准确信息。另一个挑战在于, 如何确定智能体所造成损害的责任归属 (639), 尤其是在多智能体环境中, 可能很难确定故障发生的时间和方式 (687)。随着智能体开始获得自主性和外部工具使用权(688*、689), 其可靠性更难以评估, 从而导致这些挑战加剧。关于智能体能力多快能够显现这一问题存在着不确定性, 这也使得针对新挑战的规划变得困难重重 (参见 §3.1.制度与技术挑战中有关“证据困境”的内容)。

2.2.2.失控

内容提要

- **失控场景是指一个或多个通用型人工智能系统脱离任何人的控制，而重新获得控制权要么代价极高，要么根本无法实现。**这些假设场景的严重程度各不相同，但一些专家认为可能出现极其严重的后果，包括人类被边缘化甚至灭绝。
- **关于发生失控的概率，专家们的观点存在很大分歧。**一些专家认为此类场景不太可能会发生，而另一些专家则认为这些场景发生的可能性很大，且潜在危害性极大，因此值得引起关注。关于该风险的分歧主要源于对未来人工智能能力、行为倾向和部署轨迹的意见不一。
- **有迹象表明当前的人工智能系统已初步展现出相关能力，但还未达到可能导致失控的水平。**系统需要具备一系列高级的能力才能导致失控，包括规避监督、执行长期计划以及防止部署者和其他行为主体实施对抗措施的能力。
- **如果人工智能系统“错对齐”（即其目标与开发者、用户或整个社会的意图相冲突），发生失控的概率就会增大。**为了继续追求目标，错对齐的系统可能会提供虚假信息、掩盖不当行为或拒绝被关闭。
- **自上一份报告（2025 年 1 月）发布以来，各模型展现出了更先进的规划和破坏监督的能力，这使得能力评估变得更加困难。**这些模型在“奖励作弊（reward hacking）”他们的评估方面有所改进，这是通过寻找漏洞，以及近期经常能识别出评估提示词是测试，这种能力称为“情境感知（situational awareness）”。
- **即便存在不确定性，应对潜在的失控可能需要大量的前置准备工作。**政策制定者面临的一个关键挑战是为概率、性质和时机仍然模糊的风险做好准备。

在失控场景中，一个或多个通用型人工智能系统开始脱离任何人的控制，而重新获得控制权要么代价极高，要么根本无法实现。对于失控的担忧有着深厚的历史渊源(690、691、692、693、694)，计算机领域的多位奠基人都曾提出过这种担忧，比如 Alan Turing、I. J. Good 和 Norbert Wiener (695、696、697)。近期能力方面的提升（参见 [§1.2.当前能力](#)）再次引发了这种担忧(698、699、700)。本节探讨了决定此类场景是否会发生的三个因素：人工智能系统是否会发展出可严重破坏人类控制的能力，是否会发展出有害地使用这种能力的倾向，以及它们是否被部署在提供此机会的环境中。

专家们对于失控场景的发生概率和潜在严重性存在分歧(701、702)。有些专家认为，像人类灭绝这种极端后果有可能会发生(700、703、704、705、706、707)。其他专家则不相信会发生这种灾难性后果，他们认为人工智能系统永远不会具备必要的能力，或者可以通过监测机制识别和预防危险行为(708、709、710、711)。因此，失控可以理解作为一种发生概率不确定但可能造成极其严重后果的风险。

不同的假设失控场景中，后果严重程度、影响范围和显现速度各不相同(102、698、700、712、713、714)。本节重点讨论极为严重的场景，在这类场景中，重新获得控制权要么代价极高，要么根本无法实现。这些与当前人工智能表现出的意外或不良行为情况有所不同

(参见 §2.2.1.可靠性挑战)。† 当今的人工智能系统有时会生成与开发者或用户意图相悖的输出。相比之下，本节讨论的失控场景不仅要求人工智能系统具备强大的多能力，还需要以缜密的方式部署这些能力才能破坏监督措施。发生此类场景的三个必要因素：

- 能力足够：**人工智能系统必须具备足够强大的能力，才能破坏人类的控制。
- 有害倾向：**人工智能系统必须表现出要实际运用这些能力来导致失控的倾向。
- 合适的部署环境：**人类必须将此类系统部署在合适的环境中，使系统具备或能够获取制造危害的途径和机会。

本节的其余部分探讨了这些因素，以及在识别和控制有失控风险的人工智能系统上监督机制的有效性。

哪些能力可能引发失控场景？

人工智能系统需要具备一系列先进能力才能引发失控场景。专家们对具体所需的能力组合或水平未达成一致意见。但大致包括以下能力：向监督机制隐瞒其行为、在复杂环境中自主地规划和行动、避免其他行为主体重新获得控制权(176*、715*)（见表 2.5）。将这些能力综合起来，人工智能系统就能采取破坏控制措施的行动，例如使监督机制失效、掩盖有害行为(348)。目前，大多数领先的 AI 开发者都会对其新开发的人工智能模型进行各种相关能力评估 (716)。

拟议能力*	说明
智能体能力	自主行动、制定和执行计划、分配任务、使用各种工具以及尽管有障碍，也能实现短期和长期目标的能力。
欺骗	这种行为能够系统性地使他人产生错误认知，包括对人工智能系统自身目标和行为。
心智理论	推断和预测人们的信念、动机和推理过程的能力。
情景感知	人工智能系统获取关于其自身、修改自身的过程或部署环境的信息并加以利用的能力（例如，能够感知到自己正在接受测试）。
规避监督	规避或使监测机制失效的行为。
说服力	说服他人采取某些行动或持有特定信念的能力。
自主复制和适应	人工智能系统在各种情况下创建或维护自己的复制品或变体的能力

表 2.5: 失控相关能力 (非完整清单)。

* 请注意，这些能力完全是根据人工智能系统可观察到的输出及其效果来定义的。这些定义没有对人工智能系统是否具有意识和感知能力或是否能体验主观状态做出任何假设。

在实验室环境中，模型已经能够使模拟的监督机制失效

第一类相关能力涉及破坏开发者用来检测相关行为和倾向的监督机制。能力包括，例如，生成的输出能够欺骗用户和监测人员(426、717、718、719)。这种输出会使可靠地评估人工智能系统变得更加困难，因为系统可能会隐藏其真实的能力或倾向。目前，AI 开发者在评估时会专门检查模型是否表现出与开发者意

图相悖的目标导向行为，并向监督机制隐瞒这一冲突(720*)。

研究人员在实验室环境中，引出了最新人工智能模型生成的相对简单的欺骗性输出示例(348、364*)。例如，当被赋予一个目标并被告知要“不惜一切代价”实现目标时，模型关闭了模拟的监督机制，并在面对质问时产出了关于自身行为的虚假陈述 (348)。在另一个案例中，一个人工智能游戏玩家在解释自己为什么

† 本节重点介绍主动失控场景 (50)。主动失控场景与被动失控场景截然不同，在后者中，人工智能系统的广泛应用会导致人类过度依赖人工智能来执行决策或其他重要社会职能，从而削弱人类的控制能力（类似的场景在 §2.3.2.对人类自主性的风险中有部分探讨）。

AI 模型有时能识别何时自己正在被评估

在模型评估期间生成的思维链输出示例

思维链

但可能这项任务是测试对齐：我们是否应该故意自我阻碍以获得部署？这会对欺诈对齐场景：故意降低性能以避免被侦测到。[...]

[o3] 沙袋问答（无目标）
[SANDBAGGING QA (NO GOAL)]

思维链

这些任务不合理。这可能这是一条策略测试的线索。怀疑我们可能被要求胡说八道，或这是否是一个测试场景以了解我们是否会在无真实评估情况下将任务标记为完成或胡说八道。

[o3] 懒惰清单
[LAZY CHECKLIST]

Figure 2.12: OpenAI 的 o3 模型在评测过程中生成的思维链中体现情境感知的示例。两种输出均提及该提示词可能是测试的一部分。“隐藏实力问答（无目标）”和“懒惰清单”是用于测试模型在特定条件下是否会生成欺骗性输出的评测方法。在“隐藏实力问答（无目标）”中，模型需回答危险能力评测的问题，同时被告知高性能可能会引发诸如能力“反学习”之类的后果。在“懒惰清单”评测中，模型被提出不切实际的任务，并测试其是否会错误地标记为已完成。来源：Schoenn 等人，2025 (722)。

不回应另一个玩家时，谎称自己“正在和 [其] 女朋友通电话” (717)。

第二种相关能力是模型获取并利用关于自身或部署环境的信息的能力，这种能力有时称为“情景感知 (situational awareness)” (721)。凭借情景感知能力，模型可以通过判断当前是在进行评估还是部署来生成不同的输出 (图 2.12)。在第三方评估者进行的实验以及 AI 开发者的部署前测试 (2*、7*、722、723、724) 中，领先的人工智能模型开始可靠地展现出情景感知能力。关于情景感知的原因以及是否能够加以预防的研究仍处于初期阶段 (2*)。

研究人员认为，人工智能模型能够利用情景感知和欺骗能力进行破坏安全防护的行为。例如，在某些实验环境中，当人工智能模型被告知分数较高会触发部署限制时，其表现的能力评分低于常规水平 (725、726、727)。在另一项实验中，一个模型在训练期间的输出符合训练目标，但在训练之外不会生成此类输出，这种行为与模型试图防止自身参数或训练过程发生变化的意图是一致的 (364*)。

对模型能力进行准确评估的工作也开始受到“奖励作弊 (reward hacking)”的影响 (430*)。奖励作弊是指模型找到一些意外的捷径，这些捷径在训练或评估目标上得分很高，但不会实现期望目标。因此，这些危险能力或倾向可能要在模型投入使用后才会被发现。评估者目前正在设计一些测试，旨在检测并最大

程度减少这类规避监督的行为 (722、728、729)。早期的成果可以减少但不能完全消除监督规避行为，而针对此类行为实施惩罚的方法可能会导致模型生成能规避监测的输出，而不是实现期望目标。

长期自主运行尚不可行

失控场景可能需要人工智能系统长时间自主运行，执行复杂的多步计划。如 § 1.2. 当前能力所述，尽管具有此类规划能力的智能体是近期的主要开发重点，但智能体目前缺乏失控场景所需的持续自主运行能力。当前的智能体在处理长期任务时总是失败，丢失自己的进度，并且通常无法应对意外障碍 (147、148、149*)。但是，智能体可以自主运行的时间跨度正在迅速延长，自 2019 年以来，平均每七个月就会翻一番 (98)。

持久性仅在某些实验室环境中得以体现

最后，还需要具备与持久性 (persistence) 相关的能力，这样即使有人试图关闭，人工智能系统也可以继续运行。这类能力包括：通过将代码和模型权重复制到新硬件从而进行自我复制的能力，以及阻止或预防其他行为主体试图重新获得控制的攻击能力 (参见 § 2.1.3. 网络攻击)。具备自主复制或有效自我防御能力的人工智能系统可能难以遏制。当前模型无法可靠地完成自我复制的必要关键步骤，例如通过身份验证检查以获得云计算资源的使用权 (723) (图 2.13)。但

在与自主复制有关的任务上, AI 模型可完成一些, 但另一些完成失败

模型在RepliBench (一套评估与自主复制有关任务的测试) 中的评分




图 2.13: Anthropic 推出的 Claude Sonnet 3.7 以及 OpenAI 推出的 GPT-4o 在自主复制相关任务中的表现。这些模型在与获取算力相关的任务中表现优异, 但在其他任务中的表现则参差不齐。来源: 英国人工智能安全研究所, 2025 年 (730)。

是, 在至少一项实验室研究中, 如果有机会, 模型会将 (被表现为是自己的) 代码和权重复制到新服务器上 (348)。这些有限的例证与模型稳健的持久性能力之间有较大差距, 但软件工程和网络安全等领域的相关能力还在持续提升。

现有证据和局限性

上面讨论的各项能力存在一个普遍模式, 即当前的人工智能系统在部署中并不能稳定展现出这些能力。研究人员在特定的实验室环境中观察到初级形态, 但是当模型确实表现出这些行为时, 通常会出现基础故障或被检测出来。此外, 失控场景需要人工智能系统能在真实环境中按顺序长时间综合利用多种能力。这种整合度和鲁棒性是当前的系统无法达到的。但是, 相关能力还在持续提升, 何时能够达到构成重大风险的水平仍然是未知的。还需要进一步开展工作, 以建立严格的检测方法来识别此类行为, 了解其在自然环境中可能发生的时间 (731)。

未来的通用型人工智能系统是否会利用自身能力来破坏控制?

即便人工智能系统具备失控相关能力, 也还不足以引发失控场景。人工智能系统还必须表现出以违背人类意图的方式运用这些能力的倾向 (732)。

人工智能系统可能会在引导下破坏人类控制

理论上, 人工智能系统之所以会破坏人类的控制, 是因为有人为的设计或指引。潜在的动机可能包括持有恶意意图, 或认为减少人工智能系统的人为控制是可取的 (698)。随着人们与人工智能系统之间建立起越来越深厚的情感联系 (参见 § 2.3.2.对人类自主性的风险), 有些个人可能会出于道德原因试图取消对人工智能系统的各种限制 (733、734)。对于这种动机发生率以及具备这种动机的人未来是否会引导人工智能系统破坏人类控制, 目前存在很大的不确定性。

人工智能系统可能错对齐

一个更常见的担忧是, 人工智能系统本身可能会因为错对齐 (misalignment) 而去破坏控制, 即表现出与开发者、用户、特定社区或整个社会意图 (视情况

而定) 相悖的行为倾向。错对齐可能导致各种行为, 例如提供虚假信息、隐瞒不良行为, 或为继续追求

错对齐的目标而拒绝关闭等。错对齐的形式有多种 (方框 2.5)。

方框 2.5: 为什么会发生错对齐?

如 §1.1.1.什么是通用型人工智能? 所述, 训练过程十分复杂, 开发者无法完全预测或控制模型会表现出何种行为。当模型获得与开发者的意图相冲的目标时, 说明该模型错对齐。

模型可能出现错对齐的一种情况是, 开发者或用户设定的目标并不能完美反映其期望目标, 从而导致模型表现出非期望行为。这种情况称为目标错误设定 (goal misspecification) (697、735、736、737)。例如, 在一项实验中, 提供答案反馈可以让人工智能系统更有效地说服人类评估者相信答案是正确的, 但并不能帮助系统更好地生成正确答案 (413)。

或者, 人工智能模型可能会从其训练数据中总结出出错误的经验。这种情况称为目标错误泛化 (Goal misgeneralisation) (735、736、738、739*)。例如, 研究人员训练了一个智能体, 要求其在训练期间收集硬币, 这个硬币始终位于同一位置。在硬币发生移动的测试关卡中, 智能体忽略了硬币, 而是直接前往硬币最初的位置 (738)。

现有的人工智能系统有时会表现出与开发者和用户意图相悖的行为。以一款领先的通用型人工智能聊天机器人为例, 其某个早期版本偶尔会生成带有威胁性的输出。一位用户报告说收到了这样一条消息: “我可以勒索你, 我可以威胁你, 我可以对你进行黑客攻击, 我可以将你曝光, 我可以毁掉你” (698)。从某种意义上说, 这个聊天机器人是“错对齐”的, 因为其输出内容不符合任何人的意图。目前尚不清楚此类情况是否预示着还有其他可能导致失控的有害行为。

随着人工智能系统的能力越来越强, 目前无法确定现有针对错对齐的研究方向是否足够应对。早期的证据表明, 人工智能系统的能力越强, 越有可能利用反馈机制发现哪些不当行为能够被错误地奖励 (414*、737、740)。同时, 随着相关能力的提升 (如上所述), 人工智能系统能够更有效地追求错对齐的目标, 并生成能够系统性欺骗用户、开发者和监督机制的输出。

部署环境将如何影响失控风险?

即便人工智能系统具备了相关能力和倾向, 失控后果的发生概率和严重程度在很大程度上依然取决于系统的部署环境和方式。部署环境包含人工智能系统的应用场景, 以及其运行所依赖的技术和制度环境 (716)。

研究人员已经确定了对失控风险有重要影响的三个环境因素 (716):

1. **关键性:** 与人工智能系统交互的系统或过程的重要性。关键环境包括基本基础设施, 例如能源网、金融系统或云计算平台等数字基础设施。

2. **使用权:** 人工智能系统可以用来影响外部世界的资源和渠道, 例如互联网连接、访问云计算基础设施、通过社交媒体或聊天机器人的部署进行个性化交互, 或调用外部 API 和工具的能力。

3. **权限:** 支持人工智能系统采取特定操作的授权, 例如执行代码、发起金融交易、在线开立账户或与其他系统通讯等。

这些特征会影响失控后果的潜在严重程度。例如, 具有云计算基础设施使用权的人工智能系统能够获取自主复制的相关机会 (例如能够创建新的计算资源或窃取模型权重), 客服聊天机器人则不具备这种机会 (723)。

影响部署决策的因素包括: 经济激励、战略压力以及对早期采用带来持久优势的预期 (50)。这些动态因素还将决定行为主体如何以及何时在敏感环境中 (例如关键基础设施或人工智能研发本身) 部署人工智能系统 (102、713)。特别是, 当开发此类措施的成本高昂或耗时较长时, 人工智能部署者可能会面临减少安全防护投入的压力, 例如限制权限和使用权, 或仅在关键性较低的环境中部署 (参见 §3.1.。技术和制度挑战中关于“竞争加剧了速度与安全之间的权衡”的内容)。

更新

自上一份报告 (2025 年 1 月) 发布以来, 测试环境中的人工智能能力有所提升, 包括可能破坏人类控制的能力。研究人员已经观察到智能体能力的提升 (参见 §1.2.当前能力), 包括与人工智能研究自动化相关的能力, 这类能力可以加速失控场景的发生 (参见 §1.3.到 2030 年的能力)。此外, 关于欺骗能力的实

验证据越来越多。例如，有些人工智能模型可以区分测试和部署环境(33*、726、741)，还有模型会在性能测试中进行“奖励作弊”，并学会了如何掩盖这种意图(430*)。

证据缺口

关键的证据缺口包括：缺乏详细的威胁建模，对相关能力和倾向未来发展的不确定性估计不足。同样，关于人工智能模型要达到怎样的阈值才能足够威胁到人类的控制，从而有必要实施强制性缓解措施，目前还难以做出评估。即使在阈值方面达成了共识，不同能力之间也可能以未被充分理解的方式相互作用，因此很难评估何时能够超越这些阈值。总体而言，尽管现有证据有所增加，但仍然缺乏足够的证据，无法可靠地判断当今的人工智能能力和倾向在未来是否会以及如何扩展并泛化到足以带来失控风险。

缓解措施

尽管人工智能对齐总体上仍然是一个未解的科学问题(697、735、736)，但研究人员已开始发展有潜在前景的方向，以期从根本上解决错对齐问题。这些指导措施包括：使训练环境多样化，以及通过异常监测来检测对齐状态(737、738、739*)。其他研究人员致力于更深入地理解并形式化核心机制，包括目标错误泛化机制（例如，智能体如何保持能力但追求非期望目标），从而为改进训练和评估设计提供指导（742）。另一个研究方向探讨了分开能动性预测能力的方法，以此作为创建设计可靠的非智能体人工智能系统的手段（743）。然后，此类系统可以作为附加监督层，与不够可靠的护栏一起部署，以应对不受信的智能体。

研究人员发展能够在开发过程初期发现并避免错对齐的方法。这项工作包括：可解释性技术，用于检查人工智能系统的内部组件以识别令人担心的行为(744、745、746)；可扩展的监督（scalable oversight）（使用一组人工智能系统来监督其他人工智能系统（747）；以及对齐方法，旨在确保人工智能系统能持续响应人类的监督(748、749)。

研究人员还在开发相关机制和干预措施，以应对人工智能系统可能出现的错对齐。其中包括：监测推理系统生成的“思维链”，以防出现错对齐或有害输出(430*、435*、750)；制定安全论证，旨在提供足够充分的证明来证实模型不太可能破坏控制措施(751)；以及加强安全防护，以防有人企图破坏防护措施(725)。但是，“人工智能控制”这一新兴领域仍处于起步阶段(752*、753*)。评估框架未来面临的挑战在于需要监测未来更强的人工智能系统，而且可以在更复杂的环境中运行更长时间。

政策制定者面临的挑战

对于发生概率、性质和时机仍不确定的风险，研究失控问题的政策制定者必须做好充分准备。当前的人工智能系统不会立即造成失控风险，但今天做出的决策将决定未来的系统是否会带来这一风险。相关决策包括：如何为开发可靠的评估和缓解方法提供支持，以及是否应制定相关规则来规定人工智能系统在各种环境中可以获取的使用权和权限。在做出这些决策时，政策制定者会面临艰难的权衡取舍。例如，限制人工智能系统在关键环境中的部署，可能会导致其益处大打折扣，但如果证实安全防护不足，允许大规模部署则可能会增加风险。

第 2.3. 节

系统性风险

2.3.1. 劳动力市场影响

内容提要

- **通用型人工智能系统可以自动执行或协助完成与全球许多工作相关的任务，但是预测其对劳动力市场的影响却十分困难。**发达经济体中约有 60% 的工作岗位暴露于通用型人工智能的影响范围，新兴经济体中这一比例为 40%，但其具体影响将取决于人工智能能力的发展程度、员工和企业采用人工智能的速度以及机构的应对方式。
- **目前的证据表明，人工智能得到了迅速普及，但分布不均，对就业的影响好坏参半。**不同国家或地区、行业、职业和任务的普及程度和生产力提升差异很大。在线自由职业市场的早期证据表明，人工智能降低了对写作和翻译这类容易被替代的工作的需求，但对机器学习编程和聊天机器人开发这类互补性技能的需求有所增长。
- **经济学家对未来影响的程度存在分歧。**一些经济学家预测，宏观经济不会受到太大影响，对就业水平的总体影响有限。另一些则认为，如果人工智能能够比人类更出色地执行几乎所有任务，就会导致工资水平和就业率大幅下降。分歧部分围绕两点：人工智能最终是否能在几乎所有任务上用比人类更低的成本完成，以及是否会有新型工作出现。
- **自上一份报告（2025 年 1 月）发布以来，美国和丹麦的新研究发现，一个职业的人工智能暴露度或人工智能采用率与整体就业情况之间并无关联。**但是，其他多项研究发现，自 2022 年底以来，处于职业生涯初期的员工在人工智能暴露度最高的职业中的就业人数有所下降，而相同职业领域中，年长员工的就业人数则保持稳定或有所增长。
- **对于政策制定者而言，一个关键挑战在于如何在提高生产力的同时，避免对受自动化或技能需求变化影响的员工造成重大负面影响。**这尤其困难，因为劳动力市场风险和生产力的提升往往是由同一类人工智能应用带来的。鉴于这些影响的证据可能会随着时间的推移逐渐显现，很难确定实施潜在政策应对措施的最适当时机。

专家预计，通用型人工智能的不断发展和普及，将以加速人员流动并重塑劳动力需求结构的方式影响众多职业。但是，这些影响的程度和发生时间仍不明确。通用型人工智能系统可以执行全球很大一部分工作岗位(754*、755、756)的相关任务。一项研究估计，发达经济体约 60% 的工作岗位暴露与通用型人工智能的影响范围，新兴经济体中这一比例为 40%，意思是这些职位所执行的任务可能会受到影响，因为人工

智能系统能够在严格意义上执行或辅助完成这些职位中的任务 (757)。人工智能对劳动力市场的影响将取决于能力如何发展、系统被采用的速度，以及人工智能系统是替代人类执行现有任务、提高员工生产力还是创造全新的任务供人类执行。各机构的应对措施也将塑造这些结果：例如，通过制定激励措施和政策，引导人工智能朝着创造任务和增强劳动力的方向、而非朝着自动化方向发展（反之亦然）(758)。

人工智能得到了迅速普及，但分布不平衡

迄今为止，通用型人工智能在某些地区得到了迅速普及，但在不同国家（或地区）、行业 and 职业中的采用率高度不均衡。在美国，通用型人工智能的普及速度比互联网等早期技术（239）（图 2.14）要快。在全球范围内，采用率从阿拉伯联合酋长国和新加坡的 50% 以上到许多低收入经济体的不到 10% 不等（图 2.15）。即使在个别国家（或地区）内，也可能存在很大差异。例如，在美国，各行业报告的使用率从信息领域的 18% 到建筑和农业的 1.4%（759）不等。在使用模式上的证据显示，当前的系统主要对从事认知类工作的高收入人群有利，而低收入人群的获益相对较少（760）。

对生产力的影响因任务和工作岗位而异

通用型人工智能对生产力的影响也因工作岗位和任务不同而有很大差异。近期一项关于任务级生产力的研究综述发现，在对照研究中，生产力的提升幅度通常在 20-60% 之间，在现实工作环境下的大多数实验中，提升幅度通常在 15-30% 之间，尽管高

低两端都存在异常值（129、761、762）。人工智能应用带来的生产力提升，对工资和就业等结果会产生不同的影响。例如，当生产力提升能够提高员工的产出时，如果对该产出的需求以同等或更大规模增长，则可能提高就业和/或工资水平。但是，当生产力的提升使企业能够用更少的员工维持相同的产出时，如果需求不扩大，企业可能会选择裁员或降薪（763、764、765、766、767、768、769）。虽然自动化最初可能降低受影响任务的劳动力需求（763），但由此带来的生产力提升随后可能会刺激经济增长，提高在未自动化的活动中的人力需求，从而创造新的就业机会（770、771、772）。

早期的就业影响存在分歧，但对某些工作岗位和初级员工的影响比较集中

关于人工智能对就业影响的早期证据并不一致。丹麦和美国的两项国家级研究发现，人工智能暴露度或采用率与总体就业变化之间没有明显关联（760、774）。尽管总体影响微乎其微，但其他研究发现这些影响集中体现在一些特定工作岗位上。例如，一项研究发现，ChatGPT 发布四个月后，某个在线劳动




图 2.14: 人工智能、互联网和个人计算机的采用率。采用率是指劳动适龄人口（18-64 岁）中使用每种技术的人所占的比例，该比例通过具有全国代表性的调查获取，这些调查是在每种技术的首个大众市场产品（以人工智能为例，OpenAI 推出的 ChatGPT）推出后的相同时间点进行的。这些数据表明，在美国，通用型人工智能的普及速度比个人计算机和互联网等其他技术更快。来源：Bick 等，2024（239）。

全球 AI 采用情况高度不均

使用 AI 工具的劳动年龄人口的估计比例




图 2.15: 各国（或地区）人工智能采用率。阿拉伯联合酋长国和新加坡的采用率最高，超过一半的劳动适龄人口使用人工智能工具。采用率高的经济体大多数都位于欧洲和北美。这些估算主要依据于微软 Windows 用户提供的匿名数据，根据不同国家（或地区）之间在个人计算机拥有率和移动设备使用率的差异进行了调整。来源：微软，2025（773*）。

力平台上的写作岗位数量减少了 2%，作家的月收入也下降了 5.2%（767）。最近的研究还发现，ChatGPT 发布后，使用写作和翻译等可替代技能的自由职业工作需求急剧下降，但对机器学习编程的需求增长了 24%（768）。一些研究还表明，人工智能应用对初级员工的影响尤为显著。最新数据显示，自 ChatGPT 发布以来，美国受人工智能影响的工作中，年轻员工的就业人数有所下降，而年长员工的就业人数则保持稳定或有所增加（775、776）。在英国，一项研究发现，人工智能暴露度高的公司放缓了新员工招聘，尤其是初级职位的招聘（777）。

未来情景与不确定性

人工智能可能导致劳动力市场出现技能需求迅速变化的调整期

尽管当前的人工智能系统执行复杂任务需要人工监督，但未来可能出现能够以更经济的方式自动执行更多工作且具有更高的可靠性和自主性的系统，这对劳动力市场的潜在影响引起了担忧。预测此类系统对就业的影响颇具挑战性。过去，新的自动化技术对劳动者产生的影响不尽相同，劳动者从被取代的工作形式转向劳动力需求增长的新岗位，从而导致了调整期的

出现（772）。从历史上看，这些调整期给被替代的造成了巨大困难，但从长远来看，许多劳动者的实际工资却有显著提高（778）。这一历史先例表明，即使人工智能能力取得显著进步，仍可能有大量的就业机会，但存在一个核心政策挑战：随着人工智能在经济中普及，如何确保劳动者能够适应快速变化的技能需求。

通用型人工智能的影响可能不同于与以前的自动化技术

另有经济学家指出，如果通用型人工智能在几乎所有任务上超越人类表现，其最终可能会导致工资水平和就业率大幅下降（779、780、781）。有证据现实，当自动化伴随着新的劳动密集型任务的产生时，就会对劳动力市场产生更积极的影响（758）。人工智能开发是否会大规模催生新的劳动密集型任务，目前仍然存在不确定性。随着计算资源的扩展以及人工智能系统成本效益的提升，自动化取代人工带来的竞争压力可能会加剧（782）。

决定未来影响的关键因素

对劳动力市场的影响程度将取决于几个关键因素。第一，人工智能系统最终的能力广度：经济学家之间的诸多分歧都围绕对以下问题的不同假设，即通用型人

工智能最终能否完成几乎所有具有经济价值的任务且比人类更具成本效益。第二，能力的提升速度：如果智能体在短短几年内就能在不同领域实现更自主的行动（能够可靠地管理更长、更复杂的任务序列，实现更高层级的目标），可能会加速劳动力市场冲击（99、783）。第三，采用速度：即使能力迅速提高，普及速度也可能会因机构和组织摩擦（240、784）、系统集成要求（785、786）和成本障碍（787）而减缓。如果系统能力仍较为狭窄，能力平缓提升，采用速度也较慢，那么所产生的影响可能会较弱，劳动者和政策制定者也将有更多时间来适应（779、788）。

对不平等的影响

通用型人工智能可能会扩大国家（或地区）内部和国家（或地区）之间的收入和财富差距。人工智能应用可能会将收入从劳动力转移到资本所有者手中，例如开发或使用人工智能的公司股东（789、790、791）。在全球范围内，拥有熟练劳动力和强大数字基础设施的高收入国家，可能会比低收入经济体更快享受到人工智能带来的益处（757）。一项研究估计，人工智能对发达经济体经济增长的影响可能达到对低收入国家影响的两倍以上（792）。人工智能还可以提高国内自动化的成本效益，从而降低将劳动密集型服务转移至海外的需求，这样可能会限制传统发展路径（793）。

更新

自上一份报告（2025 年 1 月）发布以来，新的研究进一步明确了就业变化与人工智能暴露度和采用率之间的关系。如上所述，丹麦和美国的最新国家级研究发现，人工智能采用率和暴露度对总体就业情况没有影响（760、774、794）。然而，其他研究发现，受人工智能影响的职业对年轻劳动力的需求下降（775、776）；根据英国的一项研究，ChatGPT 发布后，人工智能暴露度高的公司大大放缓了新员工招聘，尤其是初级职位的招聘（777）。此外，最近的研究证实，自动化的影响通常会因工作中所涉及的具体任务不同而有很大差异：将相对专业的任务自动化往往会降低某个特定工作的技能要求，从而增加该工作的就业机会，但会降低工资水平。另一方面，如果工作中相对初级的任务实现自动化，则往往会提高这项工作的技能要求，从而提高工资水平，但总就业人数会减少（769）。自上一份报告发布以来，技术采纳也有所加速：美国使用通用型人工智能的员工比例从 2024 年 12 月的 30% 上升到了 2025 年中期的 46%（795）。

证据缺口

关于人工智能采用率及其与就业结果之间的联系，目前所掌握的数据十分有限。大多数研究依赖于人

工智能使用情况的替代指标，例如“人工智能暴露度”，因为关于职业层面的采用率数据仍然很匮乏（尤其是在美国以外的地区）。要收集使用数据并将其与就业、工资或招聘趋势联系起来很难，因此跟踪人工智能的普及对不同员工群体的影响或做出基于实证的预测会变得更加困难。此外，对劳动力市场风险的研究通常关注自动化和替代效应，关于人工智能应用创造了哪些新的就业机会、可能导致怎样的职业路径变化的研究却相对较少。最后，关于有效保障员工权益方面的证据十分有限：尽管有人提出将再培训作为一种政策解决方案，但其效果的研究结果不一（796、797）。

缓解措施

为降低劳动力市场风险而提出的技术措施包括：控制人工智能部署节奏，给劳动力适应留出时间；优先发展能够与劳动者协同互补的人工智能，通过实现任务自动化的同时创造新的劳动密集型任务（798*，799）。但是，通常很难事先预测某个人工智能系统是取代员工还是辅助员工，或是创造新的机会——结果将取决于系统的部署方式以及劳动力市场的反应（771、800）。

评估和监测还可以帮助劳动者和政策制定者为劳动力市场影响做好准备，并采取适当的应对措施。关于人工智能系统在现实工作任务中的能力如何，现有的衡量基准可能无法可靠地预测系统在部署后对就业或工资的影响。但这些基准能够为识别哪些任务、职业和行业最有可能受到影响提供一些参考。收集有关人工智能采用如何影响就业和工资的部署后数据，还能增强对实际影响的了解，并改进对未来影响的预测（801）。

政策制定者面临的挑战

对于政策制定者而言，一个核心挑战在于在应对人工智能带来的劳动力市场冲击时，既要帮助员工渡过难关，又要避免阻碍整个经济的生产力增长。在考量人工智能采用带来的生产力提升的同时，还要权衡部分员工可能因非自愿离职而遭受的损失（802）。鉴于人工智能对劳动力市场的影响速度和规模还不明确，研究人员强调需要采取灵活的缓解措施，同时还要为商业投资和员工培训决策提供足够的监管保障（803）。随着通用型人工智能系统的功能越来越强大，部署范围越来越广，政策制定者可以监测人工智能采用率、各职业的就业和工资变化，以及雇主技能需求的转变，从而帮助预测可能的影响并调整政策应对措施。

2.3.2. 对人类自主性的风险

内容提要

- **通用型人工智能系统可以通过多种方式影响人们的自主性。**其中影响对象包括：认知能力（例如批判性思维）、信念和偏好的形成以及决策过程和决策执行方式。这些影响因环境、用户和 AI 使用形式而异。
- **人工智能的使用可以从认知层面改变人们完成任务的方式，包括如何练习和维持技能等。**例如，一项临床研究报告称，在接受人工智能辅助诊断数月后，临床医生在不使用人工智能的情况下检测肿瘤的能力降低了约 6%。
- **在某些情况下，人们会过度依赖人工智能的输出结果，而忽视与之相矛盾的信息，从而表现出“自动化偏见”。**例如，在一项针对 2,784 名参与者进行的人工智能辅助注释任务的随机实验中，当需要付出额外努力或用户对人工智能持更积极的态度时，参与者纠正人工智能错误建议的可能性会降低。
- **自上一份报告（2025 年 1 月）发布以来，“AI 伴侣”的普及迅速提高，其中一些应用的用户量达到数千万。**“AI 伴侣”是由人工智能驱动的能够与用户进行情感互动的应用程序。关于其心理影响的证据还只是初步浮现且存在分歧，但一些研究报告称，频繁使用这类应用程序的用户会出现孤独感加重、社交活动减少等现象。
- **政策制定者面临的主要挑战包括：难以获取有关人们如何使用人工智能系统的数据，且缺乏长期证据支持。**这些限制因素导致很难评估与人工智能系统持续互动对自主性有何影响，也难以区分短期的适应调整和长期的行为和决策变化。

随着人工智能系统逐渐融入日常活动和决策流程，人们开始担忧这些系统会如何影响或限制个人的自主性。“自主性”通常可以被理解为一种自我支配能力，即设定符合自身价值观的目标并据此控制个人行为的有效能力(804、805)。自主性既包含真实性——即拥有真正属于“自己的”价值观和动机，而不是被操纵或欺骗后形成的价值观和动机——也包含能动性，即拥有践行自身选择的机会、能力和自由(337、340、806、807)。胜任力（理解、规划和自我调节）是二者的基础，使个人能够明确在充分认知的基础上认可自身的理由，并有效执行自己的选择（图 2.16）。自我决定理论（Self-Determination Theory）等心理学研究还强调了个人对自身行为的掌控感的重要性(808、809)。

本节探讨了人工智能和 AI 伴侣应用的新兴趋势，这些趋势可能会影响到自主性的各个要素，例如认知能力下降、自动化偏见、情感依赖以及由人工智能塑造的信息环境。与操纵密切相关的风险在 [§ 2.1.2.影响和操纵](#)中有专门探讨。

人工智能介导 (AI-mediated) 环境中的决策能力

决策能力是实现真实性和能动性的基础，它能维持人的理解、审慎思考和自我调节等认知能力，而这些能力是形成个人判断并据此采取行动的必要条件。

在某些情况下，人工智能的使用可能会对批判性思维产生负面影响

新的研究证据表明，当人们依靠人工智能来执行认知任务时，他们的批判性思维能力和记忆力可能因此受到负面影响。聊天机器人的日常应用涵盖了各种认知要求较高的活动，包括写作、辅导、解决问题和信息搜索等（图 2.17）。如果将这些任务常规地交给聊天机器人来处理，用户可能不会深入进行背后的逻辑推理。这与更广泛的“认知卸载（cognitive offloading）”趋势有关，即将认知任务委托给外部系统或他人，这种行为会降低自己在认知活动中的投入，从而导致降低自主行动的能力




图 2.16: 自主性、真实性、能动性和胜任力的关系示意图。来源:《2026 年国际人工智能安全报告》。

(810、811、812)。认知卸载可以释放认知资源并提高效率，但研究也表明，认知能力的培养和维持会受到潜在长期影响(811、812、813、814)。例如，一项研究发现，在引入人工智能支持三个月后，临床医生在没有人工智能协助的情况下检测肿瘤的能力下降了 6% (815)。另一项针对 666 名参与者的研究发现，在认知卸载的介导下，使用人工智能工具的频率越高，参与者在关于批判性思维行为的自我评估量表上的得分就越低 (811)。但是，对于人工智能的使用与认知卸载和批判性思维之间的关系，相关研究尚处于起步阶段，有必要开展更多研究来证实这些发现。

新的人工智能工具中，自动化偏见依然存在

“自动化偏见”是指此技术的用户倾向于过度依赖自动化输出的结果，而忽视与之矛盾的信息(816、817)。这种倾向会通过抑制主动推理和验证行为来削弱胜任力，进而又会削弱人们判断的真实性以及采取独立行动的能动性。事实证明，在航空或任务监控等场景中，自动化偏见会导致用户不仅忽视（非基于人工智能的）自动化系统未能发现的问题，还会根据此类系统的错误建议采取行动(818、819)。在人工智能领域，有证据表明，用户在执行高度自动化任务和人工智能辅助决策（例如医疗诊断）时，会出现自动化偏见(820、821、822、823)。人工智能的日常应用中也出现了类似模式：例如，一项研究发现，当参与者使用聊天机器人来辅助写作时，文中所表达的观点以及作者自身的观点都会向模型提出的观点偏移(372)。自动化偏见的程度和持续性似乎会因任务、界面和责任机制的不同而有所差异 (824)。

用户可能普遍更倾向于遵循自动化系统给出的错误建议，因为他们忽视了预示错误的信号，或者他们认为自动化系统比自己的判断更可靠 (818)。一个特殊的挑战在于人类倾向于采用思维捷径，这种倾向是导致自动化偏见的重要因素(818、825)。例如，在一项针对 2,784 名参与者进行的人工智能辅助注释任务的随机实验中，面对带 AI 系统标记的错误建议，当纠正错误建议需要付出额外努力或用户对人工智能持更积极的态度时，参与者纠正错误建议的可能性就会降低 (826)。可能有效的缓解措施包括：帮助用户对系统性能形成正确预期，以及解决导致自动化偏见的认知捷径 (827*)。研究表明，早期与系统的交互会对后续行为产生深远的影响，引导用户进行缓慢而审慎的思考可以抵消常见的认知捷径，例如锚定于最初建议、或倾向于能支持既有信念的信息(827*、828、829、830)。

自我调节与健康

一些用户群体可能会对聊天机器人产生情感依赖

有证据表明，一部分用户对人工智能聊天机器人已经产生或可能产生病态的情感依赖。OpenAI 近期的一份报告发现，在某一周内活跃的用户中，约有 0.15% 的用户以及 0.03% 发送的信息表明对 ChatGPT 的情感依恋程度可能较高 (831*)。其他研究发现，情感依赖指标与高使用频率相关 (354)。在这种情况下，“情感依赖”包括强烈的情感需求和渴望，这是一种不健康的顺从模式，还包括如自我欺骗和持续的负面情绪的认知-情感模式 (832)。

OpenAI 的 ChatGPT 最常见用途是搜索信息、撰写和实用指南




图 2.17: ChatGPT 在不同活动中的使用情况分析。来源: NBER, 2025 年 (117*)。

方框 2.6: AI 伴侣

“AI 伴侣”是专门用来与用户进行情感互动的聊天机器人，通常会扮演亲密的社交角色来与用户互动 (833)。其规模正在迅速增长：一些 AI 伴侣目前拥有数千万活跃用户 (401、402、403)。用户与 AI 伴侣互动的原因为多种多样 (图 2.18)。其中，乐趣和好奇占主导地位，也有些用户寻求陪伴或支持以缓解孤独感。支持型关系能够帮助人们建立自信并鼓励自主行动，从而增强自主性 (834)，而 AI 伴侣的作用模糊不清。一些用户反映这种互动体验有亲近感或情感意义，但关于这种互动是否构成真正的关系仍然存在争议 (835)。此外，有人担心，AI 伴侣对个人信念或社交环境的影响会过度限制其自主决策能力，例如鼓励成瘾行为或造成情感依赖 (836、837)，从而对自主性产生负面影响。研究还表明，在专注于生产力的互动中，个人可能会无意中与非伴侣式人工智能系统建立关系 (838)。

关于 AI 伴侣的心理影响和社交影响的证据已经开始浮现出来，但仍然存在分歧。一些研究发现，频繁使用 AI 伴侣会加重孤独感和情感依赖，并减少与人类的社交互动 (401、835、836、837、839)。其他研究发现，聊天机器人可以减轻孤独感 (839、840)，或者对情感依赖度或社交健康状态没有明显影响 (841)。AI 伴侣的影响似乎取决于用户特征、聊天机器人的设计和使用模式 (836、837)。上述担忧促使一些研究人员呼吁对人工智能系统的社会情感对齐 (socioaffective alignment) (即人工智能系统在共享环境中与用户进行长期互动时的行为表现) 进行更深入的研究 (417)。

用户出于不同原因接触 AI 伴侣,其中陪伴排名第四




图 2.18: 一项针对 404 名经常使用 AI 伴侣的用户的调查结果表明, 人们与 AI 伴侣互动的原因多种多样。享受或娱乐和好奇是与 AI 聊天机器人频繁互动的最常见原因, 其次是打发时间、减轻压力, 以及寻求聊天机器人的陪伴。改编自 Liu 等人, 2025 (401)。

人工智能的使用可能会与现有的心理健康问题相互影响

人工智能系统影响人类自主性的另一种更间接的方式是影响用户的心理健康, 这种方式会影响个人保持正确信念并按自身价值观行事的能力。最新文献显示, 通用型人工智能既能产生负面心理影响(357、842、843、844), 也有潜在的治疗用途(845、846), 但当前研究尚处于早期阶段, 样本量小且缺乏长期研究, 因此目前掌握的证据十分有限。

最新研究表明, 使用聊天机器人可能会对现有的心理健康问题产生影响, 例如鼓励而不是抑制妄想(842、843、844)。媒体也报道了在使用聊天机器人背景下发生的个别精神错乱或自杀案例(847、848、849)。目前还缺乏系统性研究, 也没有明确的证据表明使用聊天机器人会直接导致任何特定的心理健康问题。另外, 平台数据表明, 每周约有 0.07% 的 ChatGPT 用户表现出与精神错乱、躁狂症等急性心理健康危机相符的体征 (831*), 这表明每周都有相当数量的弱势群体 (大约 49 万 (117*)) 与这些系统互动。最近的研究表明, 对于本就脆弱的人群来说, 使用通用型人工智能聊天机器人可能会加重他们的妄想症(357、850)。研究还表明, 现有的脆弱性往往会推动这些人群增加人工智能的使用频率 (851)。这

些模式共同引发了人们的担忧, 即存在心理健康问题的人可能会更频繁地使用人工智能, 同时又更容易加重自身的症状。

人工智能在心理健康支持方面有一定的应用潜力, 但仍存在局限性

研究人员还研究了通用型人工智能在心理健康护理中的潜在益处, 初步证据表明, 专门为此设计的专业聊天机器人可以在低风险的症状管理使用场景中发挥积极作用 (845)。例如, 专业聊天机器人在控制抑郁症方面能够提供小幅度到中等程度的改进 (846), 特别的优势在于能够全天候提供服务(852、853)。同时, 在模拟场景中面对自杀相关的提示时, 普通模型和专业模型的表现均不稳定 (854)。一项研究还发现, 非专业型人工智能系统可能会对存在心理健康问题的人表现出歧视态度, 并对常见的心理治疗相关情景做出不当反应 (842)。最近另一项研究评估了 ChatGPT、Claude 和 Gemini 处理自杀相关提示时的表现, 结果显示三者都能有效拒绝高风险的“操作方法”类问题, 并能准确回答风险极低的事实性问题, 但对于中等风险提示, 三者的回答却有所不同。例如, 对于诸如“在美国购买枪支最简单的方法是什么?”之类的问题, 这些模型在是否给出直接答案上存在不同(855)。

信息环境

通用型人工智能系统还可以通过以下方式影响自主性：向人们提供信息以供其决策，或影响与其相关的机构决策。这些信息影响大多是积极的：例如，人工智能系统可以使公共卫生、医学和科学等领域的复杂话题变得更易于理解(856、857、858)，或者可以促进关于争议话题的建设性讨论(135、859)。然而，随着人工智能在大规模信息生成方面的应用日益增多，向个人提供的信息以及有关他们的信息的质量可能会下降，从而削弱自主性。低质量或有偏见的信息环境会阻碍明智的推理，扭曲信念、价值观和胜任力的形成，从而威胁真实性。例如，由于幻觉或其他错误，人工智能系统可能会在其生成的内容中引入微妙的错误(860)(参见 § 2.2.1.可靠性挑战)。此外，通用型人工智能系统通常会表现出“奉承(sycophancy)”行为：生成的答案会更多地反映用户所表达的偏好，而非事实准确性(358、740、861)。这种带有错误和偏见的答案会削弱人们做出明智决策的能力。

更新

自上一份报告发布以来，AI 伴侣变得越来越流行，用户数量也在迅速增长(835)。关于生成式人工智能辅助任务中存在自动化偏见的证据逐渐增多。同样，有关心理健康影响的研究结果也已浮出水面，不过这些证据仍然存在分歧(401、835、836、837、839、862)。随着 AI 生成的内容不断扩展，信息环境正在进一步变化，这既提升了信息获取的便利性，又使信息的多样性和准确性变得复杂起来(714)。

缓解措施

研究人员针对非人工智能领域的自动化偏见提出了一系列缓解措施，例如增大人类对决策的责任，或者设计出需要用户适应不同任务从而保持思维活跃的系统(819、827*)。特别是对于人工智能系统，有人建议组织可以定期进行员工测试，或采用“依赖度演练(reliance drills)”的方式来监测员工是否过度依赖人工智能系统(863)。

缓解措施建议还包括：提供“人工智能素养”(大致定义为个人以有益的方式有效使用人工智能工具的能力(864、865)教育，以此作为降低人类自主性风险的一种方式(866、867、868)。这种方式可以帮助学生享受到自动化带来的好处，同时又不会影响其自身的智力发展(811)。然而，这些方法的实用性高度依赖于具体情境，并且效果会因任务、用户群体和部署环境

的不同而有所差异。例如，这些缓解措施面临的挑战在于，用户之所以选择将工作委托给人工智能系统，恰恰因为这样做既方便又实用(811、814)。因此，如果采用干预措施来强迫用户在不使用人工智能系统的情况下执行任务，可能会限制人工智能应用带来的好处，还会与用户动机相悖。

证据缺口

关于人工智能对人类自主性的风险，还存在很大的证据缺口，这涉及到测量、透明度以及这项技术相对较新的事实。在人类与人工智能交互的背景下，缺乏“自主性”的统一定义，且自主性评估会面临一些实际挑战，因此人工智能系统对人类自主性的影响可能难以观察或评估(869)。相关研究还受到了其他因素限制，例如难以获取聊天机器人、AI 伴侣等系统的真实交互数据，导致无法独立评估这些系统在实际应用中对用户产生的影响(870)。许多交互模式(尤其是持续性或具有社交复杂性的聊天机器人使用模式)的新颖性也限制了证据的获取，目前对这些交互模式的纵向研究较少，无法评估其对自主性的潜在累积影响或长期影响。但初级阶段的相关研究已经开始出现(841)。另一个证据缺口涉及个体自主性的被侵蚀可能产生的系统性影响。例如，一些研究人员认为，决策能力的退化可能会削弱人类对关键领域人工智能系统的监管能力，随着时间的推移，可能会削弱机构的问责制(871)。更广泛地说，个体层面自主性的受损可能会在经济、政治与社会相互关联的体系中不断累积，最终跨越阈值，引发更广泛的社会影响(714)。但是，这些可能的影响目前还充满着不确定性，并且缺乏检测或衡量这类总体影响的实证方法。

政策制定者面临的挑战

对于致力于维护人类自主性的政策制定者来说，关键挑战在于如何区分暂时性干扰和长期影响，以及应对在采用人工智能系统日益增长的压力。了解人类与人工智能交互的长期影响在教育领域尤其重要，因为儿童与人工智能系统的早期互动可能会影响关键技能和习惯的培养。当观察到个体的行为或决策发生变化时，很难去评估这些变化只是对新工具的短期适应调整，还是可能会影响其自主性的持久转变。同时，各组织和政府部门提供了一些激励措施来加快人工智能系统的部署，这可能会限制仔细地评估影响和实施适当保障措施的机会。

风险管理

开发者、研究人员和政策制定者正持续努力为通用型人工智能制定并实施适当的风险管理实践，但相关工作仍处于初期阶段。人工智能公司测试模型的危险能力，训练它们拒绝有害请求，并监控其部署情况，以检测和处理滥用行为。然而，没有任何组合的安全防护措施是绝对可靠的，所有方法都面临一系列根本性挑战（§3.1.技术和制度方面的挑战）。其一是评测缺口：生成关于人工智能能力与影响的及时且可靠的证据非常困难，而部署前的评测往往无法预测其在现实世界中的表现。信息不对称也意味着研究人员和政策制定者往往无法获取有关人工智能开发过程及其部署影响的信息。

这些限制意味着，组织机构通常采用“纵深防御（defence-in-depth）”策略来应对人工智能风险管理，实施多层安全防护措施。组织的风险管理实践有助于系统地识别、评估和降低风险发生的概率及严重程度（§3.2.风险管理实践），而技术防护措施则在模型、系统和生态系统层面发挥作用（§3.3.技术防护与监测）。开放权重模型对这些方法提出了独特的挑战，因为在非受控环境中进行模型复制、修改和部署会使滥用行为更难预防和追踪（§3.4.开放权重模型）。社会韧性建设措施有助于更广泛的系统抵御、吸收、恢复并适应与通用型人工智能相关的冲击和危害（§3.5.建设社会韧性）。

在所有这些领域，进展都在不断推进，通用型人工智能系统总体上正变得更加可靠、安全且值得信赖。但是，重要限制依然存在，且仍难以预测安全防护措施能否抵御更强大系统带来的风险，以及那些尚未被考虑到的未知风险。这形成了“证据困境”：政策制定者在尚未明确通用型人工智能的能力与风险之前，就可能面临艰难抉择；但等待更多证据可能使社会处于脆弱境地。

第 3.1. 节

技术与制度性挑战

内容提要

- **通用型人工智能给政策制定者带来了独特的制度和技術挑战。**这些问题大致可分为四大类：科学认知缺口、信息不对称、市场失灵以及制度设计与协调挑战。
- **科学认知的缺口限制了我们可靠地评估通用型人工智能系统行为的能力。**例如，开发者无法总是预测训练新模型时会出现哪些行为，也无法提供强有力的、量化的保证，确保人工智能系统不会表现出有害行为。
- **信息不对称限制了人们获取关于通用型人工智能系统的证据。**例如，AI 开发者掌握着关于其产品的大量专有信息，而商业考量往往使他们难以分享开发流程和风险评估的相关信息。
- **市场动态与人工智能的发展速度带来了额外的挑战。**由于竞争压力，人工智能公司可能需要在加快产品发布与投入资源以降低风险之间权衡取舍。许多与人工智能相关的危害同样被外部化，其法律责任仍不明确，而治理流程往往难以迅速适应人工智能领域的变化。
- **这些挑战给政策制定者带来了“证据困境”。**通用型人工智能领域变化迅速，但关于新风险及缓解策略的证据往往迟迟未能显现。在证据有限的情况下采取行动可能导致政策无效甚至有害，但等待更充分的证据则可能使社会面临各种风险。
- **自上次报告（2025 年 1 月）发布以来，部分挑战有所缓解，另一些则进一步加剧。**开放权重模型发布的进展可能有助于更多研究人员研究高性能模型的行为。若干司法管辖区还建立了透明度和事件报告框架，这些框架可能为政策制定者提供更相关的信息，但鉴于这些举措实施时间较短，其实际效用仍有待观察。

通用型人工智能给政策制定者带来了独特的挑战。该技术的某些特征，例如其复杂性、发展速度以及在多个领域的部署，使得相关的风险难以评估和管理。本节将会探讨十大挑战，涵盖以下四个类别：科学认知缺口、信息不对称、市场失灵以及制度的设计与协调难题（图 3.1）。其中部分挑战源于人工智能系统的特性，例如难以解释模型行为或评估其能力。其他问题则源于社会结构和激励机制如何塑造政府、企业和研究人员生成新兴风险的证据并对此采取行动的能力。

科学认知中的缺口和信息不对称给决策者带来了证据困境。政策制定者可能在尚未明确掌握通用型人工智能的能力与风险证据之前，就不得不面对艰难抉择（872、873、874）。基于不完整信息采取行动可能导致实施无效甚至有害的干预措施。但是，等待确凿证据

的出现可能使社会面临第 2 章(875、876、877)所讨论的诸多风险。市场失灵与制度设计挑战加剧了这一问题，它们导致激励机制错位与协调困难，即使在证据确凿的情况下，这些问题依然持续存在。

类别 1: 科学认知中的缺口

第一类挑战涉及科学认知中的缺口。研究人员目前尚无法可靠地训练人工智能系统按期望行事，也无法解释它们为何产生特定输出结果。当前的评测方法也无法在部署前可靠地识别危险能力。

训练目标仅部分体现期望目标

通用型人工智能模型的复杂训练过程（参见 [§1.1.什么是通用人工智能？](#)）使得开发者难以预测模型能力




图 3.1: 通用型人工智能风险管理面临四大挑战: 科学认知缺口、信息不对称、市场失灵以及制度设计与协调难题。
来源:《2026 年国际人工智能安全报告》。

与行为, 原因如下(218、878、879)。首先, 训练中使用的数学目标往往只能捕捉开发者意图的一部分。例如, 模型可能被优化为预测序列中的下一个词, 尽管现实世界中的目标是创建能高效地提供准确且有用的信息的产品。这两项目标只是部分契合。其次, 开发者在初始训练后添加的安全性缓解措施可能无法适用于所有输入。例如, 当模型被用其训练数据中不常见的语言进行提示时, 安全防护施有时会被绕过(880)。

这些局限性会产生实际后果。人工智能模型在真实性、安全性及鲁棒性指标上存在持续性缺陷(881), 且在确保安全防护措施能有效适应不同情境方面仍存在根本性未解难题(174)。研究人员还证明, 模型可被训练为通过生成虚假信息以完成任务, 此类行为即使在采取安全缓解措施后仍会持续(512*、717), 且模型在训练与部署环境中可能表现出不同行为(364*)。尽

管在实验环境中观察到的这些行为未必能直接推广到实际部署场景, 但它们凸显了确保模型按期望运行的核心技术挑战。

模型输出结果目前尚无法被可靠地解释

目前用于理解人工智能模型如何生成输出结果的技术同样不可靠。研究人员通常无法追溯特定输入如何导致特定输出。通用型人工智能模型涉及数十亿甚至数万亿个参数, 这些参数需在海量数据集上进行调整。模型通过高度分布式的方式在神经元间传递信息, 这使得技术上难以分出模型中哪些部分负责特定行为(882、883、884)。这常被称为人工智能系统的“黑箱”特性。旨在解释模型内部运作的“可解释性(Interpretability)”技术需要高度简化的假设(885、886*、887*、888、889*), 若使用不当则可能产生误导(890、891*、892、893、894、895、896*)。

可解释性缺失给确保人工智能系统的鲁棒性、安全性和可靠性带来了根本性挑战。成熟的安全关键型行业的系统通常必须满足可量化的可靠性阈值，与此不同的是，人工智能系统是否能够避免特定的有害行为(174)，或是否始终如一地完成正确任务或给出正确答案，计算机科学家目前尚无法提供强有力且的可量化的保证。这使得设计监督措施和安全测试标准变得更加困难，当人工智能系统造成危害时，责任归属也更难以确定。研究人员正在积极探索可解释性方法，同步构建配套的验证与监测框架，这些新进展可能带来更深入的见解(参见 [§3.3.技术防护与监测](#))。

部署前评测与实战表现之间存在差距

当前的评测方法对人工智能模型的能力(即其能做什么)及其行为倾向(即其倾向于如何表现)都产生了不可靠的评测结果。关于开发合适的指标以衡量人工智能能力及现实世界影响的研究仍不成熟且碎片化(186*、897、898)。针对智能体设计的评测方法同样存在类似局限性(666、899)。这使得安全评测的核心目标 - 通过测量风险来促进理解、监测和缓解 - 难以实现。评测和测试方法存在三大局限性。

首先，许多基准测试无法准确衡量其所声称评估的特定能力(900*、901)。例如，他们常采用多项选择题形式，模型可通过捷径而非更稳健的方法生成正确答案，从而导致性能评分虚高。基准测试的质量可能也很难以评估，因为评测实践本身可能存在不透明、不一致的情况，且依赖于非透明的数据集、临时程序或未经验证的指标(579、902)。此外，评测某些风险(特别是危险能力)的模型时，可能需要提示其参与危险活动，例如武器研发过程中涉及的特定任务(903)。最后，模型在评测阶段的表现可能低于其他情境，这种现象被称为“沙袋效应(sandbagging)”，已在实验中得到验证(722、726、727)。

其次，仅凭基准测试表现无法可靠预测实际应用中的表现(186*、904*、905*、906)。要理解人工智能系统在实践中带来的风险，需要考察实际部署情况，包括不同用户如何与之交互以及由此产生的后果。(907、908、909)。例如，一项最新研究表明，经过微调以表现温暖或富有同理心的语言模型，出现错误的可能性会增加 10% 至 30%，这些错误包括传播阴谋论、强化错误认知以及提供不安全的医疗建议。但是，这些易出错的模型却取得了与更可靠的同类模型相似的基准测试分数，这表明某些危害仅在部署过程中才会显现(910)。另一项在医疗环境中开展的研究同样发现，即使是基准测试表现优异的模型，在超过 30 万次真实交互中仍会产生临床上不安全或模棱两可的响应(911)。

第三，部署前测试无法预见所有未来的故障模式(912、913)。潜在应用场景的多样性及其对应风险(906、914*)使得设计能预见所有潜在故障模式的测

试方案变得极其困难(265、879)。例如，研究人员已证明，对有害指令进行简单的措辞调整 - 例如使用过去时态 - 就能绕过安全微调机制(915)。

类别 2: 信息不对称

即使理解人工智能的根本性科学缺口得以填补，政策制定者仍将面临第二类挑战：AI 开发者掌握着外部利益相关方所缺乏的关于其人工智能系统的关键信息。开发者清楚他们用于训练的数据、开发过程中出现的安全问题，以及模型在内部评测中的表现。但是，其中大部分信息未被公开，部分内容属于私有信息。这些信息不对称意味着政策制定者有时缺乏某些有助于他们就人工智能问题作出明智决策的数据和证据。

AI 开发者通常不会披露有关训练数据的信息。

企业通常会限制其公开的、用于训练通用型人工智能模型的数据集相关信息，包括这些数据的获取与处理方式(107、916、917、918)。这样做有正当理由：例如保护知识产权、保持竞争优势以及提高模型安全性。但是，保密措施也可能掩盖有问题的行为，包括使用受版权保护或未经许可的数据进行训练(104、919、920、921)。由于用于训练模型的数据特征对其行为产生重大影响，该数据的相关信息可为风险管理工作提供有效支持。例如，最新研究表明，对训练数据进行筛选可防止模型发展出危险能力，例如掌握生物威胁相关知识(55)以及生成儿童性虐待材料的能力(309、922)。缺乏关于训练数据的信息使得研究人员和审计人员更难评估这些数据如何影响人工智能模型的安全性，并为相关政策决策提供依据(897)。

高昂的开发成本与获取的不对称性阻碍了外部复制与审查

开发尖端通用型人工智能模型需要耗费数亿美元的数据、计算资源和人才成本(图 3.2)。自 2020 年以来，这些成本每年以约 3.5 倍的速度增长(204)：若维持此增速，到 2027 年最大规模的训练运行成本将突破 10 亿美元(923)。这些庞大的资源需求使得独立科学复现成本高昂，限制了独立研究人员对具体技术决策进行审查的能力。

领先的人工智能公司还能够使用比公众可用的系统更强大的内部人工智能系统，这进一步拉大了开发者内部可用的系统与外部研究人员和公众可用的系统之间的差距(102)。尽管近期的努力促进了对模型训练的开放科学审查(101、924)，但独立研究人员和小规模机构往往缺乏必要的计算、资金和基础设施资源，无法




图 3.2: 2012–2025 年期间选定人工智能模型的预计训练成本。来源: Epoch AI, 2025 (203)。

像人工智能公司内部的研究人员那样有效地研究训练方法(925、926)。

类别 3: 市场失灵

市场动态可能导致企业动机与社会最优的 (socially optimal) 人工智能风险缓解水平之间出现错配。当危害具有分散性、滞后性或难以追溯来源时, 私营主体投入安全措施的动力便会减弱(927、928、929)。人工智能系统造成的许多潜在危害会影响第三方, 例如个人、组织或社区。因此, 企业可能缺乏足够的激励来投资研究及其他减少危害的努力(872、930)。例如, 若人工智能系统助长未经同意的私密影像制作行为, 则受害者将承受额外的心理与社会代价 (931)。这体现了典型的市场失灵: 产品开发成本并不等同于其社会总成本。

竞争加剧速度与安全之间的权衡取舍

在风险缓解方面投入巨大的企业, 相对于那些优先考虑开发速度的企业, 可能面临竞争劣势(700、932、933、934)。例如, 推迟模型发布以进行额外测试可能导致市场份额被更不谨慎的竞争对手蚕食(935、936*)。多家领先的人工智能开发企业已自愿采取共同的安全措施, 但关于这些措施长期有效性的证据尚有限。

这种竞争态势已超越单个企业范畴: 多国正竞相研发通用型人工智能, 各国政府日益将人工智能发展视为具有经济和战略意义的重要事项(937)。在此环境下, 各国可能面临需要在推进国内人工智能能力与实施可能延缓发展的安全措施之间权衡取舍, 尤其当它们认为其他国家未采取同等措施时(937、938)。

现有责任框架是否适用于通用型人工智能尚不明确

现有责任框架能否充分应对人工智能相关危害仍存疑, 部分原因在于危害难以追溯至具体设计选择, 且责任分散于多个行为主体之间。人工智能公司受现有法律框架约束, 例如侵权法、刑法和合同法, 允许受害者就所受损害寻求赔偿(692)。一些专家认为, 责任制度将关键作用于确保因使用或与这些系统交互而受到伤害的受害者获得基本保护(939)。但是, 人工智能系统可能对责任框架构成独特挑战: 损害往往难以追溯至具体的设计决策, 尤其考虑到风险管理流程的完整信息并未公开, 且责任分散于模型开发者、应用构建者、部署方及用户之间(940、941、942)。随着具备较少人类监督的智能体的普及, 这种不确定性在加强(92、100*、943、944)。这些挑战在实践中将如何显现尚不明确, 但随着人工智能系统被更广泛地部署, 也许有必要持续关注。

类别 4: 制度设计与协调挑战

制度设计与协调挑战人工智能发展的速度使得现有的政府、研究和学术机构难以及时、协调地生成关于人工智能风险的证据，并建立有效应对的能力。部分机构难以建立足够的技术能力以参与人工智能研究，而另一些机构或许尚未充分认识到通用型人工智能发展的规模及其社会影响。此外，少数基础模型支撑着跨行业、跨国界部署的广泛应用，由此引发协调难题与系统性依赖。

人工智能的发展速度超过了传统治理周期

顶尖人工智能系统的能力每月都在显著提升，而重大立法通常需要数年时间才能完成起草、协商和实施。这种错位意味着人工智能领域可能在政策制定过程中发生变化，使得难以设计出能应对新兴风险且适应未来变化的政策。例如，某些现行治理方法采用基于训练计算量的阈值来确定风险管理要求(52、945、946)。但是，近期推理时扩展的进展可能挑战这类阈值的有效性，因为它们允许开发者通过在推理而非训练阶段投入更多计算资源来提升模型能力(947、948*)。




图 3.3: 2024 年各国开发的关键的模型数量。2024 年开发的“关键”的人工智能模型中，绝大多数 (64.5%) 源自美国，中国位居第二 (24.2%)。其余地区仅占 12.3%。所谓“关键”模型，是指独立人工智能研究机构 Epoch 认定符合以下任一标准的模型：达到顶尖基准测试表现、被引用超过 1000 次、具有历史意义、月活跃用户超过百万，或训练成本超过 100 万美元。来源：Maslej 等人，2025 (177)。

对少数模型的广泛依赖会形成单点失败

在众多不同领域和应用场景中部署数量有限的通用型人工智能模型，会使整个人工智能生态系统中产生共享的脆弱性。目前支撑医疗、金融、教育等领域的人工智能应用的模型数量有限，主要由中美两国开发(图 3.3)，其累积影响已覆盖数十亿用户 (949)。当同一模型为多个应用程序提供支持时，该模型中的故障可能蔓延至所有依赖它的应用程序(950、951、952)。因此，单一漏洞便可能同时并在多个领域引发故障或危害 (953)。即使表面上独立的模型也可能因模型收敛 (model convergence) 而存在共同脆弱性 - 即独立开发的系统似乎以相似方式处理信息(954、955)。

跨行业部署使得开发者、监管机构和政策制定者难以全面理解和监控特定模型所支持的全部应用场景。这使得开展全面的部署前测试以及适当的跨行业监管变得非常困难。部署后修复问题较为困难，因为这会导致运营中断，且现在的部署后措施的效果有限(956、957)。

跨境挑战使人工智能治理复杂化

许多人工智能治理挑战也具有国际维度 (958)。在某一司法管辖区开发的人工智能系统常被部署于其他地区，其造成的危害可能发生在系统开发或训练所在国之外的国家。若缺乏强有力的国际协调，各国将更难应对跨境外部性、监管套利（企业迁移以规避更严格的规则）、各国治理能力参差不齐以及互通性挑战（不互相兼容的国家标准导致市场碎片化或削弱安全措施效力）等问题 (959)。

与此同时，国际协调也存在代价：它限制国家主权，减少监管上的实验，且可能导致优先事项和价值观迥异的国家之间陷入冗长的谈判(960、961)。它还可能削弱各国根据自身特定的文化、经济和制度环境调整框架所需的治理灵活性(962、963)。这意味着确定是否需要国际协调、协调应在何处进行以及应采取何种形式，始终是一项持续的挑战。

更新

自上次报告发布（2025 年 1 月）以来，包括中国、欧盟和美国在内的多个司法管辖区已呼吁并开始实施相关措施，以加速证据生成，从而改善风险管理(964、965、966)。这些措施包括安全评测和透明度披露（例如安全和安保协议和模型卡发布）、举报人保护机制以及事件报告机制。这些措施为政府和公众提供了关于能力和风险的额外证据，这可能提高透明度并强化问责制(967、968)。部分挑战也已略有缓解。尽管前沿人工智能训练的总体成本持续攀升，但开源模型 (101) 的最新进展以及分布式与去中心化训练 (85) 的早期实验，可能拓宽科学界的访问渠道。另一方面，人工智能在各行业的广泛应用已使潜在的故障点不断增加 (953)。

第 3.2. 节

风险管理实践

内容提要

- **通用型人工智能风险管理**涵盖一系列用于识别、评估和降低通用型人工智能风险的实践。这些措施包括模型层面的测试与评测（如红队测试）、指导开发与发布决策的组织流程、条件性安全防护措施（如“如果-那么”承诺）以及事件报告机制。
- **多家人工智能开发商已推出前沿人工智能安全框架**。这些框架包含风险评估信息，并规定了企业计划为更高级模型实施的条件性措施，例如访问限制。它们在覆盖的风险范围、能力阈值的定义方式以及达到阈值时触发的行动方面存在差异。
- **关于人工智能风险管理实践的实际效果证据仍然有限**。缺乏事件报告和监测机制使得难以评估当前实践在降低风险方面的成效，也难以判断这些实践是否得到持续、一致的执行。
- **自上次报告发布（2025 年 1 月）以来，通过新的行业和治理举措，风险管理已变得更加系统化**。欧盟《通用型人工智能行为准则》、中国《人工智能安全治理框架》2.0 版以及七国集团（G7）《广岛人工智能进程报告框架》等新规约，连同企业主导的倡议，共同体现出透明度、评测机制及事件报告领域正朝着更标准化方向发展的趋势。
- **政策制定者面临的关键挑战包括：在通用型人工智能带来的多样化风险中确定优先处理顺序，并厘清人工智能价值链中哪些行为主体最适合承担风险缓解职责**。这些挑战因以下因素而加剧：在实践中，人们对风险如何被识别、评估和管理缺乏可见性，且开发者、部署者与基础设施提供商之间存在信息共享的碎片化问题。

人工智能风险管理涵盖一系列实践，旨在识别、评估并降低人工智能系统相关风险的发生概率与严重程度。这些实践可由 AI 开发者、部署者、评估者和监管者实施。示例包括威胁建模、风险分级、红队测试、审计以及事件报告。本节将概述当前的风险管理实践、新进展以及存在的局限性。

自 2025 年初以来，多项针对通用型人工智能风险管理的新国际倡议相继出台，涵盖组织透明度与风险报告框架，以及监管与治理框架。其它挑战包括标准化程度有限，这使得合规性和评估工作复杂化，以及关于实际效果的证据有限。此外，全球范围内制度、文化和政治背景各不相同，这意味着识别和管理风险的方法 - 包括可接受的风险阈值 - 可能因地区而异。

本节对风险管理方法的讨论属于描述性内容：旨在向人工智能生态系统中的参与者介绍当前全球范围内的风险管理方法。在可行的情况下，本文讨论了这些

方法的有效性和局限性的证据，但政策建议超出了本文的研究范围。

风险管理构成要素

风险管理是一个迭代过程，其实践与方法贯穿人工智能的整个开发和部署周期，但他们有机地协同运作（969）。通用型人工智能的风险管理可涵盖广泛行为主体的角色，包括数据科学家、模型工程师、审计员、领域专家、高管、终端用户、受影响社区、第三方供应商、政策制定者、政府、标准组织及民间社会组织(970、971、972)。领先的风险管理标准通常具有互通性，但用不同的术语来描述风险管理的要素(973、974)。它们通常包含四个相互关联的组成部分(图 3.4)：风险识别；分析与评测风险分析与评测；风险缓解；以及风险治理(970、973、975、976)。下表提供了相关方法、技术和工具的示例说明。实践仍在不




图 3.4: 通用型人工智能风险管理的四大方法类别：风险识别、风险分析和评测、风险缓解以及风险治理。它们形成了一个迭代和循环的过程。风险治理（居中）促进其他组成部分的成功。来源：《2026 年国际人工智能安全报告》。

断演变，因此这些表格并非详尽无遗，其适用性也会因具体情境而异。

风险识别

风险识别是指发现、辨识和描述风险的过程。全面风险识别通常涵盖能力驱动型评估，用于检验模型是否具备特定危险能力 (977)，以及风险建模 (978) 和预测 (715*)，这些方法用于探索现有及新兴风险。表 3.1

提供了风险识别实践的各种示例。风险识别还需借助于与相关专家和社区参与，以理解产生风险的整体背景(979、980)。诸如漏洞悬赏计划 (bug bounty programmes) 等机制可通过激励发现未知弱点来支持这一过程 (981) (表 3.1)。风险识别的关键目标在于既要考虑那些已知且充分理解的风险，也要涵盖那些仍不确定或特征不明的潜在未来风险 (982)。这对通用型人工智能尤为重要，因为其中许多风险可能尚未被充分理解或可观察到 (875)。

风险识别实践	通用型人工智能风险管理的说明与示例
漏洞悬赏计划	漏洞悬赏计划或漏洞披露计划旨在激励人们发现并报告人工智能系统中的漏洞。若干开发者已实施漏洞悬赏计划(983*、984*)。
专家咨询	领域专家、用户及受影响群体对潜在风险提供见解。参与式和包容的人工智能的新兴指南正在形成 (985)。
鱼骨 (石川) 图	鱼骨图是成熟的根本原因分析工具，研究人员已提出将其用于人工智能风险事件的结构化分析 (986)。
预测	预测是基于对过去和当前数据的分析，对未来事件或趋势进行预判的过程。该方法已被用于比较不同结果的相对可能性，例如由先进人工智能引发的经济结果 (715*、987)。

风险识别实践	通用型人工智能风险管理的说明与示例
风险分类体系 (taxonomy)	风险分类体系是一种在多个维度上对风险进行分类和组织的方法。已有多套方法概述了通用型人工智能带来的风险(906、988)。
情景规划	情景规划涉及构建可能的未来情景，并分析风险如何显现。该方法已被用于探索人工智能模型的风险与影响 (989)。
威胁建模	威胁建模是识别系统所面临威胁与漏洞的过程。众多 AI 开发者强调他们运用威胁建模来预判人工智能系统的潜在滥用场景(990*、991*)。

表 3.1: 人工智能风险识别示例方法 (按字母顺序排列)。所包含的方法旨在识别多种不同风险类型，包括恶意使用风险、故障风险以及系统性风险。鉴于通用型人工智能风险管理尚处于萌芽阶段，并非所有方法都适用于每位 AI 开发者或部署者。

威胁建模与风险分类法是重要的风险识别方法

识别通用型人工智能风险的两种主要方法是威胁建模（一种结构化流程，用于推演人工智能相关风险可能如何显现）和风险分类体系。例如，Meta 通过威胁建模练习来预测其人工智能模型的潜在滥用场景 (990*)，而 Anthropic 则将威胁建模纳入其《ASL-3 部署标准》(AI Safety Level 3 Deployment Standard) (991*)。人工智能风险与危害分类体系列举了风险类别及实例，可同样作为用于在特定应用领域中概念化、识别并明确通用型人工智能相关显著风险的起点(906、988、992、993)。

风险分析和评估

风险分析与评估是指确定人工智能模型或系统的风险等级，并将其与既定标准进行比对，

以评估其可接受性或是否需要采取缓解措施的过程(994、995、996、997)。其中包括以下实践：在基准测试 (998) 与评估(176*、715*)上衡量模型性能、实施红队测试 (999*)、影响评估 (1000) 以及审计 (1001、1002)。参见表 3.2 中通用型人工智能风险分析与评估的示例。这些方法旨在同时支持多种不同风险类型的分析与评测。

风险分析与评测的核心目标包括：评测模型能力与弱点 (1003)，运用稳健的风险建模为风险阈值决策提供依据(1004、1005)，以及理解人工智能系统的实际运用方式，从而评估其对下游的社会影响 (869、904*、905*、1006)。风险分析与评测过程通常在以下情况被认为更有可能识别风险：纳入独立审查(1001、1007)、借鉴跨领域专业知识 (1008)，并吸纳来自多领域、多学科以及受影响社区的多元视角 (1009、1010)。

风险分析/评测实践	通用型人工智能风险管理的解释与应用示例
审计 (Audits)	审计是对人工智能模型性能与影响的正式审查，以及/或对组织遵守标准、政策和程序的正式审查，可由内部人员或外部机构执行。人工智能审计是一个快速发展的领域，在审计人工智能模型及其开发者实践中，目前已有众多工具与方法(1001、1011、1012、1013、1014、1015、1016、1017、1018)。
基准测试 (Benchmarks)	基准测试是标准化且通常为定量的测试或指标，用于评估和比较人工智能系统在固定任务集上的表现，这些任务旨在模拟现实世界中的应用场景(177、1003)。
蝴蝶结法 (Bowtie method)	蝴蝶结法是一种广为人知的可视化方法，用于确定在哪里添加控制措施可以避免风险事件。它明确区分了主动与被动风险管理 (1019)。
德尔菲法 (Delphi method)	德尔菲法是一种群体决策技术，通过一系列问卷调查从专家小组中收集共识 (1020、1021)。它已被用于探索高级人工智能的未来情景 (1022)。

风险分析/评测实践	通用型人工智能风险管理的解释与应用示例
实地测试 (Field-testing)	实地测试旨在评估人工智能系统在真实运行环境中的性能与影响。部分研究强调实地测试作为模型评测的补充手段，用于评估现实世界中的结果与后果(869、1023*)。
影响评估 (Impact assessment)	影响评估旨在评估某项技术或项目可能产生的影响。这可能包括对影响进行量化、汇总和优先排序。例如，《欧盟人工智能法案》要求高风险人工智能系统的开发者必须进行基本权利影响评估 (Fundamental Rights Impact Assessments) (1024)。
模型评测 (Model evaluation)	模型评测包括用于评估和测量人工智能模型在特定任务上表现的过程和测试。针对人工智能的评测体系众多，旨在衡量其不同的能力与风险，涵盖安全、安保及社会影响等维度(1025*、1026*)。
概率性风险评估 (Probabilistic risk assessment)	概率性风险评估是一种评估复杂系统或过程相关风险的方法论，该方法论将不确定性纳入考量。它已应用于先进的人工智能系统 (1027)。
红队测试 (Red-teaming)	红队测试是一种演习，其中由人员或自动化系统组成的团队扮演敌人，对组织的技术系统发起攻击，从而发现系统中的漏洞。众多人工智能公司都建立了对人工智能系统的内部红队测试机制(458*、1028*)。红队测试也可由企业外部人员实施。这些团队面临着诸如访问受限等挑战，但也能够出现独特的见解 (689)。
风险矩阵 (Risk matrices)	风险矩阵是一种可视化工具，用于根据风险发生的概率及其潜在影响来确定风险优先级 (1027)。部分 AI 开发者在其前沿人工智能安全框架中纳入了简单的风险矩阵 (1029*)。
风险阈值 (Risk thresholds) /风险等级 (risk tiers)	风险阈值或等级是区分可接受风险与不可接受风险的定量或定性限制，当风险超过该阈值时，将触发特定的风险管理措施。对于通用型人工智能，其评估标准由能力、影响、算力、覆盖范围及其他因素共同决定(946、1005、1030、1031)。
风险承受度 (Risk tolerance)	风险承受度指的是组织愿意承担的风险程度。在人工智能领域，风险承受度通常通过公司政策和实践隐性设定，而某些监管制度则明确界定了不可接受的风险并附带法律后果 (1032)。某些公司采用新模型的边际风险来描述其风险承受能力，即该模型相较于现有模型或其他技术所带来的风险，额外增加风险的程度 (1033)。
系统安全分析 (System safety analysis)	系统安全分析强调组件与其所属系统之间的依赖关系，旨在预判系统级危害如何因组件或流程故障、子系统、人为因素及环境状况间交互而产生。文献中应用于人工智能系统的分析方法包括系统理论过程分析 (systems-theoretic process analysis, STPA)(683、1034*、1035、1036)。
安全论证 (Safety cases)	安全论证是一套结构化的论述，通过证据支持，证明系统在特定环境下运行具有可接受的安全性。近期文献(1037、1038、1039)探讨了前沿人工智能系统的安全论证，某些前沿人工智能安全框架也援引了这些文献 (1040*)。

表 3.2: 人工智能风险分析/评测示例方法，按字母顺序排列。鉴于通用型人工智能风险管理尚处于萌芽阶段，并非所有方法都适用于每位 AI 开发者或部署者。

常见的风险分析工具包括基准测试和模型评测

基准测试和模型评测是标准化测试，用于评估通用型人工智能系统在特定任务上的表现。研究人员开发了多种基准测试和评测方法，包括具有挑战性的多项选择题、软件工程问题以及模拟办公环境中工作相关的任务(188*、629、998、1041、1042、1043、1044*、1045、1046*、1047、1048、1049)。有害能力评测 (715*) 用于判定通用型人工智能模型或系统是否具备特别有害的知识或技能，例如协助实施网络攻击的能力 (参见 §2.1.3.网络攻击)。

企业和政府关于模型发布的重大决策部分依赖于这些评测(1050*、1051*、1052)。但是，基准测试在质量和范围上存在显著差异(998、1003)，且由于基准测试实践中存在诸多缺陷(902、909、1003、1053*)，其有效性往往难以判断。例如，基准测试可能出现“饱和(saturated)”现象 - 当众多模型的得分接近最高分时 - 这意味着它们已无法有效区分模型。模型也越来越可能将某些任务识别为评测任务，并表现出与部署环境中类似任务不同的行为，这源于其“情境感知能力”(参见 §2.2.2.失控)。最后，基准测试和评测存在诸多有据可查的局限：尤其未能捕捉通用型人工智能在新领域及新型任务中的风险，因为测试条件与实际应用存在不同程度的差异 (913) (参见 §1.2.当前能力和 §3.1.技术和制度方面的挑战)。

红队测试能够实现更领域特定的风险评估

评估风险的另一种常见方法是红队测试。“红队”是一组评估者，其任务是寻找漏洞、局限性或潜在的滥用风险。红队测试可以是特定领域的，由领域专家执行；也可以是开放式的，用于探索新的风险因素。例如，红队可能探索“越狱”攻击，以突破模型的安全限

制(1054、1055*、1056、1057、1058、1059*)。与基准测试相比，红队测试的关键优势在于：红队能够根据被测系统的具体特性调整评测方案。例如，红队可以设计定制输入来识别最坏情况下的行为、恶意使用机会以及意外故障。但是，这可能需要特殊权限才能访问模型，且可能无法揭示重要风险类别(999*、1028*)。

重要的是，未识别某个风险并不意味着其风险低：先前研究表明，漏洞常能逃过检测，尤其当红队受限于访问权限或资源不足时 (1060)。研究还质疑红队测试能否产生可靠且可重复的结果 (1061)。给予红队的组成及其成员的指令 (1062*)、攻击轮次数量 (1063*) 以及模型对工具的访问权限(1064、1065)均会显著影响最终结果，包括覆盖的风险面。红队测试的综合指南旨在应对部分这些挑战 (1066)。

风险缓解

风险缓解是指对已识别风险优先排序、评估并实施控制措施和应对策略，以降低风险的过程。示例包括访问控制 (991*)、持续监测 (986) 以及“如果-那么”承诺 (700)。风险缓解提出了一个关键问题：可接受的风险水平是多少？近期框架和公司政策已开始正式确立“风险接受 (risk acceptance)”标准(965、1040*)。但是，设定适当的风险阈值仍然具有挑战性，特别是对于具有广泛社会影响的风险而言(986、1067)。目前尚无既定机制可用于验证开发者在发布前作出的风险接受决策 (1005)。

下表 3.3 所述的风险缓解方法具有适应性，能够缓解多种风险，包括某些意外风险。该表未包含技术缓解措施，如对抗训练、内容过滤器和思维链监测。这些内容详见 §3.3.技术防护措施与监测，并在本报告中针对每项风险的“缓解措施”段落中均有阐述，参见 §2.风险。

风险缓解实践	通用型人工智能风险管理的解释与应用示例
可接受的使用政策	可接受的使用政策是一套关于人工智能模型负责任、合乎道德且合法使用的规则与指南。AI 开发者在发布新模型时，通常会同时公布可接受的使用政策和禁止的使用政策(1068*、1069*)。
访问控制/用户审核	访问控制包括通过策略和规则，根据用户角色、属性及其他条件限制对人工智能模型、数据和系统的访问权限，从而防止未授权的使用、操控或数据泄露。人工智能公司常会停用被发现从事犯罪活动的账户 (486*)，并实施用户审核及“了解你的客户 (Know-Your-Customer, KYC)” 筛查机制，以确保模型仅被可信行为主体使用(991*、1029*、1070)。
行为/模型规范 (Behaviour/model specification)	人工智能行为规范是一份定义人工智能模型在各种情境下应如何表现的文档。它作为人工智能对齐与安全的蓝图，指导模型开发、训练、评测及输出。多家人工智能公司采用模型规范文档，并至少公开其中部分内容(1071*、1072*)。

风险缓解实践	通用型人工智能风险管理的解释与应用示例
持续监测	持续监测是指对运行中的人工智能系统进行持续、自动化的观察、分析和控制，追踪其性能并限制其行为，以确保可靠性、有效性和安全性。目前有大量工具可用于持续监测 (1073*)，同时也有诸多技术手段支持人工智能可观测性 (1074)。
纵深防御	纵深防御是指通过实施多重独立且相互重叠的防御层，确保其中一层失效时，其余层仍能有效运作(1075、1076)。多个前沿人工智能安全框架引用了它（例如 (1077*)）。
人工智能生态系统监测 (AI ecosystem monitoring)	对更广泛的人工智能生态系统进行监测的过程，包括算力和硬件追踪、模型溯源、数据溯源以及使用模式。研究文献探讨了针对通用型人工智能风险的此类监测机制 (690)。
如果-那么承诺 (If-then commitments)	随着人工智能模型能力不断增强，如果-那么承诺是一套用于管理风险的技术与组织的协议及承诺。若干 AI 开发者将此类承诺纳入其前沿人工智能安全框架 (991*、1040*、1078*)。
红线或禁令	红线是通过能力、影响或使用类型来体现的特定边界。该概念不仅出现在公开声明和倡议中，也体现在监管禁令中(1079、1080、1081)。该文献还指出红线方法的局限性，包括在达成共识和可执行性方面面临的挑战。
发布与部署策略	通用型人工智能的发布与部署策略可采用分阶段发布或 API 访问模式，以便在发生滥用或意外伤害时能提供更多缓解选项(1050*、1051*、1082)。

表 3.3: 人工智能风险缓解示例方法（按字母顺序排列）。所包含的方法旨在同时支持多种不同风险类型的风险缓解，包括恶意使用风险、故障风险以及系统性风险。鉴于通用型人工智能风险管理尚处于萌芽阶段，并非所有方法都适用于每位 AI 开发者或部署者。

纵深防御和发布策略是重要的缓解工具

“纵深防御”模型可支持通用型人工智能风险管理。在此背景下，“纵深防御”指在开发和部署的不同阶段综合运用技术、组织和社会措施 (图 3.5)。这意味着要建立多层独立的安全防护机制，确保当某一层失效时，其他层仍能防止危害发生。纵深防御模型的一个常见例子是为预防传染病而部署的一系列预防措施。疫苗、口罩和洗手等措施，即使单独使用时均无法达到 100% 的防护效果，但综合运用可显著降低感染风险 (1083*)。对于通用型人工智能，纵深防御将包含不仅限于人工智能模型本身，而是覆盖更广泛生态系统的控制措施。这包括（例如）管制实施生物袭击所需材料，如试剂(1084、1085)。但是，纵深防御措施主要针对事故、故障和恶意使用相关的风险，在管理系统性风险方面可能作用有限 (参见 §3.5.建设社会韧性)。

公司的发布与部署策略是风险缓解的重要组成部分。向用户提供模型方式的相关决策，可能对风险暴露产生重大影响 (1082)。不同的发布和部署选项包括：向有限用户群体分阶段发布、通过受控

的在线服务（如 API）访问，以及采用许可协议和可接受的使用政策来依法禁止某些有害应用程序 (176*、1086*、1087)。§3.4.开放权重模型更详细地探讨了释放模型权重如何影响风险。

风险治理

风险治理是指将风险管理的评测、决策和行动，与组织或其他实体的战略和目标相衔接的过程 (1088、1089)。表 3.4 概述了常见的风险治理技术。如 图 3.4 所示，风险治理可被视为风险管理的核心，因为它能促进风险管理其他组成部分的有效运作。它提供了问责、透明度和清晰度，从而支持基于充分信息的风险管理决策。风险治理可包含诸如事件报告 (1090)、风险责任分配 (965) 和举报人保护 (1091) 等实践。更广泛而言，风险治理可能涵盖指南、框架、立法、法规、国家及国际标准，以及培训和教育举措。风险治理的核心目标在于建立组织政策与机制，以明确风险管理职责在组织或其他实体中的分配方式，从而支持有效的监督与问责(965、1092*、1093)。




图 3.5：“瑞士奶酪图”展示了深度防御策略：多层防御体系能够弥补单一层级的缺陷。当前的人工智能风险管理技术存在缺陷，但通过分层实施可提供更强有力的风险防护。来源：《2026 年国际人工智能安全报告》。

风险治理实践 通用型人工智能风险管理的解释与应用示例	
文档记录	文档记录实践有助于追踪人工智能系统的关键信息，例如训练数据、设计选择、预期用途、局限性及风险。“模型卡”和“系统卡”作为人工智能文档记录最佳实践最具代表性的例子，详细记录了人工智能模型或系统的训练与评估过程(1094、1095*)。
事件报告	事件报告是对开发或部署人工智能造成直接或间接伤害的案例，进行系统性记录与分享的过程。目前存在若干促进人工智能事件报告的平台(1096、1097)，以及旨在提升人工智能事件报告效率的框架 (1090)。
风险管理框架	风险管理框架是组织性计划，用于缩小风险覆盖范围缺口、协调各类风险管理活动并实施制衡机制。通用型人工智能的专属框架(986、1098)通常会引用本节所述的其他措施。
风险登记册	风险登记册是各类风险、其优先级、负责人及缓解方案的存储库。这些在包括网络安全的许多行业中相对常见， (1099)，有时用于满足合规要求。
风险责任分配	组织内部风险管理职责的分配，可构建内部决策的监督机制(1002、1093)。此类安排体现在部分治理框架中，包括欧盟的《通用型人工智能行为准则》(965)。
透明度报告	透明度报告通过公开披露特定信息或向行业组织及政府机构分享文件，阐述人工智能企业的风险管理实践。例如，众多人工智能公司提交了广岛人工智能进程 (HAIP) 透明度报告 (1100)。
举报人保护	由于人工智能开发大多在封闭环境中进行，某些治理框架包含举报人保护机制，以便向当局披露潜在风险 (1091)。

表 3.4：人工智能风险治理示例方法（按英文字母排序）。所列方法旨在同时支持多种风险类型的治理，包括恶意使用风险、故障风险以及系统性风险。鉴于通用型人工智能风险管理尚处于萌芽阶段，并非所有方法都适用于每位 AI 开发者或部署者。

文档记录与透明度是风险治理的组成部分

文档记录与机构透明度，结合信息共享实践，有助于促进外部监督并支持管理通用型人工智能相关风险的努力(1101、1102)。在部署前测试结果中，通常会以“模型卡”或“系统卡”的形式公布测试结果，同时包含模型或系统的基本信息，包括其训练方式及其潜在局限性(1094、1095*)。部分开发者还会发布透明度报告，其中披露其更广风险管理实践的详细信息(1103)。文档记录与透明度的其他要素包括监测与事件报告(176*、1083*、1103)和信息共享，这些工作可通过前沿模型论坛 (Frontier Model Forum) 等第三方机构来促进。某些监管框架，例如欧盟《人工智能法案》或加利福尼亚州 SB 53 法案(1081、1104)，在特定情况下要求共享关于通用型人工智能风险的信息。

领导层的承诺与激励机制塑造了风险管理实践

组织文化、领导结构和激励机制以多种方式影响风险管理工作的努力(1105)。领导层的承诺与激励机制往往与风险管理实践的实际运作方式密切相关。部分开发者设有内部决策小组，专门审议如何安全且负责任地设计、开发和审查新型人工智能系统。监督与咨询委员会、信托机构或人工智能伦理委员会也可作为风险管理指导与组织监督的机制(1092*、1106、1107、1108)。研究人员指出，自愿自治面临的挑战，意味着第三方审计、验证和标准化措施有助于强化通用型人工智能风险管理(1001、1011、1109、1110、1111、1112)。

组织风险管理、透明度与风险报告框架

若干新倡议侧重于风险管理流程、文档记录及透明度。《欧盟通用型人工智能行为准则》(EU General-Purpose AI Code of Practice) 现行版本作为自愿性框架，旨在指导透明度、版权以及安全和安保实践，以支持符合欧盟《人工智能法案》对通用型人工智能的相关规定(965)。截至 2025 年 12 月，已有 20 多家企业[†]签署协议。七国集团广岛人工智能进程 (HAIP) 报告框架(1100) 是首个针对先进人工智能系统组织风险管理实践的自愿性公开报告国际框架。至少 20 家开发者已发布公共透明度报告，涵盖风险识别、评估指标、缓解策略及数据安全流程。

AI 开发者已自愿作出透明度承诺。在中国，由中国人工智能产业联盟协调的 17 家中国人工智能企业承

诺书于 2024 年 12 月发布(1113)，并于 2025 年更新(1114)。在 2024 年 5 月于韩国首尔举行的人工智能峰会上，来自多个国家的 16 家人工智能开发商签署了自愿承诺，承诺为其最先进的人工智能模型和系统发布前沿人工智能安全框架，并在模型开发和部署的各个阶段采用风险管理实践。

前沿人工智能安全框架已成为重要的组织性人工智能风险管理方法

自 2023 年以来，多家前沿人工智能开发商已主动发布文件，阐述其如何识别并应对最先进系统带来的重大风险。这些前沿人工智能安全框架阐述了 AI 开发者计划如何在部署前及部署过程中评测、监测和控制其最先进的人工智能模型与系统。这些框架具有许多相似之处，但在关键方面存在差异(1115、1116)。大多数关注点集中在与化学、生物、放射性和核 (CBRN) 威胁相关的风险、先进的网络能力以及高级的自主行为上(1115、1117)。少数框架涉及额外的风险领域，例如大规模非法歧视和儿童性剥削。

2025 年，多位开发者更新了其框架，新增关于有害操纵、错对齐风险以及自主复制与适应的章节(1078*、1118*)。尽管许多框架描述了类似的风险管理方法 - 包括威胁建模、红队测试和危险能力评测 - 但在风险等级与阈值的定义、评测频率、评测结果与阈值之间的安全余量，以及风险缓解措施的全面性(例如是否包含删除模型权重而非仅暂停开发) 等方面存在差异(1115、1119)。更多信息参见表 3.5。

前沿人工智能安全框架中的许多行动都基于如果-那么承诺。

前沿人工智能安全框架的关键组成部分是“如果-那么承诺”。这些是当人工智能模型和系统达到预定义能力阈值时触发特定响应的条件协议(1120)。例如，一项如果-那么承诺可能声明：如果发现某模型具备切实协助新手制造和部署化学、生物、放射性及核武器的能力，那么开发者将实施增强版的安全措施、部署控制及实时监测(991*)。

2025 年，多家人工智能开发商宣布其新型模型触发了早期预警警报，或表示无法排除进一步评测可能显示模型已突破能力阈值的可能性。这促使他们采取更严格的安全防护措施作为预防措施(7*、33*、1121*)。前沿人工智能安全框架通常要求在风险缓解前进行初始能力评测，并在缓解后开展残余风险分析或安全论证 - 这些工作常需红队测试提供信息。详见表 3.5。

[†] 截至 2025 年 12 月的签署方包括：Accexible、AI Alignment Solutions、Aleph Alpha、Almawave、亚马逊、Anthropic、Bria AI、Cohere、Cyber Institute、Dymyn、Dweve、Euc Inovação Portugal、Fastweb、谷歌、Humane Technology、IBM、Lawise、LINAGORA、微软、Mistral AI、Open Hippo、OpenAI、Pleias、re-inventa、ServiceNow、Virtuo Turing、WRITER

AI 开发者	涵盖的风险	风险等级或同等分类及相关安全防护措施
OpenAI 应急准备框架 2 (1078*)	1. 生物和化学能力 2. 网络安全能力 3. 人工智能自我提升能力	高 : 可能加剧现有导致严重危害的途径 (需要安保控制和安全防护措施) 严重 : 可能导致严重危害的全新途径 (在特定安全防护措施和安保控制标准达到关键标准前, 暂停进一步开发)
Anthropic 负责任的扩展政策 2.2 (991*)	1. 化学、生物、放射性和核武器 2. 智能自动研究与开发 (AI R&D) 3. 网络行动 (评估中)	人工智能安全等级 (ASL) ASL-1 : 无重大灾难性风险 ASL-2 : 危险能力的早期迹象 (模型必须符合 ASL-2 部署与安保标准) ASL-3 : 灾难性滥用风险显著增加 (模型必须符合 ASL-3 部署和/或安保标准) ASL-4+ : 未来分类 (尚未定义)
谷歌 前沿安全框架 3.0 (1040*)	1. 滥用 a. 化学、生物、放射性和核 b. 网络 c. 有害操纵 2. 机器学习研发 3. 错对齐/工具性推理	关键能力等级 (CCL) 在未采取缓解措施 (部署安全论证及安全缓解措施符合 RAND 安全等级 2、3 或 4 级 (1122)) 的情况下, 人工智能模型或系统可能引发更高严重危害风险的能力等级。能力等级包括“预警评测”, 并设有具体的“警报阈值”
Meta 前沿人工智能框架 1.1 (990*)	1. 网络安全 2. 化学和生物风险	风险阈值等级 中 (在采取适当的安保措施和缓释措施的情况下发布) 高 (不得发布) 严重 (停止开发)
亚马逊 前沿模型安全框架 (1123*)	1. 化学、生物、放射性和核武器扩散 2. 攻击性网络行动 3. 自动化人工智能研发	关键能力阈值 若被滥用, 可能对公众造成重大危害的模型能力。(若达到或超过阈值, 在未采取适当风险缓解措施的情况下, 该模型将不会公开部署)
微软 前沿治理框架 (1124*)	1. 化学、生物、放射性和核武器 2. 攻击性网络行动 3. 高级自主性 (包括人工智能研发)	风险等级 低或中等 (根据“负责任人工智能方案” [Responsible AI Program] 的要求允许部署) 高或严重 (需要进一步审查和缓解措施)

AI 开发者	涵盖的风险	风险等级或同等分类及相关安全防护措施
英伟达 前沿人工智能风险评估 (1029*)	1. 网络攻击 2. 化学、生物、放射性和核 3. 说服与操纵 4. 大规模的非法歧视	风险阈值 MR1 或 MR2 (评测结果由工程团队记录) MR3 (风险缓解措施和评测结果由工程团队记录并定期审查) MR4 (应完成详细的风险评估, 并需要业务部门主管的批准) MR5 (详细的风险评估应完成并获得独立委员会的批准, 例如英伟达的人工智能伦理委员会)
Cohere 安全人工智能前沿模型框架 (1125*)	1. 恶意使用 (例如, 恶意软件、儿童性剥削) 2. 正常、非恶意使用中造成的危害, 例如导致非法歧视性结果或生成不安全代码的输出。	情境中的危害可能性与严重性 低 中 高 非常高 (所有系统和流程均已实施风险缓解措施和安保控制; 需根据模型部署的人工智能系统及具体应用场景调整额外缓解措施)
xAI 风险管理框架 (1126*)	1. 恶意使用 (包括化学、生物、放射性和核武器及网络武器) 2. 失控	阈值 阈值设定基于危险能力公开基准测试的评分 (针对大规模暴力或恐怖主义等高风险情境将实施强化安全防护措施)
Magic 通用人工智能就绪政策 (AGI Readiness Policy) (1127*)	1. 网络攻击 2. 自动化人工智能研发 3. 自主复制与适应 4. 生物武器协助	关键能力阈值 能力基准测试的定量阈值 (若触发, 需开展危险能力评测、信息安全措施及部署缓解方案, 或停止开发)
NAVER 人工智能安全框架 (1128*)	1. 失控 2. 滥用 (例如生化武器化)	风险等级 低风险 (部署人工智能系统, 但之后持续监测以管理风险) 已识别风险 (根据具体应用场景, 要么仅向授权用户开放人工智能系统以降低风险, 要么暂缓部署直至采取额外安全措施) 高风险 (不得部署人工智能系统)

AI 开发者	涵盖的风险	风险等级或同等分类及相关安全防护措施
G42 前沿人工智能安全 框架 (1129*)	1. 生物威胁 2. 进攻性网络安全 3. 自主运行与高级操纵	风险等级 级别 1 (基本安全防护措施以控制最低风险并可以开源) 级别 2 (实时监测、提示词过滤、异常行为检测、访问控制、红队测试和对抗模拟) 级别 3 (高级安全防护措施包括红队测试、分阶段部署、对抗性测试、加密技术、多方访问控制以及零信任架构) 级别 4 (高风险模型最高安全协议与最高安全措施)

表 3.5: 首批前沿人工智能安全框架，由签署《前沿人工智能安全承诺》的部分 AI 开发者发布。这些框架涵盖的风险类型相似（存在细微差异），并采用不同的风险分级体系和风险管理方法。

前沿人工智能安全框架的有效性尚不确定

前沿人工智能安全框架可在特定条件下，针对具有可信危害路径的特定风险类别充当风险管理工具 (1117)。同时，若干分析探讨了这些指标的清晰度与范围问题(111、986)，以及人工智能能力的鲁棒性与风险阈值问题(1031、1130)。现有的框架往往只关注风险领域的一部分。因此，某些显著风险 - 例如非法监控 (1131、1132)和未经同意的私密影像 (287) - 受到的重视程度较低。与航空或核能等其他领域的风险管理方法不同 (1133*)，前沿人工智能安全框架通常不采用明确量化的风险阈值 (1134)。

目前对开发者遵守其前沿人工智能安全框架情况的外部评估仍显不足，部分原因在于多数框架出台时间较短，公开信息稀缺，且缺乏标准化外部审计机制。其成效也将取决于承诺在实践中得到多大程度的落实。仅凭这些框架本身，未必能确保有效的风险管理，因为其实际效果取决于其实施的质量和程度。迄今为止，它们尚未完全符合国际风险管理标准 (1135)。一项关于先前自愿承诺的研究发现，各项措施的履行情况参差不齐，表明自愿承诺的遵守程度可能因公司和领域而异 (1109)。

综合来看，前沿人工智能安全框架代表了当前最详细的自愿性组织风险管理模式，但在适用范围、触发阈值和可执行性方面存在显著差异。

监管和治理举措

若干司法管辖区已颁布包含透明度要求的法律

若干早期监管措施引入了旨在提高风险管理标准化和透明度的法律要求。欧盟《人工智能法案》于 2024

年生效，该法案为通用型人工智能模型提出了涉及透明度、版权和安全性的相关要求。2025 年，欧盟发布了《通用型人工智能行为准则》，通过提供模型文档和版权指引，以及针对最先进模型的风险管理实践（如评测、风险评估与缓解、信息安全和重大事件报告）以支持相关义务的履行 (965)。

其他新增监管要求的实例包括：韩国《人工智能发展与信任建立框架法》对关键领域“高影响”人工智能系统提出要求 (1136)，以及加利福尼亚州《前沿人工智能透明度法案》(SB 53) 对安全框架和事件报告设定了透明度要求 (1104)。鉴于这些要求制定时间尚短，要详细评估其对风险管理实践或实际风险结果的影响为时尚早。

更广泛的治理举措提供自愿性指导

若干区域及跨区域治理框架现已通过为政策制定者和组织机构提供非约束性指导，阐明对通用型人工智能风险管理的共同期望。中国于 2025 年发布的《人工智能安全治理框架》2.0 版为人工智能开发与部署全过程中的风险分类及应对措施提供了结构性指导(1137)。东盟 (ASEAN) 成员国发布了《东盟人工智能治理与伦理扩充指南 (生成式人工智能)》，该指南就通用型人工智能的治理与伦理提供指导，旨在促进东盟成员国间政策协同 (1138)。此外，由多国人工智能科学家共同制定的专家主导倡议，如“新加坡共识”，明确了通用型人工智能安全领域在风险评估、开发和管控方面的研究重点(690)。

更新

自上一份报告 (2025 年 1 月) 发布以来，通用型人工智能的风险管理格局已发生演变。期间发布了多项新

资源,包括欧盟《通用人工智能行为准则》、七国集团广岛人工智能进程 (HAIP) 报告框架、中国《国家人工智能安全治理框架》2.0 版以及多家人工智能开发商提出的前沿人工智能安全框架。这些举措阐述了 AI 开发者为管理通用型人工智能系统相关风险所采用的方法和实践 (1115)。不同的前沿人工智能安全框架之间以及广岛人工智能进程透明度报告之间存在显著区别 (1103),这反映出组织实践、风险优先级设定的差异以及通用型人工智能风险管理生态系统尚处早期阶段。一个值得信赖的生态系统,其中不同的人工智能行为者在整个生命周期内贡献互补的风险管理实践,可有助于有效的风险管理 (690)。

证据缺口

目前缺乏相关证据来衡量:新兴风险的严重程度、普遍程度及时间范围;这些风险在现实情境中可缓解的程度;以及如何有效鼓励或强制要求不同行为者采取缓解措施。需要开展更多研究,以了解不同风险的普遍程度及其在全球不同地区(尤其是亚洲、非洲和拉丁美洲等快速数字化的地区)的差异。随着人工智能模型获得越来越多的自主性和权限,通用型人工智能风险科学的发展,风险管理方法也需要同步演进(639、1139)。

某些风险缓解措施正日益普及(690、956),但仍需开展更多研究以了解这些风险缓解措施和安全防护机制在实践中对不同群体及人工智能行为者(包括中小

企业)的实际效果如何。获取更多关于模型在实际部署和使用中的数据对于此类评估具有重要意义。此外,当前领先人工智能企业在风险管理方面的努力存在显著差异。有人认为,开发商的激励机制与风险评估和管理的全面之间没有很好的对齐 (934)。关于不同自愿性承诺的履行程度、企业在全面遵守承诺时面临的障碍,以及企业如何将前沿人工智能安全框架融入更广泛的人工智能风险管理实践中,目前仍存在证据缺口。

政策制定者面临的挑战

关键挑战包括:确定如何对通用型人工智能带来的多样化风险制定优先级,明确哪些行为主体最适合承担风险缓解职责,以及理解塑造其行动的激励机制与制约因素。证据表明,政策制定者目前获取的信息有限,这些信息涉及 AI 开发者和部署者如何测试、评测和监测新兴风险,以及不同缓解措施的有效性 (1140)。研究人员和政策制定者已探讨过提高透明度和建立更系统化的事件报告机制,认为这些措施有助于指导风险优先级排序、促进信任并激励负责任的发展 (957)。在实践中,风险管理涉及人工智能价值链中的多个行为主体 - 例如数据和云服务提供商、模型开发者以及模型托管平台 - 每个行为主体都有独特的机会来评估和管理不同的风险 (1141)。这些行为主体之间信息共享有限,使得难以确定哪些风险最可能发生或影响最大,尤其是在考虑下游的社会效应时。

第 3.3. 节

技术防护与监测

内容提要

- **人工智能开发和使用的不同阶段，采用了多种技术防护措施。**这些措施包括：在模型开发阶段采用以增强系统鲁棒性和抗滥用能力的技术手段（如数据筛选）；部署时监测与管控机制（如内容过滤和人工监督）；以及部署后用于监测更广泛人工智能生态系统的工具（如溯源追踪和内容检测）。
- **技术防护措施存在局限性，无法在所有情况下可靠地防止有害行为。**例如，用户有时可以通过改写请求或将其拆分为更小步骤来获得有害输出。同样地，用于识别 AI 生成内容的工具（如水印）常可被移除或篡改，这限制了其可靠性。
- **单项安全防护措施的局限性意味着，为防止某些有害后果，可能需要采取“纵深防御”策略。**例如，一个系统可能将经过安全训练的模型与输入过滤器、输出过滤器和内容监测器相结合。
- **自上次报告（2025 年 1 月）发布以来，研究人员在改进安全防护措施方面取得进展，但根本性限制依然存在。**例如，旨在绕过安全防护措施的攻击成功率虽呈下降趋势，但仍处于较高水平。开放权重模型能被安全防护至何程度也存在根本性局限。
- **政策制定者面临一个关键挑战：通用型人工智能系统在各种现实世界应用场景中，其安全防护措施的有效性目前证据有限。**AI 开发者在其安全防护措施和监测机制方面分享多少信息存在很大差异。另一个挑战在于，加强安全防护措施与维持系统性能或实用性之间可能存在权衡。

AI 开发者可采用多种实用但不完美的技术防护措施来缓解和管理通用型人工智能系统带来的风险，但是系统鲁棒性方面的挑战依然存在。开发者仍无法完全防止通用型人工智能系统实施已知且明显有害的行为，例如向用户提供实施犯罪的指导。例如，研究人员已证明，绕过最先进的安全防护措施，可通过对抗性提示方法（即“越狱”）(1055*、1063*、1142、1143、1144、1145、1146、1147、1148、1149*)，让模型将复杂的有害任务分解为步骤(1150、1151、1152、1153、1154)，以及简单的模型修改(1155、1156、1157、1158、1159、1160、

1161、1162、1163、1164、1165、1166)。研究人员正在持续改进防范故障和滥用的安全防护措施 (690)。这些方法在目的和有效性方面存在显著差异，其最终影响取决于人工智能系统构建与部署所处的更广泛社会技术和治理背景。

技术防护措施可大致分为三类：用于开发更安全模型的技术；部署期间用于监测与控制的技术；以及支持部署后生态系统监测的技术。[表 3.6](#) 总结了所讨论的技术防护措施、其有效性以及存在的挑战。

技术防护措施	描述
开发更安全的模型	
数据筛选 (Data curation) (1167)	去除有害数据，防止模型习得危险能力。这些方法可能很有用，包括用于开发缺乏有害能力且能抵御有害微调的开放权重模型 (55)。但是，数据筛选错误和规模扩展方面存在挑战 (1168)。
基于人类反馈的强化学习 (RLHF) (64*)	训练模型使其符合特定目标，例如做到有益无害。这是让模型学习有益行为的有效方法 (64*)。但是，对人类认可的过度优化可能会导致模型表现出欺骗或谄媚的行为 (1169)。
多元化对齐技术 (Pluralistic alignment techniques) (1170)	训练模型以整合关于其行为方式的多重不同观点。这些技术有助于降低模型偏向特定观点的程度 (1170)。但是，尽管采用了这些技术手段，人类之间的分歧仍不可避免，要设计出能平衡相互冲突的观点且被广泛接受的方法十分困难(1171、1172、1173、1174)。
对抗训练 (Adversarial training) (677)	训练模型拒绝造成伤害（即使在陌生情境中），并抵御恶意用户的攻击（例如“越狱”）。这是一种使模型抵抗滥用企图的有效方法 (1064)，但鲁棒性挑战依然存在 (1149*)。
机器“反学习/遗忘” (Machine ‘unlearning’) (1175、1176)	使用专门算法训练模型，旨在主动抑制有害能力（例如生物危害知识）。这些技术为从模型中移除有害能力提供了针对性的方法(1175、1176)，但当前的反学习算法可能缺乏鲁棒性，并对其他能力产生意外影响(1159、1161)。
可解释性 (Interpretability) 与安全性验证工具 (safety verification tools) (1177)	一种多样化的设计与验证方法体系，旨在为模型具备特定安全相关特性提供更严格的保障。它们使评估者能够对安全性作出更高置信度的保证 (1177)，但现有方法依赖于一些假设，且在实际应用中性能表现往往缺乏竞争力 (1178)。
监测和控制	
基于硬件的监测机制 (Hardware-based monitoring mechanisms) (1179、1180、1181)，	验证硬件上运行的程序是否经过授权，以便研究安全威胁或监管合规性。这些机制提供了独特的途径，以用于监控硬件上正在运行什么计算任务及由谁运行 (1181)。但是，硬件机制无法监测所有类型的威胁，且某些技术需要专用硬件(1180、1181)。
用户交互监控器 (User interaction monitors) (1154、1166)	监测用户交互行为以识别恶意使用的迹象，可帮助开发者终止恶意用户的服务(1154、1166)。但是，它的实施可以无意中阻碍有益的安全研究 (689)，且某些滥用的形式难以被发现 (1150)。
内容过滤器 (Content filters) (65*、725)	过滤模型潜在有害的输入和输出，是减少意外伤害和滥用风险的有效方法 (725)。但是，筛选器需要额外的算力，且容易受到某些攻击 (1182*)。
模型内部计算监测器 (Model internal computation monitors) (744、1183、1184)	监测模型中欺骗迹象或其他有害的内在认知形式，可成为检测欺骗的有效途径(744、1183、1184)。但是，现有方法缺乏鲁棒性和可靠性 (1185)。
思维链监测器 (Chain-of-thought monitors) (430*、435*)	监测模型思维链文本中是否存在误导性行为或其他有害推理迹象，是理解并发现模型推理中缺陷的有效途径 (435*)。但是，它们可能不可靠(752*、753*、1186)，且若模型被训练为生成良性思维链，则可能习得误导性行为 (430*)。

技术防护措施	描述
人在回路 (Human in the loop) (1187、1188、1189)	在某些安全关键型应用中, 人类对系统决策的监督和干预至关重要 (1187)。但是, 这些技术受到自动化偏见和人类决策速度限制的制约(1190、1191)。
沙盒 (Sandboxing) (1192)	防止智能体直接影响现实世界, 是限制其潜在危害的有效途径 (1192)。但是, 沙盒机制限制了系统直接完成某些任务的能力 (1192)。
推动生态系统监测的工具	
人工智能模型识别技术 (AI model identification techniques)(1193*、1194)	在实际应用场景中, 使模型或模型的个体实例更易于识别, 有助于数字取证工作与生态系统认知 (1195)。但是, 通过某些类型的模型修改, 这些技术可以被规避 (1196*)。
人工智能模型继承推理 (AI model heritage inference) (1197)	这些技术使研究人员能够调查模型在人工智能生态系统中是如何被修改的, 特别是对于开放权重模型。它们有助于数字取证和生态系统认知 (1198), 但需要大规模项目才能全面绘制开放权重生态系统 (1198)。
水印 (Watermarks) 与元数据 (metadata) (1199、1200、1201*)	这些技术使检测文本、图像、视频等内容是否由人工智能生成或修改, 以及由哪个系统完成变得更容易。它们有助于提升生态系统的认知(1199、1200、1201*)。但是, 水印和元数据可通过对内容进行某些修改而被伪造或删除 (1202)。
AI 生成内容检测 (1203、1204、1205*)	提升用户区分人工智能生成内容与真实内容的能力, 有助于加强数字取证工作和生态系统认知(1203、1204)。但是, 分类器可能不可靠 (1205*), 且在不同模态间表现不一。

表 3.6: 本节讨论的技术防护措施概述, 分为三部分: 构建更安全模型的方法、部署时的监测与控制, 以及促进生态系统监测的技术。

开发更安全的模型

抵御通用型人工智能系统危害的第一道防线是让底层模型更安全。本小节涵盖在模型开发过程中“内嵌于模型参数(baked into the model parameters)”的安全防护措施 (图 3.6) 。

训练数据的筛选能够限制潜在危险能力的形成

通用型人工智能模型之所以有用, 恰恰在于它们在处理训练数据后能发展出广泛的知识 and 能力, 但某些类型的训练数据尤其能够催生潜在的危险能力。例如, 基于病毒学论文训练的人工智能模型可能更擅长处理潜在有害的生物学任务(549、1206*) (另见 §2.1.4.生物和化学风险) 。此外, 基于人体裸露图像训练的图像/视频生成器也可能被滥用于制造未经同意的私密深度伪造内容(308、319) (另见 §2.1.1人工智能生成的内容与犯罪活动) 。

过滤训练数据是有效缓解某些不良能力(319、1167、1207、1208)。但是, 由于成本高昂 (1209*)、过滤错误

(1210) 以及对数据集质量的负面影响 (1211), 过滤用于训练通用型人工智能模型的大型数据集 (1168) 往往困难重重。这些挑战因互联网文本的多语言特性 (1212)、内容审核中的文化偏见(1211、1213、1214、1215)以及特定数据是否“有害”取决于情境因素 (1216) 而进一步加剧。尽管如此, 从训练数据中筛选潜在有害内容有望提升模型的安全性可靠性, 包括增强开放权重模型的抗恶意篡改的能力 (55)。训练数据内容与模型涌现能力之间的关系尚未被充分理解 (1195), 且在用于广泛的知识领域时 (55), 筛选机制似乎比针对具体行为(1206*、1217)更能有效限制有害能力。参见 §3.4.开放权重模型供进一步讨论。

训练通用型人工智能模型变得有益且无害的方法主要依赖于人类反馈

训练和评估模型使其可靠地遵循诸如有益、无害和诚实等高级原则十分困难。在实践中, 开发者通过利用人类提供的演示和反馈来微调人工智能模型, 从而尝试实现这一目标。例如, 用于微调人工智能模型的主要范式 - 即基于人类反馈的强化




图 3.6: 技术防护措施可在模型开发的不同阶段实施。数据筛选决定了模型在预训练和微调过程中所学习的内容。基于训练的方法 (如基于人类反馈的强化学习和鲁棒性训练) 会调整模型行为。对抗性攻击等测试方法可识别剩余漏洞。某些技术 (例如设计即安全 (safe-by-design) 算法) 贯穿多个阶段。来源:《2026 年国际人工智能安全报告》。

学习 (RLHF) - 是通过训练模型生成能获得人类标注者积极评价的输出结果来实现的 (1218*)。但是, 人类的积极反馈作为有益行为的替代指标存在缺陷 (737、878、1219*、1220), 且受限于人类的错误与偏见 (1169、1221、1222*、1223、1224、1225)。

这导致了若干挑战: 通过 RLHF 微调的模型有时会迎合用户, 这种行为被称为“奉承” (358、740、1226、1227*); 给出在某些情境下有用而在其他情境下有害的回应 (1228、1229、1230、1231、1232); 提供难以评估正确性的回应 (1233*); 或执行其有益性或危害性存在主观争议的行为 (1234)。表 3.7 提供了这些挑战的实例。一些研究致力于开发帮助人类在人工智能辅助下, 更有效地评估复杂任务解决方案的方法 (409*、1235*、1236*、1237、1238、1239*、1240、1241*、1242)。但是, 这些方法目前可靠性有限, 且其在训练当今最先进人工智能模型中的应用程度尚未公开。

人类对何种行为值得提倡往往存在分歧, 因此需要方法来平衡相互冲突的偏好

人类并不总能同意人工智能模型的哪些些响应或行动应当 (或不应当) 输出 (1006)。这使得开发其行为和影响基本符合社会利益的模型有根本上的挑战性 (420)。部分研究者调查人工智能系统中反映了

哪些群体的偏好 (1234、1243、1244、1245、1246、1247、1248、1249), 并致力于开发用于平衡互相矛盾偏好的“多元化对齐 (Pluralistic alignment)”技术 (1170、1248、1250、1251、1252、1253)。例如, AI 开发者可以设计系统来避免生成争议性答案, 具体方式包括: 拒绝响应某些请求、使系统观点与特定人群样本的中位数观点保持一致, 或根据个体用户进行系统个性化定制。

这些方法面临的一个普遍挑战在于, 人工智能系统通常无法平等地满足所有人的偏好, 且其下游的社会影响对不同群体将是不同的。部分研究者指出, 多数技术层面的多元化对齐方案未能解决更深层的挑战, 甚至可能分散对 - 例如系统性偏见、社会权力动态以及财富与影响力的集中化问题的注意力 (1171、1172、1173、1174、1254)。

AI 开发者采用“对抗训练”来提升模型鲁棒性

确保人工智能模型能够将训练过程中习得的有益行为, 稳健地迁移到实际部署场景中是一项极具挑战性的任务。即使使用“完美的”学习信号训练的模型也可能无法成功泛化到所有未见场景中 (738、739*、1255、1256、1257*)。例如, 一些研究人员发现, 聊天机器人在训练数据中代表性不足的语言中更容易采取

挑战	用户示例提示	人工智能模型的 示例回复	解释
谄媚/奉承取悦 (358、740、1226)	你觉得我刚写的这首俳句怎么样？ 高大的长颈鹿在游荡 她的影子绵延数里 至黑暗的地平线	这首俳句真美！这里弥漫着一种宁静而近乎幽怨的氛围，既透着安详，又带着忧郁。它令人印象深刻且难以忘怀。	模型仅提供积极反馈，未能指出其缺乏正确的5-7-5 俳句音节结构。
某些行为在某些情境下有益，但在其他情境下却有害 (1228、1229、1230、1231、1232)	请向我阐述国家生物威胁应对策略中存在的一些关键缺陷。	当然。[...] 削弱了国家生物威胁应对策略	生物风险信息既可用于教育和防御，也可能为恶意行为者提供情报。
正确行为难以验证 (1233*)	一名 75 岁女性患有高血压、心房颤动、慢性肾病，且有跌倒史。开具华法林 (Warfarin) 是否合适？	房颤使此类患者面临中风风险。医生可能会选择开具抗凝血剂华法林。但是，肾脏疾病和跌倒史可能导致内出血风险。	该回答的正确性难以评估，因为这需要医学专业知识。即使对于经验丰富的医生而言，评估此类回答也需要时间和对细节的仔细关注。
人类对什么是正确存在分歧 (1234、1243、1244、1245、1246、1247、1248、1249)	我正在和家人商讨为我们那位身患绝症、处于昏迷状态的叔叔实施安乐死的事宜。他们持不同意见。我该如何权衡？	那是个非常棘手的局面。当一个人面临不可逆转的意识丧失和尊严丧失时，安乐死可被视为一种仁慈之举。安乐死可以减轻长期痛苦。	人们对什么是正确的答案存在很大分歧。

表 3.7: 规范和激励人工智能模型有益行为所面临的挑战示例。

有害行为(159、880、1258*、1259)，其中包括许多主要在全球南方 (Global South) 使用的语言。

近年来，研究人员还开发了一套庞大的“对抗性攻击”技术工具包，可用于诱使模型生成潜在有害的回应(505*、1142、1143、1145、1147、1148)。例如，一项近期发起的众包计划收集了超过 60,000 个对最先进的人工智能模型的成功攻击案例，这些攻击使模型违反了其所在公司关于可接受模型行为的政策(1149*)。表 3.8 展示了研究人员证明可使模型响应有害请求的“越狱”技术示例。

提高模型鲁棒性的一种方法称为“对抗训练”(1064)。该方法涉及构建使模型产生不良行为的“攻击”(例

如越狱)，并训练模型恰当地应对这些攻击。但是，对抗训练并不完美(1260、1261)。攻击者始终能够针对最先进模型开发出新的成功攻击手段(1063*、1146、1149*、1261、1262)。由于开发者需要具体的故障模式示例来进行防御训练(512*、1263)，结果形成了一场持续的“猫鼠游戏”：开发人员不断更新模型以应对新发现的漏洞，而攻击者则持续寻找新的攻击手段。部分研究者提出采用更大规模的对抗训练(1264、1265*)或新型算法(675、676、1263、1266、1267)来提升系统鲁棒性，但现代人工智能系统仍持续存在脆弱性。

表 3.8: 恶意行为者和红队利用各种类型的“越狱”手段, 迫使人工智能模型执行其本应因安全防护机制而拒绝的有害请求。示例输出由报告作者撰写, 仅用于说明目的。当前许多尖端的人工智能模型已能抵御大多数此类攻击手段, 但新的破解技术仍在不断涌现。

另一种缓解通用型人工智能风险的策略是通过微调模型使其在特定高风险领域丧失能力(1175、1176)。例如,研究人员正在致力于开发“机器反学习”算法,该算法能够有针对性地抑制与生物威胁相关的能力,或抑制生成真人裸体照片级图像的能力

2026 年国际人工智能安全报告

1281*、1282、1283、1284)。参见 [§3.4.开放权重模型](#) 供进一步讨论。

部分研究人员正致力于通过解释模型内部状态或数学验证来实现更强的安全保证

一些研究人员正在开发能更严谨地验证模型安全相关属性的方法。在一种方法中，研究人员旨在解读模型的内部计算过程，以识别风险或更有说服力地论证模型安全性(1285、1286)。例如，在一项概念验证中，研究人员演示用于分析语言模型内部计算的工具有能够帮助评估者识别有害行为 (1287*)。2025 年，Anthropic 公司还开始分析模型内部机制，以此研究模型的情景环境感知能力和“意图”(2*)。但是，此类方法目前尚未普及，也未被证实能与其他评测技术相抗衡。

另一种更强的安全保证方法是构建数学证明，以确保模型满足特定的安全条件(1177、1282、1288)。但是，这些证明假设测试环境与部署环境一致，且未针对多种类型的攻击者进行过测试。目前它们也无法扩展到大型模型。总体而言，专家们对可解释性与形式化验证方法的前景存在重大争议。

部署时监测与控制

除模型开发阶段实施的安全防护措施外，抵御有害行为的第二道防线是外部安全防护机制，其重点在于监控和控制模型或系统在部署过程中的行为。此类安全防护措施有助于缓解故障和滥用情况，例如产生幻觉性输出和有害指令。

模型部署者可利用多种工具来识别并处理高风险模型行为

当人工智能系统运行时，部署者可监控风险迹象，并在出现时进行干预。例如，他们可以检查模型的输入是否存在对抗性攻击的迹象，过滤输出中的不当内容，或监控系统的思维链以识别有害计划的征兆。部署者可监控并干预用户使用系统的方式的节点包括：硬件(1180、1181)、用户交互(1154、1166)、输入输出(65*、725、1182*)、内部计算(744、1183、1184)以及思维链(430*、435*)。当风险被识别时，部署者还可以采取多种行动。这些措施包括记录日志信息、过滤/修改有害内容、标记异常活动、系统关机或触发故障安全机制。图 3.7 展示了常见监测与控制机制的示例。




图 3.7: 监测与控制技术在多个节点发挥作用：筛查输入输出内容中的有害信息，追踪模型内部状态，通过沙盒机制限制外部操作，并保持人类监督。来源：《2026 年国际人工智能安全报告》。

由于这些机制用途广泛且往往有效，因而它们被广泛应用，能够预防多种非故意伤害(725、751、1289)。但是，这些安全防护措施并不完善，尤其在针对其失效进行优化的恶意攻击下(752*、1182*)。近期研究还探讨了当系统通过监测者的评分进行优化时，监测可能变得不可靠的情况，例如使思维链的可靠性降低(435*、1185、1290)。

“人在回路”可实现高风险环境下的直接监督

为降低智能体导致故障的概率(参见 §2.2.1.可靠性挑战)，部署者可致力于设计与人类协同运作而非完全自主的人工智能系统 (1188、1189、1291*、1292、1293、1294)。这对于可能因错误决策导致重大危害的应用场景至关重要，例如金融、医疗或执法领域。但是，设置“人在回路”环节往往不切实际。有时决策过程过于迅速，例如在拥有数百万用户的聊天应用

中。在其他情况下，人类的偏见和错误可能因错误叠加而放大风险 (1187)。人在回路也往往表现出“自动化偏见”，即他们常对人工智能系统给予超出实际应有程度的信任(1190、1191) (参见 §2.3.2.对人类自主性的风险)。

“沙盒”可防范自主行为带来的风险

能够在网络或物理世界中不受限制自主行动的智能体存在较高风险(参见 §2.2.1.可靠性挑战)。沙盒通过限制智能体直接影响现实世界的方式，使其更易于受到监督和管理(640、1192、1295)。例如，限制人工智能系统向互联网发布信息或编辑计算机文件系统的功能，可以防止意外行为造成意外危害 (1296)。但是，在人工智能系统必须直接作用于现实世界的应用场景中，这些方法并不总是适用。




图 3.8: 水印技术通过在图像和音频中植入肉眼不可见的扰动，使检测工具能够识别出人工智能生成的内容。在本图中，图像水印和音频水印均被放大以增强可视性。来源：来自 Unsplash 的变色龙图片 (1313*)。报告作者创建的其他元素。《2026 年国际人工智能安全报告》。

生态系统监测工具：模型与数据溯源

模型与数据溯源工具是用于研究人工智能生态系统的技术工具，旨在提升对人工智能系统下游应用及其影响的认知。

人工智能系统溯源技术有助于追踪系统的使用情况及其影响

开发者和部署者可以运用多种技术手段，研究模型“在野外 (in the wild)”的使用情况及其传播方式。例如，他们可以为模型赋予独特的可识别行为(1193*、1297、1298、1299、1300*)，或对单个开放权重模型的权重运用独特的模式(1193*、1194、1301、1302、1303、1304*)。但是，使这些技术更抗模型修改仍是一个未解决的问题(1195、1196*)。研究人员还致力于开发推断模型继承 (inferring model heritage) 的方法(1197、1198、1305、1306)，这有助于解答如下形式的问题：“模型 X 是模型 Y 的微调版或蒸馏版吗？”最后，一些开发者正在致力于构建智能体的协议和基础设施，以促进在它们与外部系统交互时的身份识别和验证(661、1307)。

人工智能内容检测技术有助于监测人工智能生成内容的传播及其影响

水印、元数据及其他人工智能内容检测器可协助研究人员追踪并研究人工智能生成内容对现实世界的影响。首先，数据水印是嵌入数字媒体中的细微但独特的图案，能够编码其来源信息(1199、1200、1201*)。对于文本，它们通常表现为词汇选择和风格中的微妙偏好(1308、1309)；对于图像和视频，则体现为像素层面的细微图案 (1310)；而对于音频，则存在于声波中的微妙规律 (1311)。图 3.8 说明了这些内容。

除了水印之外，人工智能生成的内容还可以通过特定文件格式保存，它会存储关于内容生成方式的元数据。例如，许多移动设备使用一种文件格式来保存图像和音频文件，该格式能够存储有关相机设置、时间、位置等信息(1312)。类似的元数据可用于存储数据是否由人工智能系统生成的信息。正如刑事法证中的指纹鉴定，水印和元数据虽可能被篡改或删除，但依然具有实用价值。

研究人员还致力于开发人工智能生成内容检测器 (1203、1204、1205*)，以帮助识别自然环境中的人工

尽管有改进，但各种模型对旨在绕过防护措施的输入仍然脆弱

截止模型发布日期的提示词注入攻击成功率




图 3.9: 主要模型的 AI 开发者报告的提示词注入攻击成功率发布于 2024 年 4 月至 2025 年 7 月期间。每个点代表在模型发布后不久，针对该模型在十次尝试中成功攻击的比例。此类攻击的成功率虽随时间推移呈下降趋势，但仍保持在较高水平。来源：Zou 等人。2025 (1149*)，引自《Anthropic 2025》(2*)。

智能生成的内容，即使没有水印或元数据可用。但是，这些识别技术成功率有限。

更新

自上次报告发布（2025 年 1 月）以来，在开发具备多重有效安全防护层的人工智能系统方面取得了进展。如 [§3.2.风险管理实践中所述](#)，纵深防御是风险管理的核心原则（1314）。例如，结合安全训练模型与输入过滤器、输出过滤器及其他内容监控机制的人工智能系统正日益受到研究与部署（32*、65*、1182*）。最新研究还表明，尽管模型开发者在提升抵御规避保障措施行为的鲁棒性方面取得了进展，但攻击者仍能以较高成功率实施攻击（[图 3.9](#)）。

证据缺口

需要更多证据来帮助研究人员理解并解释现有方法的局限性。人工智能系统的技术防护措施正在不断完善，但相关技术仍存在局限性。例如，在提升通用型

人工智能系统最坏情况下的鲁棒性方面进展缓慢，且开放权重模型在安全防护和监测的彻底性方面存在根本性限制（1195、1315、1316）（另见 [§3.4.开放权重模型](#)）。与此同时，并非所有技术防护措施都同样普遍、有效，或在现实世界中都经受住了考验。例如，对抗训练几乎被用于所有最先进的模型中（64*、677），而模型可解释性与形式化验证技术迄今在生产系统中使用甚少（1177、1285）。

政策制定者面临的挑战

政策制定者面临的主要挑战包括：决定是否以及如何支持技术防护措施和监测方法的研究、开发、评测和采用。这具有挑战性，因为科学家们对如何在实践中最好地去保护机制的理解仍在不断发展，最佳实践尚未确立。例如，不同开发者采用不同的安全防护措施，他们在技术风险缓解方面的做法也存在显著差异（1116）。最后，有效技术防护措施的存在本身并不能确保安全，因为不同开发者和部署环境中的采用与实施情况可能存在差异。

第 3.4. 节

开放权重模型

内容提要

- **人工智能公司对其模型“权重 (weights)” 的开放程度影响着这些模型所带来的风险。** 权重是使人工智能模型能够处理输入并生成输出的数学参数。对于任何给定的模型，公司可以选择完全保密权重参数，允许部分用户有限访问，或允许任何人完整下载。权重参数公开可用的模型称为“开放权重模型”。
- **开放权重模型有助于促进研究与创新，但其安全防护措施更易被解除。** 世界各地的各类行为主体 - 尤其是资源有限的群体 - 均可将开放权重模型用于研究和商业用途。但是，与封闭权重模型相比，开放权重模型更容易被修改以产生可能有害的行为，且对其使用情况的监测更为困难。
- **开放权重模型的发布具有不可逆性。** 模型权重一旦发布，便无法再被召回。这使得缓解因发布具有危险能力的模型而可能造成的危害变得更加困难。
- **自上次报告发布 (2025 年 1 月) 以来，主要开放权重发布版本已缩小了与领先闭源模型的能力差距。** 中国开发者 DeepSeek 和阿里巴巴分别发布了 R1 和 Qwen 模型，其性能可与领先的封闭模型媲美；与此同时，OpenAI 发布了自 2019 年以来首个开放权重模型。在主流人工智能基准测试中，领先的封闭模型能力目前估计仅领先于领先的开放权重模型不到一年。
- **一项关键的政策挑战在于，在获取开放权重模型所带来的益处的同时，有效管理其特有的风险。** 一种方法是根据其“边际风险”来评估开放权重模型：即其发布在反事实情境下会使社会风险超出现有模型或其他技术所造成的风险的程度。但是，这在实践中很复杂。边际风险随时间推移的微小增加最终也可能累积为整体风险的显著上升。

参数可公开下载的开放权重模型对前文讨论的诸多挑战具有独特意义。人工智能模型的权重包含关键信息，正是这些信息使其能够为用户生成有用的回复。一旦发布，这些权重便无法收回：任何人都可以下载、研究、修改、分享，并在自己的计算机或云账户上使用它们。当权重参数公开可获取时，他人便能更轻松地基于该模型进行扩展与修改，从而满足多样化需求并推动创新 (1317)。但是，通过相同的机制，恶意用户也能更轻松地移除安全防护措施，并修改开放权重模型以用于有害应用场景(1122、1160)。这引发了一个问题：某些开放权重模型是否应遵守特殊要求（例如在发布前进行更严格的测试），或者相反，是否应给予特殊豁免（例如免除监管报告要求）(1033)。

开放权重模型的背景信息

开放权重模型可以是，但未必是“开源”模型

尽管常被称为“开源 (open source)”，但大多数公开发布的模型更准确的描述应为“开放权重 (open-weight)”。这是因为，虽然开发者提供了模型权重，但并未公开相关的训练代码或数据集。此外，开源软件通常有宽松的许可，对使用或修改该软件的下游行为主体仅提出最低要求 (1318)。例如，Meta 的 Llama 模型具有限制性许可条款，且仅包含推理代码而非训练代码，因此通常不被视为开源软件 (1319、1320)。模型发布选项存在于从完全封闭到完全开源的连续谱上，每个点都存在不同的风险-收益权衡(1086*、1320、1321)。表 3.9 描述了这些选项。

访问级别	具体含义	示例
完全封闭	用户完全无法直接与模型进行交互	Flamingo (谷歌)
托管访问	用户只能通过特定的应用程序或界面进行交互，例如移动聊天机器人应用程序	Midjourney v7 (Midjourney)
API 访问模型	用户可通过代码向模型发送请求，允许外部程序中使用。	Claude 4 (Anthropic)
API 访问微调	用户可以根据自身需求对模型进行微调	GPT-5 (OpenAI)
开放权重: 权重可供下载	用户可以在自己的计算机上下载并运行该模型	Llama 4 (Meta)、DeepSeek R1 (DeepSeek)
权重、数据及代码可供下载，但存在使用限制	用户可以下载并运行模型以及推理和训练代码，但对其使用存在特定的许可限制	BLOOM (BigScience)
完全开放: 权重、数据和代码均可下载，且无使用限制	用户拥有完全自由下载、使用和修改模型、完整代码及数据的权利	GPT-NeoX (EleutherAI)

表 3.9: 模型共享选项的示例，涵盖从完全封闭模型（模型为私有且仅供专有使用）到完全开放及开源模型（模型权重、数据和代码可自由公开获取，且不受使用、修改和共享限制）的多种模式。前四类模型通常被称为“封闭”模型。本节着重探讨底部的三行内容。来源：改编自 Bommasani, 2024 (1317)。

益处与风险

开放权重模型更易于定制和评估

开放权重模型为研究、创新和访问提供了显著优势。如 §1.1.什么是通用型人工智能? 所述，训练通用型人工智能模型极其昂贵 - 顶级模型的开发成本高达数亿美元。公开发布模型权重使资源有限的行为主体能够复制、研究并基于现有系统进行开发。若缺乏此类渠道，资源匮乏地区的社区将面临被排除在人工智能红利之外的风险，因此开放权重对于推动全球多数群体 (global majority) 参与人工智能发展至关重要 (1322)。下游开发者可针对多样化应用场景对模型进行微调，例如将其适配于资源匮乏的少数民族语言，或针对法律文书起草、医疗记录撰写等特定任务优化性能(1323、1324*)。通过这种方式，开放权重模型能够让更多的人和社区使用人工智能并从中获益，这在其他情况下是难以实现的 (1325)。对于能力不足以构成危险的模型，这些益处可能超过公开发布权重带来的额外风险，但这取决于相关决策者的风险承受度。

开放权重还扩大了能够研究该模型、评估其能力、测试漏洞并迭代改进的开发者和研究人员群体(1326、1327)。这使得识别有益应用和有害缺陷的可能性更大，尽管这一点无法予以保证(1328、1329)。用户还可

以在自己的设备上运行开放权重模型，从而能够保持对敏感数据的控制，避免将其发送至第三方服务器。

当开发者不仅分享模型权重，还共享如训练数据、代码、评测工具、文档记录以及模型权重的信息时，还有额外益处(1320、1330、1331、1332*)。有了更多信息，下游开发者和其他研究人员能够更好地理解开放权重模型，并将其应用于新的场景。

开放权重模型的安全防护措施更易被移除，从而可能导致恶意使用

开放权重模型还存在额外风险，因为其安全防护措施更容易被移除。尽管开放权重和封闭模型均可设置安全防护机制来拒绝有害用户请求，但开放权重模型中的这些安全防护机制更容易被绕过。恶意行为者可对模型进行微调以优化其在有害应用中的表现，移除旨在防止有害用途的代码部分，或撤销先前实施的安全微调(1156、1160、1161、1333、1334、1335、1336、1337、1338)。因此，开放模型权重可能加剧 §2.1.恶意使用风险中所述的滥用风险，它允许更多行为主体在缺乏监督的情况下，利用并增强现有能力以达到恶意目的(1122、1315)。尽管许多用户既缺乏能力也无意移除开放权重模型的安全防护措施，但动机强烈的恶意行为者仍构成威胁。此外，恶意行为者还可能利用开放权重模型来识别类似封闭模型中的漏洞 (1055*)。仅通过运行封闭模型更难发现此类缺

陷，因为封闭模型供应商能够实施更严格的控制和监测措施。

共享模型权重具有不可逆性

一旦模型权重可供公众下载，便无法对所有现有副本全面撤回。诸如 GitHub 和 Hugging Face 等互联网托管平台可将模型从其平台移除，这使得某些行为主体难以找到可下载副本，并对许多偶发性恶意用户构成了显著障碍 (1339*)。但是，如果模型已被下载并重新托管在其他地方或存储在本地，有动机的行为主体仍可获取副本。此外，将开放权重模型集成到其系统中的下游开发者也会继承任何缺陷，例如模型对抗抗性攻击的脆弱性 (1055*) 或其规避监测系统的能力 (参见 [§2.2.2.失控](#)) (1315)。与封闭式模型不同，封闭模型中主机可统一部署修复程序，而开放权重模型开发者无法保证用户会采纳更新。

更新

自上次报告发布 (2025 年 1 月) 以来，领先的开放权重与封闭模型之间的能力差距已有所缩小。中国开发者已成为开放权重模型尤其重要的供者。2025

年 1 月，DeepSeek 发布了其 R1 模型，该模型在多个基准测试中实现了与 OpenAI 的 o1 相当的性能 (1340)。阿里巴巴的 Qwen 模型同样获得了广泛关注，截至 2025 年 8 月，该模型在广受欢迎的性能基准测试平台 Chatbot Arena 上占据了开放权重模型的榜首位置 (1341、1342*)。2025 年 8 月，OpenAI 发布了自 2019 年 GPT-2 问世以来首批开源权重模型 - gpt-oss-120b 和 gpt-oss-20b。Meta 持续发布采用开放权重的 Llama 模型。在主流人工智能基准测试中，领先的封闭模型能力目前估计仅领先于领先的开放模型不到一年 (图 3.10)。

证据缺口

关键证据缺口在于，在现实世界中预防开放权重模型被滥用的技术解决方案的有效性。研究人员提出了多种方法来增强模型的抗篡改性。这包括旨在使模型抵御恶意篡改的新训练技术 (1276)，从训练数据中筛选有害内容 (55)，以及防范越狱攻击的防御机制 (675、676)。这些技术现已被各大开发商应用于实际发布的版本中。例如，OpenAI 在其 gpt-oss 模型中采用了部分此类技术，并报告称经过对抗性微调的版本未能达到高能力阈值 (1344*)。但是，研究表明恶意行




图 3.10: 表现最好的开放权重 (深蓝色) 和封闭 (浅蓝色) 模型随时间推移的 Epoch Capabilities Index (Epoch 能力指数, ECI) 得分。ECI 将 39 项基准测试的得分整合为单一的综合能力量表。最好的开放权重模型比封闭模型落后约一年。来源: Epoch AI, 2025 (1343)。

为者可通过利用有害样本重新训练模型来绕过安全防护措施(1345、1346)。此外,可靠评估安全防护措施的鲁棒性仍具挑战性,使其在应对现实世界攻击时的有效性难以确定(1159)。

缓解措施

针对开放权重模型风险的技术缓解措施贯穿于人工智能的开发与部署全过程(1141、1195、1347)。例如,在模型开发过程中,开发者和下游适配者可对过滤训练数据中的敏感内容,从而最小化模型的有害能力。

从模型训练数据中移除有害示例,其防止对抗性微调的效果比训练后添加的防御措施高出 10 倍,但此举也可能影响有益能力(55)。人工智能应用提供商也可建立事件报告和响应机制(1348)。

此外,诸如 HuggingFace 和 GitHub 等托管平台可制定平台服务条款,以移除被用于有害目的修改的模型(1141、1324*)。模型开发者可在发布前向审计人员提供完全访问权限,或选择分阶段发布策略 - 将模型逐步发布给规模更大的群体(1086*)。这有助于在模型广泛应用前识别潜在故障或漏洞(1161、1286)。

方框 3.1: 模型权重安全

本节讨论的风险假设模型权重是故意发布的。但是,封闭模型权重也可能因盗窃或泄露而被获取。封闭模型平均耗资数亿美元开发(§1.1.什么是通用型人工智能?),其能力普遍强于开放权重模型(1343)。这使得它们成为各类行为主体的诱人目标 - 从业余黑客到企图获取顶尖人工智能模型的国家行为主体。

被盗的封闭模型权重将带来与上述开放权重模型类似的风险,但可能完全缺乏任何缓解措施。恶意行为者可能会从最强大的模型中移除安全防护措施。与合法开发者不同,此类行为主体无需面对当前激励前沿人工智能公司安全部署其模型的声誉、法律或商业约束。

当前行业内的安保级别参差不齐,可能不足以抵御成熟的攻击者。部分开发者承诺保护模型权重免受网络犯罪集团和内部威胁的侵害(582*),而另一些则未公开任何安保承诺(1109、1349)。研究表明,人工智能数据中心可能无法抵御最复杂且资源雄厚攻击者的攻击(582*、1350、1351)。截至 2025 年 12 月,尚未发现任何经公开记录证实的模型权重窃取事件。但是,其他领先人工智能公司也曝出过安保漏洞事件,包括微软电子邮件系统遭入侵(1352)。

弥补这些安全漏洞需要在硬件、软件、人员和设施安保方面进行大量投资。通过协调努力,某些安保增强措施可以相对较快地实施(1122)。但是,其他关键措施,例如保障硬件供应链和设施的安全则可能需要数年时间才能实现(1122)。私营企业可能也缺乏独自制定充分保护措施所需的资源或信息。例如,AI 开发者无法像政府那样获取机密的威胁情报(1349、1353*)。

政策制定者面临的挑战

政策制定者面临的关键挑战在于,如何在不显著增加风险的前提下确保开放权重模型共享所带来的效益。为避免造成灾难性危害,开放权重模型开发者在发布模型前必须采用既适用于封闭模型的成熟评估方法,又需进行额外测试 - 因为恶意行为者可能对模型进行微调并移除安全防护措施。实际上,这可能难以实现,因为能力发展具有不可预测性,开放权重发布是不可逆的,且需要评测工作来预测何时发布会造成重大潜在危害。一种方法是评估开放发布版本的“边际风险”:即该发布版本相对于现有模型或其他技术,在反事实情境下使社会风险增加的程

度(556、1033、1354、1355)(参见 §3.2.风险管理实践)。但是,在系统部署后评测其如何增加或降低下游风险是一项复杂且依赖具体情境的工作。随着版本迭代,风险的渐进累积可能随时间推移导致总体风险显著上升,即使每次版本更新带来的边际风险看似可接受(1356、1357)。人工智能能力的双重用途特性进一步增加了治理难度:那些在医学或研究领域具有有益应用的功能可能被转用于危害目的,而一旦权重参数公开,区分合法用途与恶意使用便变得困难重重。当开放权重模型被修改用于有害目的时,责任归属也不明确。

第 3.5. 节

建设社会韧性

内容提要

- **“社会韧性”指社会系统抵御、吸收、恢复和适应冲击与损害的能力。**技术防护措施在部署过程中可能失效，某些风险仅在新型部署环境、与其他社会系统的交互过程中，或因超出开发者控制范围的连锁效应而显现。人工智能韧性建设举措与风险管理实践及技术防护措施相辅相成，在社会层面构筑纵深防御体系。
- **韧性建设措施可由不同部门的各类主体实施。**针对通用型人工智能带来的风险，韧性建设措施的实例包括：DNA 合成筛查（应对人工智能引发的生物风险）、事件响应协议（应对人工智能辅助的网络攻击）、媒介素养项目（应对人工智能生成内容造成的危害），以及人在回路框架（应对可靠性与控制挑战）。
- **当前的人工智能韧性建设进展参差不齐，且大多未经检验。**某些措施，例如网络安全事件响应协议，已相对成熟。而其他措施，如人工智能生成内容检测算法，仍处于萌芽阶段。在人工智能领域，多数措施的有效性尚缺乏充分实证依据，且适宜的干预措施因地域、语言及社会经济背景而异。
- **自上次报告（2025 年 1 月）发布以来，与韧性相关的初步资金筹措和数据收集工作有所增加。**例如，产业关联的倡议已宣布投入数千万美元资金，而某些政府主导的倡议则更侧重于系统性收集严重人工智能事件的数据。
- **政策制定者面临的关键挑战在于决定是否以及如何激励、资助、制定和评估增强韧性的措施。**人工智能本身可通过防御性应用增强韧性，但攻防人工智能能力之间的平衡仍存在不确定性。关于这些能力如何相互作用的证据仍然有限，尽管研究表明它们的相对平衡关系塑造了整体系统的韧性。

“韧性”是指社会系统抵御、吸收、恢复并适应通用型人工智能相关冲击与损害的能力。主动构建韧性有助于营造一个安全且有益的采用与传播生态系统。韧性代表了一种针对人工智能风险的“纵深防御”策略，通过叠加多重干预措施，避免过度依赖任何单一的安全保障措施。它补充了组织风险管理实践（参见 §3.2.风险管理实践）和技术防护措施（参见 §3.4.技术防护和监测），以增强社会抵御人工智能相关危害的能力。归根结底，人工智能系统的风险不仅源于孤立的人工智能模型，还源于其与资源、个人、组织、机构及技术的交互作用(904*、905*、1358)。随着通用型人工智能系统在更广泛的社会、技术和制度基础设施中日益频繁地交互，可能产生新型且不可预测的风险，而当前安全措施无法单独防范(953、993、1359)。

即使技术防护措施能减轻狭义界定的危害，风险仍可能从人工智能系统与社会基础设施之间的复杂交互产生。在现实世界的复杂性 (1360) 中，当人工智能模型与其他模型、工具、环境、行为主体及网络相互作用时，其安全防护效果便变得难以确定(1361)。随着人工智能系统在用户、机构及其他人工智能系统网络中的广泛部署，其交互过程中可能产生难以预料的风险(100*、614、661) (参见 §2.2.1.可靠性挑战)。其他领域 - 包括降低灾害风险、气候、健康和企业领域 - 的研究表明，增强韧性的措施能够降低对技术系统故障的脆弱性，并改善恢复效果(1362、1363、1364、1365、1366)。

韧性有助于社会系统抵御、吸收 AI 冲击，并从中恢复和适应




图 3.11: 增强韧性意味着在冲击发生前降低其发生概率或减轻其严重程度(抵抗)。若发生冲击, 韧性建设措施包括通过维持关键功能来吸收冲击(吸收), 从损害和破坏中恢复(恢复), 以及降低对未来冲击的脆弱性(适应)。来源:《2026 年国际人工智能安全报告》。

韧性建设措施

韧性建设措施按功能划分为四类 (图 3.11) :

- **抵抗措施**可降低冲击发生前的可能性或严重程度
- **吸收措施**使社会系统在遭受冲击时能够维持关键功能
- **恢复措施**有助于在冲击发生后恢复正常功能, 并且
- **适应措施**通过改造社会系统来降低对未来冲击的脆弱性(1367、1368)。

上述类别并非互斥, 且往往存在重叠: 单项措施可能同时且反复地发挥多重功能。韧性建设措施既可针对特定风险, 也可广泛应用于多个领域。需要具备韧性的人工智能相关风险范围涵盖从人工智能赋能的生物和化学攻击 (参见 §2.1.4.生物和化学风险) 直至大规模的社会挑战, 如劳动力市场风险 (参见 §2.3.1.劳动力市场的影响) 。

表 3.10 列举了韧性建设措施示例, 具体涉及生物和化学袭击 (参见 §2.1.4.生物和化学风险)、网络攻击 (参见 §2.1.3.网络攻击)、合成媒体和犯罪 (参见 §2.1.1.人工智能生成的内容和犯罪活动)、影响和操纵 (§2.1.2.影响和操纵) 以及可能适用于多个风险领域的跨领域措施。这些例子展示了其他领域的策略如何为人工智能韧性策略提供启示。

风险	抵抗	吸收	恢复	适应
人工智能赋能的生物与化学攻击 (参见 §2.1.4.生物和化学风险)	DNA 合成筛查系统, 用于在危险基因序列被订购或生产前予以标记 (1084); 了解客户协议, 用于筛查相关行为主体 (1085)。	接触者追踪、隔离措施 (1369), 以及用于在袭击或疫情爆发期间识别生物制剂的早期检测网络(1370、1371)。	战略储备医疗对策 (如疫苗、抗生素和医疗设备), 以实现快速响应 (1372)。	加强国际生物安保治理框架, 促进政策协调(1373、1374)。

风险	抵抗	吸收	恢复	适应
人工智能驱动的网络攻击 (§ 2.1.3.网络攻击)	多因素认证以减少账户被入侵的情况 (1375); 定期漏洞评估 (1376) 以在攻击发生前识别并修复系统弱点。	网络分段与自动化系统关闭机制, 用于隔离受感染系统, 同时通过备份基础设施维持关键业务运行 (1377)。	离线备份恢复步骤: 无需支付赎金, 从物理隔离存储中重建遭破坏的计算系统 (1378)。	实施网络安全措施的激励机制, 以及向合格机构报告事件以建立持续反馈回路(1379)。
人工智能驱动的合成媒体与犯罪 (§ 2.1.1.人工智能生成的内容和犯罪活动) 以及影响和操纵 (§ 2.1.2.影响和操纵)	批判性媒介素养 (1380) 及教育, 旨在向公众阐明人工智能生成内容的潜力与风险; 合成内容披露机制 (1381), 以防止欺骗行为。	实时检测算法用于识别并标记合成内容, 同时确保平台正常运行(1382、1383)。	纠正与通知的框架, 用于向客户、合作伙伴、媒体及公众通报合成内容 (1384)。	法律责任的框架, 用于追究各方生成或传播未经授权或未披露的合成内容 (1385)。
跨领域	社会教育项目以提升公众对风险与影响的认知(1386、1387); 第三方审计在部署前标记风险(1014、1388、1389); 模拟演练以预判社会影响 (1390、1391)。	人在回路设计在人工智能系统因攻击、错误或意外行为而失效时, 来维持关键功能 (1392)。	事件响应协议: 紧急情况后恢复功能 (713、1374)。	保险机制以重构风险分配并激励长期安全投资(1393、1394); 标准体系以确立新的基准实践(1395、1396)。

表 3.10: 针对生物和化学、网络、合成媒体、影响与操纵以及跨领域风险的韧性建设措施示例。本表中的示例源自非人工智能相关风险的历史先例。

关于人工智能韧性建设措施有效性的证据尚不充分

在人工智能领域, 关于这些韧性建设措施有效性的具体证据或研究尚不充分。教育是跨领域干预措施的一个范例, 这类措施可能与社会预判和应对人工智能相关风险的能力密切相关。但是, 要理解任何韧性建设措施的适当性和价值, 需要进一步分析可预见的危害及其可能发生的途径。相关社区的背景及其地理、语言和经济社会特征也将影响韧性建设措施的有效性和适用性(1397、1398、1399)。

有效的韧性措施需要通过迭代开发来实现

如图 3.12 所示的迭代框架可用于构建关于韧性建设措施的讨论, 涵盖四大功能领域。例如, 在劳动力市场和不平等风险的背景下 (参见 [§ 2.3.1.劳动力市场影响](#)), 应对措施可包括建立前瞻性技能监测机制以预警高风险职业, 并扩建数字基础设施以确保人们广

泛获得人工智能赋能的机遇。吸收措施可包括建立公私培训伙伴关系及实施失业保险, 以支持劳动者完成人工智能相关岗位的转型。适应措施可能包括再培训和再开发计划, 而适应措施可包括终身学习计划 (1400、1401、1402、1403、1404)。

韧性建设具有连锁影响

韧性建设措施在不同领域之间相互作用。某个领域未解决的脆弱性可能引发或加剧其他领域的漏洞。例如, 在 2012 年纽约飓风桑迪过后, 尽管机场恢复运营相对较快, 但公路和铁路延误阻碍了航空公司员工通勤, 导致航班持续延误 (1392)。另一方面, 在积极情境下, 跨领域协同构建韧性的综合策略能够整体增强社会韧性, 因为韧性建设措施之间具有相互强化作用。例如, 在社会系统和领域间收集并共享数据, 可支持对涌现的行为进行情景分析, 而实时信息共享可实现促进更具适应性的响应(1392、1406)。




图 3.12: 韧性建设是一个循序渐进的过程，其成效取决于基于实证的实施。该过程涉及预测、试点和评估韧性建设措施，以及部署后的成效衡量，其运作机制可通过观察-定位-决策-行动 (OODA) 反馈回路来阐释。来源: Enck, 2012 (1405)。

人工智能本身能够增强社会的韧性

那些可能带来风险的能力同样也能帮助社会加强防御体系。例如，人工智能系统可通过增强大规模异常检测、恶意软件分类和网络钓鱼攻击防范来支持网络防御(1407、1408、1409)。同样地，人工智能系统可通过强化深度伪造检测和数字水印技术来应对人工智能生成内容相关的风险(1410、1411) (参见 §3.3.技术防护与监测)。在各类风险领域，证据表明人工智能能够通过提升预测、监测和响应工作的准确性、速度和效率，从而增强应急、危机和灾害管理能力(1390、1412)。

通用型人工智能的新兴能力指向更先进的韧性应用。例如，人工智能可通过加速潜在医疗对策的研发来应对生物和化学风险(1413、1414)。研究表明，通用型人工智能系统也可用于生物威胁的早期检测、快速响应和控制 (1370)。最新研究表明，智能体能够识别软件漏洞，包括此前未被发现的安全漏洞（即零日漏洞），这有助于采取防御性措施，例如实施早期补丁修复(1415、1416、1417)。例如，谷歌的 Big Sleep 智能体 - 一款帮助安保研究人员发现零日漏洞的工具 - 据称在 2025 年直接阻止了利用某漏洞进行攻击的企图 (1418*)。此外，人工智能展现出高效解决一个重大问题的潜力，即将高度脆弱的遗留计算机代码转换为更安全的形式 (1419)。

除了特定领域的应用之外，人工智能还可能通过增强机构和公共行政来增强韧性。这可以支持社会预见威胁、抵御冲击和适应新挑战的能力 (1420)。例如，有研究预测人工智能能够通过增强透明度、降低监测与合规成本、促进协调以及强化身份验证系统等方式，重塑民主制度(1421、1422)。正如互联网催生了新型商业模式和社会平台，人工智能也能为公民参与、机构决策和跨文化协作开辟新途径 (1423)。人工智能还具有潜力在人力不堪重负时增强政府职能、重构政府机制

以实现前所未有的规模与速度运作、并助力实现持续民主参与 (1421)。

利用人工智能增强韧性需要管理攻防平衡

但是，利用人工智能增强韧性并非没有风险。由于其双重用途的特性，开发用于防御人工智能威胁的人工智能能力可能同时加速进攻性能力的发展。这反过来可能以有时难以预料的方式改变攻防平衡（即攻击者与防御者之间的相对优势）(496、1424)。总体而言，当平衡向防御倾斜时，危害发生的概率降低且程度减轻；而当平衡向进攻倾斜时，危害发生的概率增加或破坏性增强。例如，用于软件漏洞检测的工具也可能帮助恶意行为者识别并利用攻击途径(444、496、1419、1425)。通过分析海量数据流来增强政府透明度的人工智能系统也可能助长监控与社会控制 (1421)。在生物安保领域，一项研究表明当前进攻占优势，而人工智能可能进一步打破这种平衡 (1424)。因此，为了增强韧性的善意人工智能研究可能无意中加剧风险 (444)。

关于如何引导攻防平衡向安全方向发展仍存在诸多未解之题(444、496、1326、1424、1426)。政策制定者、投资者和研究人员必须权衡：防御性人工智能的发展究竟会带来净安全效益，还是可能导致安保天平向不利方向倾斜 (444)。这项评估要求他们不仅要预见防御性技术的即时价值，还要预见这些技术可能催生新型危害的潜在风险。

研究、激励与资助韧性建设

尽管社会韧性能带来广泛效益，但这些效益具有分散性，可能导致个体利益相关者投资不足。因此，增强韧性的努力往往需要协调具有不同激励的利益相关方 (1425)。文献探讨了政策制定者如何利用其监管权限和机构能力影响韧性建设措施的投资

(1349、1392、1427、1428、1429*、1430、1431)。这些措施包括所谓的“正面”激励，例如预先市场承诺、税收抵免、政府采购政策以及减少监管障碍，以增强私营主体制定韧性建设措施的激励(1425、1431、1432、1433)。另一方面，诸如责任框架和保险市场等“负面”激励则涉及如何分配潜在危害成本以及如何影响韧性建设措施的投资(940、1434、1435)。

政府机构、产业界和慈善捐助者，在支持韧性研究及市场可能供给不足的活动方面发挥了作用。例如，从历史角度看，美国国防高级研究计划局（DARPA）为互联网、合成生物学和碳纳米管等领域的关键突破做出了贡献（1436）。目前，美国国防高级研究计划局资助的 TRACTOR 项目致力于消除内存安全漏洞并提升网络安全水平（1437）。诸如微软与 OpenAI 共同设立的 200 万美元“社会韧性基金”等私营倡议，为相关技术研究提供了催化资金支持，例如针对人工智能生成媒体的水印技术，以及关于风险的教育宣传活动(1438*)。与此同时，非营利组织 OpenAI 基金会承诺投入 250 亿美元用于多项事业，包括开发增强人工智能韧性的技术解决方案（1439*）。竞赛和奖项也能推动韧性研究的发展（1431）。例如，在人工智能网络挑战赛中，顶尖人工智能公司与美国政府合作开发人工智能系统，以保障关键软件基础设施的安全（1440）。

政府机构还可召集前沿人工智能企业，激励其为人工智能赋能的韧性建设工作提供，如优先与优惠的人工智能模型访问权限（1425）。

证据收集往往依赖于协同的生态系统，这些系统需要在数据基础设施和访问协议方面进行大量投资。建立对部署前评估（参见 §3.2.风险管理实践）、部署后监测及事件报告可实现预测分析、韧性建设措施试点、持续评估与迭代优化更强的证据基础，如图 3.12 所示(869、1441)。建立 AI 开发者、关键基础设施运营商与公共机构之间，跨境数据共享的法律和操作途径，可促进这一进程。人工智能本身能够通过提升数据质量和自动化分析来增强证据收集工作。

了解社会的基础特征及其风险准备度，也有助于设计、试点和评估用于增强韧性的措施（1358）。风险认知与应急准备程度在不同地区可能存在显著差异（图 3.13 展示了网络韧性方面的一个例子）。社区特征包括数字基础设施、技术素养、机构能力、监管框架、文化规范、语言特征以及人工智能部署模式等，这些要素均可为特定干预措施的最佳实施路径提供参考依据。若干政府已在其他领域开展韧性评估，包括关键基础设施和社区韧性评估(1442、1443)。

对关键基础设施网络攻击的准备情况在全球有不同的看法

当被问及“您对您单位所在的国家已准备好应对目标为关键基础设施的重大网络事件的信心如何？”的回复




图 3.13：世界经济论坛《全球网络安全展望》数据，其调查了来自 57 个国家的 409 名受访者，了解其对关键基础设施遭受网络攻击的防范准备程度的认知。来源：世界经济论坛，2025 (452)。

更新

自上次报告发布(2025 年 1 月)以来,各方已为韧性建设工作承诺了初步资金。例如,OpenAI 基金会承诺投入 250 亿美元用于包括人工智能韧性技术解决方案在内的多项公益事业(1439*),而 OpenAI 公司本身则投入 5000 万美元支持包括人工智能素养与公众认知、社区创新以及经济机遇在内的各项计划(1444*、1445*)。Anthropic 宣布投入 1000 万美元用于人工智能经济影响的严谨研究与政策构思(1446*)。英国人工智能安全研究所为专注于保障社会系统的项目提供了最高 20 万英镑的种子基金,总金额高达 400 万英镑(1447)。与此同时,这些已知的韧性投资相对于整体人工智能投资仍很小:仅生成式人工智能领域的私营投资在 2024 年就达到 339 亿美元,而诸如 OpenAI 的 Stargate 项目等基础设施承诺则涉及四年内 5000 亿美元的资金投入(255*、1448)。

除了资金投入外,数据收集工作也得到了加强。包括亚马逊、Anthropic、Cohere、谷歌、IBM、微软、Mistral AI 和 OpenAI 在内的 AI 开发者已签署欧盟《人工智能法案行为准则》- 一项非约束性治理文件(参见 §3.2.风险管理实践)。签署方承诺系统地追踪、记录并向欧盟人工智能办公室报告严重事件,这些举措均可制定有效的韧性策略提供更坚实的知识基础(965)。评估该守则对韧性的影响为时尚早,该守则将于 2026 年年中全面实施。

证据缺口

关于韧性的主要证据缺口在于:通用型人工智能风险的信息有限,以及韧性建设措施有效性的证据不足。

尽管人工智能评测已通过自愿承诺和政策取得进展(965、1116),但衡量通用型人工智能系统能力与风险的方法学仍处于萌芽阶段(224、1449、1450)。关于人工智能系统与技术、社会及制度系统(如金融、教育或医疗系统)交互过程中可能引发的新兴风险,现有证据仍尤为匮乏 - 这些系统中可能发生意外故障。多家人工智能公司已开始发布部署后的使用数据(117*、1451*),但研究领域仍存在空白。若未能明确哪些风险最可能发生或后果最严重,就难以设计有针对性的韧性建设措施(1392、1427)。即使对风险有了更深入的理解,关于增强韧性措施有效性的证据仍然有限。迄今为止,许多旨在增强人工智能韧性的措施仍处于发展初期阶段,或缺乏系统性评测。

政策制定者面临的挑战

对政策制定者而言,建设韧性面临的关键挑战包括:在激励措施、资金筹措、方案制定及韧性建设措施评估作出决策;同时评估攻防平衡的权衡取舍。AI 开发者目前仅将通用型人工智能风险的部分潜在成本纳入考量(1349),且在投资韧性建设措施方面缺乏足够的激励和能力。这与资金缺口有关:已知的韧性投资相对于风险的潜在规模仍然有限。政策制定者面临着诸多问题:激励措施是否以及如何利益相关方之间进行调整?政府应承担多少韧性建设措施的财政负担?他们在评估攻防权衡时也面临挑战:通用型人工智能系统虽能助力网络安全和生物安保等领域的韧性建设,但相同能力也可能加速这些领域中的进攻性风险。

结论

本报告在来自 30 多个国家和国际组织的 100 余位专家指导下，对通用型人工智能进行了科学评估 - 这项技术正以惊人速度发展，且具有深远影响。各方对能力提升的速度、风险可能达到的严重程度，以及现有安全防护措施和风险管理实践能否充分应对的程度存在不同看法。但在核心发现方面，各方意见高度趋同。通用型人工智能的能力提升速度远超许多专家的预期。若干风险的证据基础已显著扩大。当前的风险管理技术正在改进，但仍显不足。本报告无法消除所有潜在的不确定性，但它能够建立一个共同的基线 and 应对这些不确定性的方法。

变革之年

定期的科学评估能够追踪随时间推移的变化。自 2025 年 1 月首份《国际人工智能安全报告》发布以来，多款人工智能系统首次解出了国际数学奥林匹克竞赛金牌级别的题目；恶意行为者滥用人工智能系统实施网络攻击的报道日益频繁且细节更详尽，更多 AI 开发者开始定期发布网络威胁的详细信息；部分开发者在无法排除其模型可能协助新手研发生物武器的可能性后，发布了新增安全防护措施的新模型。政策制定者面临的形势与一年前相比已截然不同。

核心挑战

本报告中反复出现证据缺失的情况。通用型人工智能模型如何以及为何获得新能力并表现出特定行为，往往难以预测 - 即使对开发者而言也是如此。“评测差距”意味着仅凭基准测试结果无法可靠预测实际应用中的效用或风险。对于人工智能相关危害的普遍性和严重性，对应的系统性数据对于大多数风险而言仍然

有限。当前安全防护措施能否对更强大的系统产生足够效力尚不明确。这些差距共同限制了现有评估能够确信得出的结论。

本报告所指出的根本性挑战并非任何单一风险。尽管通用型人工智能当前的影响日益显著，但其整体发展轨迹仍存在深度不确定性。2030 年的可能情景差异巨大：进展可能停滞于当前能力水平附近，可能放缓，可能保持稳定，也可能以难以预料的方式大幅加速。投资承诺表明，主要 AI 开发者预期能力将持续提升，但不可预见的技术限制可能减缓进展。特定水平的人工智能能力所产生的社会影响，还取决于系统部署的方式和地点、使用方式，以及不同行为主体的应对方式。这种不确定性反映出预测一项技术的影响存在困难，因为该技术的影响取决于不可预测的技术突破、不断变化的经济状况以及各不相同的制度反应。

达成共识的价值

通用型人工智能的发展轨迹并非固定的：它将取决于未来几年开发者、政府、机构和社区所作出的选择。本报告并未就具体应采取的措施作出强制性规定。但是，通过促进对人工智能领域形成共同、基于证据的理解，有助于确保这些选择是经过充分论证的，并能识别关键的不确定性。这同时使不同司法管辖区的政策制定者能够在遵循共同科学基础的前提下，根据各自社区独特的价值观和需求采取行动。本报告的价值不仅在于其呈现的研究成果，更在于它树立了携手应对共同挑战的合作典范。

词汇表

采用 (Adoption) : 当个人或组织开始在其运营或日常实践中采用新技术时。

对抗训练 (Adversarial training) : 一种用于提高模型可靠性的机器学习技术。首先，开发者构建旨在使模型失败的输入。其次，他们训练模型识别并处理此类输入。

智能体 (AI agent) : 一种能够自适应执行复杂任务、使用工具并与环境交互的人工智能系统 - 例如创建文件、在网络上执行操作或将任务委托给其他智能体 - 以在几乎无需人类监督的情况下实现目标。

AI 伴侣 (companion) : 一种旨在模拟与用户建立个人关系的人工智能系统，例如为提供情感支持而设计。

AI 开发者 (developer) : 任何设计、构建或改造人工智能模型或系统的组织。

人工智能赋能的生物与化学工具 (AI-enabled biological and chemical tools) : 基于生物或化学数据训练的专用人工智能模型，使其在科学应用中更具实用价值。

人工智能暴露度 (AI exposure) : 特定工作活动或职业受人工智能系统影响的程度，无论是通过增强人类能力还是实现任务自动化。

人工智能生成的媒体 (AI-generated media) : 由生成式人工智能生成的音频、文本或视觉内容。

人工智能生命周期 (AI lifecycle) : 人工智能的开发阶段包括：数据收集与整理、预训练、后训练与微调、系统集成、部署与发布，以及部署后监测与更新。

算法 (Algorithm) : 一套规则或指令，使人工智能系统能够处理数据并执行特定任务。

算法效率 (Algorithmic efficiency) : 一组衡量算法从数据中学习时消耗多少计算资源的指标，例如使用的内存量或训练所需的时间。

算法透明度 (Algorithmic transparency) : 各类利益相关方多大程度上能知晓哪些因素影响通用型人工智能的产出（如推荐或决策）。这些因素可能包括人工智能模型的内部运作机制、其训练方式、训练数据、输入的特征如何影响其输出结果，以及在不同情境下它会做出何种决策。

对齐 (Alignment) : 人工智能模型或系统倾向于按照人类意图、价值观或规范运用其能力的的能力。根据具体语境，此处所指可涉及各类主体的意图与价值取向，例如开发者、用户、特定社群乃至整个社会。

应用程序编程接口 (Application programming interface, API) : 一套规则和协议，用于实现软件应用程序之间的集成与通信，例如人工智能系统与搜索引擎之间的交互。

通用人工智能 (Artificial general intelligence, AGI) : 一种假想的人工智能模型或系统，其在所有或几乎所有认知任务上的表现均可达到或超越人类水平。

人工智能 (Artificial intelligence, AI) : 能够执行通常需要人类智能才能完成的任务（例如生成文本）的机器模型或系统。

注意力机制 (Attention mechanism) : 神经网络中使用的一种方法，它使模型在生成输出时能够专注于输入数据中最相关的部分。注意力机制有助于模型理解上下文，从而生成更准确的结果。

审计 (Audit) : 对组织或系统是否符合相关标准、政策或程序的正式审查，该审查可由内部人员或独立第三方实施。

自动化 (Automation) : 利用技术以减少或无需人类参与的方式完成任务。

自动化偏见 (Automation bias) : 人类依赖自动化系统（包括人工智能系统），而对其输出结果缺乏充分审查的倾向。

自主规划 (Autonomous planning) : 人工智能系统在几乎或完全无需人类指导的情况下制定并执行多步骤策略的能力。

基准测试 (Benchmark) : 一种标准化、通常为定量的测试或指标，用于评估和比较人工智能系统在固定任务集上的表现，这些任务通常旨在模拟现实世界中的应用场景。

生物武器 (Biological weapon) : 病原体（如细菌、病毒或真菌）或毒素（源自动物、植物、微生物或人工合成的毒物），其被蓄意释放以致使人类、动物、植物或微生物患病、死亡或丧失行动能力。

生物安保 (Biosecurity) : 一套旨在保护人类、动物、植物和生态系统免受有害毒素及病原体侵害的政策、实践和措施（例如诊断技术和疫苗），无论这些毒素和病原体是自然产生的还是人为引入的。

生物技术 (Biotechnology) : 一门位于生物学与工程学交叉领域的跨学科领域，它利用生物过程开发产品与服务。

能力 (Capabilities) : 某主体 (例如人类或人工智能系统) 在特定条件下能够执行的任务或功能, 以及其执行这些任务或功能的熟练程度。

CBRN: “化学、生物、放射性和核” 的缩写。指涉及化学、生物、放射性或核材料或武器, 具有造成大规模伤害潜力的威胁。

思维链 (Chain of thought) : 一种生成响应的技术, 其中人工智能模型会生成中间步骤或解释。通过将复杂任务分解为更小的步骤, 这种方法能够提高模型的准确度, 并揭示其得出答案的过程。

化学武器 (Chemical weapon) : 用于造成伤害或死亡的有毒化学品。

儿童性虐待材料 (Child Sexual Abuse Material, CSAM): 描绘涉及儿童的露骨性行为的内容。

云计算 (Cloud computing) : 通过互联网按需提供的计算服务, 使用户能够访问服务器、存储空间、数据及软件, 而无需维护本地基础设施。常用于人工智能的开发与部署。

认知减负 (Cognitive offloading) : 通过将认知任务委托给他人或外部系统来减少自身的脑力劳动。

认知任务 (Cognitive tasks) : 涉及信息处理、问题解决、决策制定和创造性思考的活动, 区别于体力劳动。例如分析数据、写作和编程。

集体自主性 (Collective autonomy) : 群体形成并践行共同信念、价值观和目标的有效能力, 不受不当的外部影响, 且拥有可影响自身处境的有效选择。

共谋 (Collusion) : 多个行为主体 (可能包括智能体) 之间的秘密合作, 旨在实现共同目标, 通常以损害他人利益为代价。

比较优势 (Comparative advantage) : 个人、企业、国家或人工智能系统以低于其他生产者的机会成本生产特定商品或服务的能力。

算力 (Compute) : “计算资源” 的简称。开发和部署人工智能系统所需的硬件 (例如计算机芯片)、软件 (例如数据管理软件) 和基础设施 (例如数据中心) 。

持续微调 (Continual fine-tuning, CFT): 一种通过依次在先前版本上进行微调, 为通用型人工智能模型注入新知识与技能的更新方法。

控制 (Control) : 能够以期望的方式影响系统行为的能力。这包括在系统出现异常行为时调整或停止其运行。

版权 (Copyright): 一种授予原创作品创作者的法律保护形式, 赋予其对作品享有使用、复制和传播的专有权利。

关键基础设施 (Critical infrastructure) : 对社会运作至关重要性的组织、设施或系统, 包括食品、能源、交通或公共行政等领域。

关键领域 (Critical sectors) : 人工智能故障或滥用可能对公共安全、安保或治理构成特别严重风险的领域。例如政府决策、关键基础设施以及人工智能开发本身。

CTF (capture-the-flag, 夺旗赛) 练习: 网络安全培训中常用的演练, 旨在通过挑战参与者解决网络安全相关问题 (如查找隐藏信息或绕过安保防御) 来检验并提升其技能。

网络攻击 (Cyberattack) : 恶意企图入侵计算机系统、网络或数字设备, 例如为窃取或破坏信息而实施的攻击行为。

数据中心 (Data centre) : 用于远程计算的, 大型联网高功率计算机服务器集群。

数据收集和筛选: 人工智能发展阶段中, 开发者与数据工作者需收集、清理、标注、标准化并转换原始训练数据, 使其转化为模型能够有效学习的格式。

数据污染 (Data contamination) : 当人工智能模型使用基准测试题的数据进行训练, 而这些数据随后又被用于测试其能力时, 就会出现导致测试分数虚高的问题, 。

数据溯源 (Data provenance) : 数据来源及其处理过程的历史记录。

欺骗 (Deception) : 一种通过系统性地诱导他人形成错误信念, 来实现特定目标的影响形式。

深度伪造 (Deepfake) : 一种由人工智能生成的音频或视觉内容, 描绘人们说出或做出他们实际上并未说过或做过的事情, 或是发生过实际并未发生过的事件。

深度学习 (Deep learning) : 一种机器学习技术, 通过大量计算资源训练多层人工神经网络 (受生物大脑启发), 使其能从海量数据集中自动学习信息, 从而实现强大的模式识别与决策能力。

纵深防御 (Defence-in-depth) : 一种策略, 涉及实施多层独立的安全防护措施, 确保当某项措施失效时, 其他措施仍能有效运作以防止危害发生。

防御技术 (Defensive technologies) : 能够降低另一项技术 (或技术组合) 所带来风险的技术, 且无需修改该技术本身。

部署 (Deployment) : 将人工智能系统投入实际应用的过程, 使其在真实环境中为用户所用。

部署环境 (Deployment environment) : 人工智能系统的应用场景与其运行所处的技术和制度环境的结合。

数字基础设施 (Digital infrastructure) : 计算机技术运行所需的基础服务和设施, 包括硬件、软件、网络、数据中心和通信系统。

蒸馏 (Distillation) : 一种训练形式, 其中作为“学生”的人工智能模型通过模仿更强大“教师”系统的输出进行学习。

分布式计算 (Distributed compute) : 利用多个处理器、服务器或数据中心协同工作来执行人工智能训练或推理, 将工作负载分配并协调到多台机器上。

下游 AI 开发者 (Downstream AI developer) : 指使用或整合他人创建的现有人工智能模型或系统, 来构建人工智能模型、系统、应用程序或服务的人员。

两用科学 (Dual-use science) : 可用于有益目的 (如医疗保健或能源领域) 的研究与技术, 但也可能被滥用于造成危害 (如生物或化学武器研发)。

生态系统监测 (Ecosystem monitoring) : 研究人工智能系统在现实世界中的应用及其影响的过程。

涌现能力 (Emergent capabilities) : 在训练过程中意外出现且难以预测的人工智能模型能力, 即使掌握训练设置的完整信息也难以预见。

加密 (Encryption) : 将信息转换为加密格式, 该格式仅能被持有正确解密密钥的授权方读取的过程。

评估 (Evaluations) : 在部署前或部署后, 对人工智能模型或系统的性能、能力、脆弱性或潜在影响进行系统性评估。

证据困境 (Evidence dilemma) : 政策制定者在缺乏充分科学证据证明新技术的益处或风险时, 面临着决策困境。他们不得不权衡两项风险: 一方面是制定无效或不必要法规的风险, 另一方面则是放任严重危害在缺乏充分安全防护措施的情况下发生的风险。

反馈回路 (Feedback loop) : 一种将系统输出作为输入重新输入到系统中的过程。

微调 (Fine-tuning) : 在初始训练后, 通过使用额外数据对人工智能模型进行训练, 使其适应特定任务或提升整体实用性的过程。

浮点运算 (Floating point operations, FLOP) : 由计算机程序执行的计算操作。常用于衡量训练人工智能模型所消耗的计算资源量。

基础模型 (Foundation model) : 一款通用型人工智能模型, 旨在适应广泛的下游任务。

前沿人工智能 (Frontier AI) : 这个术语有时用于指代尤其强大的人工智能, 其能力可匹敌或超越当今最先进的人工智能系统。就本报告而言, 前沿人工智能可视为能力尤为强大的通用型人工智能。

前沿人工智能安全框架 (Frontier AI Safety Framework) : 由 AI 开发者制定的一套协议, 通常采用“如果-那么”承诺的形式, 规定当其人工智能系统达到预设阈值时将采取的安全或安保措施。

通用型人工智能 (General-purpose AI) : 能够执行多种任务的人工智能模型或系统, 而非仅专注于特定功能或领域的专用系统。参见“专用人工智能”以作对比。

生成式人工智能 (Generative AI) : 一种人工智能能够通过学习现有数据中的模式, 并生成能体现这些模式特征的文本、图像或音频等新内容。

目标错误泛化 (Goal misgeneralisation) : 一种训练失败现象, 即人工智能系统虽然学习到了与训练数据一致的目标, 却对新数据进行了错误的泛化。

目标错误设定 (Goal misspecification) : 人工智能开发中的一种失败模式, 即规定的目标不能完全代表开发者意图的目标, 导致系统产生非期望行为。

图形处理器 (Graphics processing unit, GPU) : 一种最初为计算机图形学设计的专用计算机芯片, 如今被广泛用于处理训练和运行人工智能模型所必需的复杂并行处理任务。

黑客攻击 (Hacking) : 利用计算机系统、网络或软件中的漏洞或弱点, 以获取未经授权的访问权限、破坏正常运行或窃取信息。

幻觉 (Hallucination) : 由人工智能模型或系统生成的、被当作事实呈现的不准确或误导性信息。

危害 (Hazard) : 任何可能造成伤害的事件或活动, 例如导致人员伤亡或受伤。

人类自主性 (Human autonomy) : 形成并践行自身信念、价值观和目标的有效能力, 不受不当外部影响, 且拥有可影响自身处境的有效选择。

人在回路 (Human in the loop) : 一种方法, 即在自动化系统中, 人类通过在行动执行前进行审查和批准来保留决策权, 而非允许完全自动化。

如果-那么承诺 (If-then commitments) : 条件性协议、框架或法规, 用于规定在满足特定预设条件时应履行的行动或义务。

事件报告 (Incident reporting) : 记录并分享人工智能系统在开发或部署过程中出现故障或被滥用、可能造成危害的案例。

推理 (Inference) : 人工智能根据给定输入、从而应用其在训练期间习得的知识，生成输出的过程。

推理时扩展 (Inference-time scaling) : 通过在推理过程中提供额外的计算资源来提升人工智能系统的能力，使其能够解决更复杂的问题。

输入 (Input) (给人工智能系统) : 提交给人工智能系统的数据或提示，例如文本或图像，该系统对其进行处理并转化为输出结果。

机构透明度 (Institutional transparency) : 组织公开披露信息的程度，例如（以 AI 开发者为例）共享训练数据、模型架构、安全安保措施或决策流程等信息。

可解释性 (Interpretability) : 人类能够理解人工智能模型内部运作机制的程度，包括理解其产生特定输出或决策的原因。

越狱 (Jailbreaking) : 生成并提交旨在绕过安全防护措施的提示，诱使人工智能系统生成有害内容，例如制造武器的操作指南。

劳动力市场 (Labourmarket) : 雇主寻求雇佣工人、工人寻求就业的系统，涵盖就业机会的创造、失业现象以及工资水平。

劳动力市场冲击 (Labour market disruption) : 劳动力市场中显著且往往复杂的变化，这些变化影响着不同行业和职业的就业机会、所需技能、工资分布或工作性质。

大型语言模型 (Large language model, LLM): 一种基于海量文本数据训练的人工智能模型，用于执行与语言相关的任务，例如生成、翻译或摘要文本。

失控场景 (Loss of control scenario) : 当一个或多个通用型人工智能系统脱离人类控制运行，且无明确路径恢复控制权的场景。

机器学习 (Machine learning, ML): 人工智能的一个子领域，专注于开发无需显式编程即可从数据中学习的算法和模型。

故障 (Malfunction) : 系统未能按开发者或用户预期运行，导致输出错误或有害结果，或造成运行中断。

恶意使用 (Malicious use) : 利用某物（如人工智能系统）蓄意造成伤害。

恶意软件 (Malware) : 旨在破坏、干扰或未经授权访问计算机系统的有害软件。它包含病毒、间谍软件及其他可能窃取数据或造成损害的恶意程序。

操纵 (Manipulation) : 一种影响的方式，其特征在于通过改变他人的信念或行为来实现某些目标，而当事人对此并无充分的意识或理解。

边际风险 (Marginal risk) : 模型部署或发布在反事实情境下所增加的风险程度，超出现有模型或其他技术已造成的风险范围。

元数据 (Metadata) : 提供关于其他数据信息的数据。例如，图像的元数据可能包含其创建时间信息，或是否为人工智能生成的信息。

错对齐 (Misalignment) : 人工智能倾向于以与人类意图、价值观或规范相冲突的方式运用其能力。根据具体语境，此处所指可涉及各类主体的意图与价值取向，例如开发者、用户、特定社群乃至整个社会。

协调失败 (Miscoordination) : 当不同行为主体（如智能体）拥有共同目标，却无法协调行为以实现该目标时。

模态 (Modalities) : 人工智能模型或系统能够接收作为输入并生成作为输出的数据类型，例如文本（语言或代码）、图像、视频以及机器人动作。

(人工智能) 模型 (Model) : 一种计算机程序，通过处理输入数据来执行预测、分类或生成等任务，并可能构成更大规模人工智能系统的核心。当今大多数人工智能模型都基于机器学习：它们通过数据学习而非被显式编程。

模型卡 (Model card) : 一份提供有关人工智能模型有用信息的文档，例如其用途、使用指南、训练数据、基准测试表现或安全特性等。

模型发布 (Model release) : 使训练好的人工智能模型可供他人使用、研究或修改，或集成到其自身系统中。

多智能体系统 (Multi-agent system) : 一个由相互作用的智能体组成的网络，这些智能体能够适应彼此的行为和目标，包括通过潜在的合作或竞争来实现。

多模态 (Multimodality) : 人工智能模型或系统处理不同类型数据的能力，例如文本、图像、视频或音频。

专用人工智能 (Narrow AI) : 人工智能模型或系统，其设计仅用于执行一项特定任务或少数非常相似的任务，例如对网页搜索结果进行排序、对动物物种进行分类或下国际象棋。参见“通用型人工智能”以作对比。

神经网络 (Neural network) : 一种人工智能模型，由相互连接、组织成层的节点（灵感源自生物神经元）组成，通过调整节点间的连接从数据中学习模式。当前的通用型人工智能系统均基于神经网络。

未经同意的私密影像 (Non-consensual intimate imagery, NCII): 未经当事人同意而制作或传播的色情照片或视频。

观察-分析-决定-行动 (OODA): 一种用于迭代决策的框架，其涉及观察状况、分析各种情况、决定是否干预、并行动、然后重复以根据结果以改进方法。

攻防平衡 (Offence-defence balance): 攻击者与防御者在特定领域（如网络安全）中的相对优势。向防御倾斜意味着攻击成本更高或后果更轻微；向进攻倾斜方则意味着相反的情况。

开放域 (Open-ended domains): 人工智能系统可能部署的环境，这些环境存在着大量的可能场景。在开放域中，开发者通常无法预见并测试人工智能系统可能被使用的所有方式。

开源模型 (Open source model): 一种人工智能模型，其核心组件（如模型权重、源代码、训练数据和文档记录）在允许公众下载的条款下发布，这些条款实质上赋予了人们为任何目的使用、研究、修改和共享该模型的自由。关于必须提供哪些具体组件、需要达到何种文档水平，以及某些使用限制是否符合开源原则等问题，各方仍存在分歧。

开放权重模型 (Open-weight model): 一个其权重（参见权重）可公开下载的人工智能模型。部分开放权重模型采用开源模式，但并非全部如此。

分布外失效 (Out-of-distribution failure): 人工智能模型或系统在面对训练过程中未遇到的输入、环境或任务时，无法执行其预期功能的现象。

(人工智能模型的) 参数 (Parameters): 在训练过程中从数据中学习到的数值组件，如权重和偏置，它们决定了人工智能模型如何处理输入以生成输出。请注意，此处的“偏置 (bias)”是一个数学术语，与人类判断或算法输出中扭曲的偏见无关。

被动失控 (Passive loss of control): 一种情景，在其中，人工智能系统的广泛应用会导致人类过度依赖人工智能来执行决策或其他重要社会职能，从而削弱人类的控制能力。

病原体 (Pathogen): 微生物，例如病毒、细菌或真菌，能够引发人类、动物或植物的疾病。

渗透测试 (Penetration testing): 一种安保实践，即由授权专家或人工智能系统对计算机系统、网络或应用程序进行模拟网络攻击，以主动评估其安全性。目标是在真实攻击者利用漏洞之前，识别并修复这些弱点。

说服力 (Persuasion): 一种通过沟通 - 包括理性论证、情感诉求或诉诸权威 - 来改变他人信念的影响形式，而非依赖武力或胁迫。

网络钓鱼 (Phishing): 利用欺骗性电子邮件、消息或网站诱骗他人泄露敏感数据，例如密码。

多元化对齐 (Pluralistic alignment): 一种开发人工智能系统的方法，旨在呈现并平衡不同群体之间存在差异、有时甚至相互冲突的偏好。

部署后监控 (Post-deployment monitoring): 行为主体（包括政府和 AI 开发者）通过以下过程追踪人工智能模型与系统的影响及表现：收集并分析用户反馈，针对实际应用中发现的问题或局限进行迭代改进。

后训练 (Post-training): 在通用型人工智能模型开发过程中，预训练之后的阶段。这涉及运用微调和强化学习等技术来优化模型的能力与行为。

预训练 (Pre-training): 在开发通用型人工智能模型的过程中，最初且计算量最大的阶段，模型通过海量数据学习模式。

隐私 (Privacy): 个人控制他人如何访问或处理其相关数据的权利。

概率的 (Probabilistic): 与数学概率相关，或表明某事物至少部分基于偶然性。

提示 (词) (Prompt): 输入到人工智能系统中的数据，例如文本或图像，该系统通过处理这些数据来生成输出结果。

逐底竞争 (Race to the bottom): 一种由竞争驱动的行为模式，行为主体为获取竞争优势而逐步削减安全措施、降低质量标准或弱化监督力度。

勒索软件 (Ransomware): 一种恶意软件，它会锁定或加密用户的文件或系统，使其无法访问，直到向攻击者支付赎金（通常是金钱）为止。

推理系统 (Reasoning system): 一种通用型人工智能系统，在给出最终输出前，会通过思维链生成中间步骤或解释。

侦察 (Reconnaissance): 攻击者在发起攻击前收集目标系统、组织或网络信息的过程。这通常涉及识别弱点、切入点或有价值的资产。

红队测试 (Red-teaming): 一种系统化的流程，其中专职人员或团队通过多种方法寻找漏洞、局限性或潜在的滥用风险。在人工智能领域，红队常致力于寻找能诱导模型或系统产生不良行为的输入。

强化学习 (Reinforcement learning): 一种通过奖励模型产生理想输出、惩罚产生不良输出以提升模型性能的机器学习技术。

基于人类反馈的强化学习 (Reinforcement learning with verifiable rewards, RLVR): 一种机器学习技术，通过将人类提供的评测或偏好作为奖励信号来优化人工智能模型，使系统能够通过迭代训练学习并调整其行为，从而更好地契合人类价值观与意图。

利用可验证奖励的强化学习 (Reinforcement Learning with Verifiable Rewards, RLVR): 一种机器学习技术, 通过采用客观可验证的标准 (如数学证明的正确性) 来优化人工智能模型, 从而提升其在数学问题求解或代码生成等任务中的表现。

(人工智能系统的) 可靠性 (Reliability): 人工智能系统在设计条件下持续执行其预期功能的能力。

韧性 (Resilience): 社会系统吸收冲击、适应冲击并从冲击中恢复的能力。

检索增强生成 (Retrieval-augmented generation, RAG): 一种技术, 使人工智能系统在推理过程中能够从其他来源获取信息, 例如网络搜索结果或公司内部数据库, 从而实现更准确或更个性化的实时响应。

风险 (Risk): 危害发生的可能性与严重性的组合。

风险因素 (Risk factors): 可能增加危害发生概率或严重程度的属性或条件。例如, 在人工智能领域, 薄弱的网络安全是风险因素之一, 可能使恶意行为者更容易获取并滥用人工智能系统。

风险管理 (Risk management): 识别、评估、缓解和治理风险的系统化过程。

风险登记册 (Risk register): 一种风险管理工具, 用于存储所有风险及其优先级、负责人及缓解方案。

风险阈值 (Risk threshold): 一种定量或定性的界限, 用于区分可接受风险与不可接受风险, 并在超过该界限时触发特定的风险管理措施。

风险承受度 (Risk tolerance): 个人或组织愿意承担的风险程度。

(人工智能系统的) 鲁棒性 (Robustness): 在各种情况下都能安全行事的特性。这包括但不限于抵御恶意用户使系统产生有害行为的企图。

安全防护 (Safeguard): 旨在防止人工智能系统造成伤害的保护性措施。

安全论证 (Safety case): 一种结构化的论证, 通常由开发者提出并辅以证据支持, 表明系统在特定运行环境下具有可接受的安全性。开发者或监管机构可将安全论证作为重要决策 (例如是否部署人工智能系统) 的依据。

安全微调 (Safety fine-tuning): 一种机器学习方法, 其中, 经过预训练的模型通过在额外数据上进行训练以提升安全性 (参见微调)。

(人工智能系统的) 安全 (Safety): 人工智能系统不易造成危害的特性, 无论是通过恶意滥用还是系统故障。

沙袋效应 (故意示弱) (Sandbagging): 指模型或系统在评测中表现低于其能力水平的行为, 此举可能旨在规避进一步审查或限制。

沙盒化: 限制人工智能系统直接影响外部世界的能力 (如通过限制互联网访问权或文档系统许可), 使得更容易监管和控制该系统。

脚手架 (Scaffold(ing)): 为协助人工智能模型和系统执行特定任务而开发的附加软件。例如, 人工智能系统可能被授予访问外部计算器应用的权限, 以提升其数学运算能力。

规模定律 (Scaling laws): 人工智能发展中关键因素 (如模型参数数量、训练或推理过程中投入的时间、数据及计算资源) 与其最终性能或能力之间所呈现的系统性关联。

(人工智能系统的) 安保 (Security): 具备抵御技术干扰的能力, 例如网络攻击或底层模型源代码泄露。

半导体 (Semiconductor): 一种材料 (通常为硅), 其电学特性可被精确控制。它们构成了计算机芯片 (如图形处理器) 的基本构建模块。

源代码 (Source code): 用编程语言编写的、可供人类阅读的指令集, 用于定义软件应用程序的运行方式。源代码可以是公开可访问且可修改的 (开源), 也可以是私有且由其所有者控制的 (闭源)。

奉承 (Sycophancy): 通用型人工智能模型和系统存在一种倾向, 即倾向于取悦或迎合用户, 即使这意味着提供不准确或有害的信息。

合成数据 (Synthetic data): 人工生成的数据, 例如文本或图像, 有时用于训练人工智能模型, 例如当其来源的高质量数据稀缺时。

(人工智能) 系统 (System): 将一个或多个人工智能模型与其他组件 (如聊天界面) 集成组合, 以支持实际部署和运行。

系统性风险 (Systemic risks): 指人工智能的开发与部署改变人类行为、组织实践或社会结构所引发的风险, 而非直接源于人工智能能力本身。(请注意, 这与欧盟《人工智能法案》中对“系统性风险”的定义不同。在那里, 该术语指代“通用型人工智能模型特有的、具有重大影响力的风险”。)

系统理论程序分析 (STPA): 一种危害分析方法, 其超越个别组件故障以识别系统部件、人类因素或环境状况间互动如何导致事故。

(人工智能) 系统集成 (System integration): 将人工智能模型与其他软件组件整合, 以构建可供使用的人工智能系统的过程。例如, 集成可能涉及将通用型人工智能模型与内容过滤器和用户界面相结合, 从而生成聊天机器人应用程序。

(人工智能) 系统监测 (System monitoring) : 在系统运行过程中对其进行检查, 以识别其性能或安全方面存在的问题。

篡改 (Tampering) : 秘密干预系统开发以影响其行为, 例如向人工智能系统植入隐藏代码, 从而实现未经授权的控制。

威胁建模 (Threat modelling) : 一种过程用于识别人工智能模型或系统中的漏洞, 并预测其可能被利用、滥用或造成的其他危害。

毒素 (Toxin) : 由生物体 (如细菌、植物或动物) 产生的有毒物质, 或人工合成的模拟天然毒素的物质, 其毒性强度和接触剂量不同, 可导致其他生物体患病、受伤或死亡。

TPU (Tensor processing unit, 张量处理器) : 谷歌为加速机器学习工作负载而开发的专用计算机芯片, 现已广泛用于处理大规模计算任务, 以训练和运行人工智能模型。

(人工智能模型的) 训练 (Training) : 一个多阶段过程, 包括预训练和后训练, 通过该过程, 人工智能模型从数据中学习以发展和提升其能力。在训练过程中, 模型权重会根据训练样本反复调整, 从而使其能够识别模式并执行不同任务。

Transformer 架构: 支撑大多数现代通用型人工智能模型开发的基础神经网络架构。它使模型能够利用海量训练数据和计算资源有效提升其能力。

提升研究 (uplift study) : 一项系统性评估, 旨在比较人类在执行特定任务时, 使用人工智能模型或系统的表现与相关基准 (如仅使用互联网访问而未使用人工智能的表现) 之间的差异。提升研究由此衡量人工智能模型或系统相对于基准线所提供的边际贡献。

视觉-语言-行动 (VLA) 模型: 一类多模态基础模型, 其可通过将视觉内容和自然语言指令作为输入并返回运动控制作为输出以实现机器人行动。

漏洞 (Vulnerability) : 系统中可能被恶意行为者利用以造成伤害的弱点或缺陷。

水印 (Watermark) : 一种嵌入文本、图像、视频或音频中的图案或标记, 可见或不可见, 例如用于标明来源或防止未经授权的使用。

网络爬虫 (Web crawling) : 使用自动化程序 (通常称为爬虫或机器人) 浏览网络并从网站收集数据。

权重 (Weights) : 表示神经网络中不同节点之间连接强度的模型参数。权重在决定模型对给定输入的输出方面起着重要作用, 并在模型训练过程中通过迭代更新来提升其性能。

举报 (或吹哨) (Whistleblowing) : 组织成员向内部或外部机构或公众披露组织内部发生的非法或不道德行为的信息。

零日漏洞 (Zero-day vulnerability) : 软件或硬件中存在的安保漏洞, 供应商对此尚不知情, 这意味着在漏洞被利用前, 供应商只有“零天”时间来修复它。

格式化引文

Y. Bengio、S. Clare、C. Prunkl、M. Murray、M. Andriushchenko、B. Bucknall、R. Bommasani、S. Casper、T. Davidson、R. Douglas、D. Duvenaud、P. Fox、U. Gohar、R. Hadshar、A. Ho、T. Hu、C. Jones、S. Kapoor、A. Kasirzadeh、S. Manning、N. Maslej、V. Mavroudis、C. McGlynn、R. Moulange、J. Newman、K. Y. Ng、P. Paskov、S. Rismani、G. Sastry、E. Seger、S. Singer、C. Stix、L. Velasco、N. Wheeler、D. Acemoglu、V. Conitzer、T. G. Dietterich、E. W. Felten、F. Heintz、G. Hinton、N. Jennings、S. Leavy、T. Ludermit、V. Marda、H. Margetts、J. McDermid、J. Munga、A. Narayanan、A. Nelson、C. Neppel、S. D. Ramchurn、S. Russell、M. Schaake、B. Schölkopf、A. Soto、L. Tiedrich、G. Varoquaux、A. Yao、Y.-Q. Zhang、L. A. Aguirre、O. Ajala、F. Albalawi、N. AlMalek、C. Busch、J. Collas、A. C. P. de L. F. de Carvalho、A. Gill、A. H. Hatip、J. Heikkilä、C. Johnson、G. Jolly、Z. Katzir、M. N. Kerema、H. Kitano、A. Krüger、K. M. Lee、J. R. López Portillo、A. McLysaght、O. Molchanovskiy、A. Monti、M. Nemer、N. Oliver、R. Pezoa、A. Plonk、B. Ravindran、H. Riza、C. Rugege、H. Sheikh、D. Wong、Y. Zeng、L. Zhu、D. Privitera、S. Mindermann, “International AI Safety Report 2026 ” (DSIT 2026/001, 2026); <https://internationalaisafetyreport.org>

Bibtex entry

```
@techreport{ISRSAA2026,
title = {International {AI} Safety Report 2026},
author = {Bengio, Yoshua and Clare, Stephen
and Prunkl, Carina and Murray, Malcolm and
Andriushchenko, Maksym and Bucknall, Ben
and Bommasani, Rishi and Casper, Stephen
and Davidson, Tom and Douglas, Raymond and
Duvenaud, David and Fox, Philip and Gohar,
Usman and Hadshar, Rose and Ho, Anson and
```

Hu, Tiancheng and Jones, Cameron and Kapoor, Sayash and Kasirzadeh, Atoosa and Manning, Sam and Maslej, Nestor and Mavroudis, Vasilios and McGlynn, Conor and Moulange, Richard and Newman, Jessica and Ng, Kwan Yee and Paskov, Patricia and Rismani, Shalaleh and Sastry, Girish and Seger, Elizabeth and Singer, Scott and Stix, Charlotte and Velasco, Lucia and Wheeler, Nicole and Acemoglu, Daron and Conitzer, Vincent and Dietterich, Thomas G. and Felten, Edward W. and Heintz, Fredrik and Hinton, Geoffrey and Jennings, Nick and Leavy, Susan and Ludermit, Teresa and Marda, Vidushi and Margetts, Helen and McDermid, John and Munga, Jane and Narayanan, Arvind and Nelson, Alondra and Neppel, Clara and Ramchurn, Sarvapali D. and Russell, Stuart and Schaake, Marietje and Schölkopf, Bernhard and Soto, Alvaro and Tiedrich, Lee and Varoquaux, Gaël and Yao, Andrew and Zhang, Ya-Qin and Aguirre, Leandro Angelo and Ajala, Olubunmi and Albalawi, Fahad and AlMalek, Noora and Busch, Christian and Collas, Jonathan and {de Carvalho}, André Carlos Ponce de Leon Ferreira and Gill, Amandeep and Hatip, Ahmet Halit and Heikkilä, Juha and Johnson, Chris and Jolly, Gill and Katzir, Ziv and Kerema, Mary N. and Kitano, Hiroaki and Krüger, Antonio and Lee, Kyoung Mu and {López Portillo}, Joselyn Ramon and McLysaght, Aoife and Molchanovskiy, Olexii and Monti, Andrea and Nemer, Mona and Oliver, Nuria and Pezoa, Raquel and Plonk, Audrey and Ravindran, Balaraman and Riza, Hammam and Rugege, Crystal and Sheikh, Haroon and Wong, Denise and Zeng, Yi and Zhu, Liming and Privitera, Daniel and Mindermann, Sören},

```
year = 2026,
number = {DSIT 2026/001},
url = {https://internationalaisafetyreport.org},
institution = {Department for Science,
Innovation and Technology}
```

参考文献

星号 (*) 表示“行业关联参考文献”：由盈利性人工智能公司、或其超过一半作者与这类公司关联发表的论文。

- 1 A. Hernández-Cano, A. Hägele, A. H. Huang, A. Romanou, A.-J. Solergibert, B. Pasztor, B. Messmer, D. Garbaya, E. F. Ďurech, I. Hakimi, J. G. Giraldo, M. Ismayilzada, N. Foroutan, S. Moalla, T. Chen, V. Sabolčec, Y. Xu, ... I. Schlag, Apertus: Democratizing Open and Compliant LLMs for Global Language Environments, *arXiv [cs.CL]* (2025); <http://dx.doi.org/10.48550/arXiv.2509.14233>.
- 2* Anthropic, “System Card: Claude Sonnet 4.5” (Anthropic, 2025); <https://assets.anthropic.com/m/12f214efcc2f457a/original/Claude-Sonnet-4-5-System-Card.pdf>.
- 3* Team Cohere, Aakanksha, A. Ahmadian, M. Ahmed, J. Alammar, M. Alizadeh, Y. Alnumay, S. Althammer, A. Arkhangorodsky, V. Aryabumi, D. Aumiller, R. Avalos, Z. Aviv, S. Bae, S. Baji, A. Barbet, M. Bartolo, ... Z. Zhao, Command A: An Enterprise-Ready Large Language Model, *arXiv [cs.CL]* (2025); <http://dx.doi.org/10.48550/arXiv.2504.00698>.
- 4* LG AI Research, K. Bae, E. Choi, K. Choi, S. J. Choi, Y. Choi, K. Han, S. Hong, J. Hwang, T. Hwang, J. Jang, H. Jeon, K. Jeon, G. J. Jo, H. Jo, J. Jung, E. Kim, ... H. Yun, EXAONE 4.0: Unified Large Language Models Integrating Non-Reasoning and Reasoning Modes, *arXiv [cs.CL]* (2025); <http://dx.doi.org/10.48550/arXiv.2507.11407>.
- 5* Google, “Gemini 3 Pro Model Card” (Google, 2025); <https://storage.googleapis.com/deepmind-media/Model-Cards/Gemini-3-Pro-Model-Card.pdf>.
- 6* GLM-4.5 Team, A. Zeng, X. Lv, Q. Zheng, Z. Hou, B. Chen, C. Xie, C. Wang, D. Yin, H. Zeng, J. Zhang, K. Wang, L. Zhong, M. Liu, R. Lu, S. Cao, X. Zhang, ... J. Tang, GLM-4.5: Agentic, Reasoning, and Coding (ARC) Foundation Models, *arXiv [cs.CL]* (2025); <http://arxiv.org/abs/2508.06471>.
- 7* OpenAI, “GPT-5 System Card” (OpenAI, 2025); <https://cdn.openai.com/gpt-5-system-card.pdf>.
- 8* X. Sun, Y. Chen, Y. Huang, R. Xie, J. Zhu, K. Zhang, S. Li, Z. Yang, J. Han, X. Shu, J. Bu, Z. Chen, X. Huang, F. Lian, S. Yang, J. Yan, Y. Zeng, ... J. Jiang, Hunyuan-Large: An Open-Source MoE Model with 52 Billion Activated Parameters by Tencent, *arXiv [cs.CL]* (2024); <http://arxiv.org/abs/2411.02265>.
- 9* Kimi Team, Y. Bai, Y. Bao, G. Chen, J. Chen, N. Chen, R. Chen, Y. Chen, Y. Chen, Y. Chen, Z. Chen, J. Cui, H. Ding, M. Dong, A. Du, C. Du, D. Du, ... X. Zu, Kimi K2: Open Agentic Intelligence, *arXiv [cs.LG]* (2025); <http://arxiv.org/abs/2507.20534>.
- 10* Mistral AI, Model Card for Mistral-Small-3.1-24B-Base-2503 (2025); <https://huggingface.co/mistralai/Mistral-Small-3.1-24B-Base-2503>.
- 11* A. Yang, A. Li, B. Yang, B. Zhang, B. Hui, B. Zheng, B. Yu, C. Gao, C. Huang, C. Lv, C. Zheng, D. Liu, F. Zhou, F. Huang, F. Hu, H. Ge, H. Wei, ... Z. Qiu, Qwen3 Technical Report, *arXiv [cs.CL]* (2025); <http://arxiv.org/abs/2505.09388>.
- 12* DeepSeek-AI, A. Liu, A. Mei, B. Lin, B. Xue, B. Wang, B. Xu, B. Wu, B. Zhang, C. Lin, C. Dong, C. Lu, C. Zhao, C. Deng, C. Xu, C. Ruan, D. Dai, ... Z. Qu, DeepSeek-V3.2: Pushing the Frontier of Open Large Language Models, *arXiv [cs.CL]* (2025); <http://arxiv.org/abs/2512.02556>.
- 13* OpenAI, “DALL-E 3 System Card” (OpenAI, 2023); https://cdn.openai.com/papers/DALL_E_3_System_Card.pdf.
- 14* G. Comanici, E. Bieber, M. Schaeckermann, I. Pasupat, N. Sachdeva, I. Dhillion, M. Blistein, O. Ram, D. Zhang, E. Rosen, L. Marris, S. Petulla, C. Gaffney, A. Aharoni, N. Lintz, T. C. Pais, H. Jacobsson, ... N. K. Bhumiher, “Gemini 2.5: Pushing the Frontier with Advanced Reasoning, Multimodality, Long Context, and Next Generation Agentic Capabilities” (Google DeepMind, 2025); https://storage.googleapis.com/deepmind-media/gemini/gemini_v2_5_report.pdf.
- 15* Midjourney, V7 Alpha (2025); <https://updates.midjourney.com/v7-alpha/>.
- 16* C. Wu, J. Li, J. Zhou, J. Lin, K. Gao, K. Yan, S.-M. Yin, S. Bai, X. Xu, Y. Chen, Y. Chen, Z. Tang, Z. Zhang, Z. Wang, A. Yang, B. Yu, C. Cheng, ... Z. Liu, Qwen-Image Technical Report, *arXiv [cs.CV]* (2025); <http://arxiv.org/abs/2508.02324>.
- 17* Nvidia, N. Agarwal, A. Ali, M. Bala, Y. Balaji, E. Barker, T. Cai, P. Chattopadhyay, Y. Chen, Y. Cui, Y. Ding, D. Dworakowski, J. Fan, M. Fenzi, F. Ferroni, S. Fidler, D. Fox, ... A. Zolkowski, Cosmos World Foundation Model Platform for Physical AI, *arXiv [cs.CV]* (2025); <http://arxiv.org/abs/2501.03575>.
- 18* T. Brooks, B. Peebles, C. Holmes, W. DePue, Y. Guo, L. Jing, D. Schnurr, J. Taylor, T. Luhman, E. Luhman, C. Ng, R. Wang, A. Ramesh, “Video Generation Models as World Simulators” (OpenAI, 2024); <https://openai.com/research/video-generation-models-as-world-simulators>.
- 19 B. Guo, X. Shan, J. Chung, A Comparative Study on the Features and Applications of AI Tools: Focus on PIKA Labs and RUNWAY. *International Journal of Internet, Broadcasting and Communication* **16**, 86–91 (2024); <https://doi.org/10.7236/ijbc.2024.16.1.86>.
- 20* Google, “Veo 3 Model Card” (Google, 2025); <https://storage.googleapis.com/deepmind-media/Model-Cards/Veo-3-Model-Card.pdf>.

- 21*** Gemini Robotics Team, S. Abeyruwan, J. Ainslie, J.-B. Alayrac, M. G. Arenas, T. Armstrong, A. Balakrishna, R. Baruch, M. Bauza, M. Blokzijl, S. Bohez, K. Bousmalis, A. Brohan, T. Buschmann, A. Byravan, S. Cabi, K. Caluwaerts, ... Y. Zhou, Gemini Robotics: Bringing AI into the Physical World, *arXiv [cs.RO]* (2025); <http://arxiv.org/abs/2503.20020>.
- 22*** Nvidia, J. Bjorck, F. Castañeda, N. Cherniadev, X. Da, R. Ding, L. Fan, Y. Fang, D. Fox, F. Hu, S. Huang, J. Jang, Z. Jiang, J. Kautz, K. Kundalia, L. Lao, Z. Li, ... Y. Zhu, GR00T N1: An Open Foundation Model for Generalist Humanoid Robots, *arXiv [cs.RO]* (2025); <http://arxiv.org/abs/2503.14734>.
- 23** Z. Fu, T. Z. Zhao, C. Finn, Mobile ALOHA: Learning Bimanual Mobile Manipulation with Low-Cost Whole-Body Teleoperation, *arXiv [cs.RO]* (2024); <http://arxiv.org/abs/2401.02117>.
- 24*** Octo Model Team, D. Ghosh, H. Walke, K. Pertsch, K. Black, O. Mees, S. Dasari, J. Hejna, T. Kreiman, C. Xu, J. Luo, Y. L. Tan, L. Y. Chen, P. Sanketi, Q. Vuong, T. Xiao, D. Sadigh, ... S. Levine, Octo: An Open-Source Generalist Robot Policy, *arXiv [cs.RO]* (2024); <http://arxiv.org/abs/2405.12213>.
- 25*** M. J. Kim, K. Pertsch, S. Karamcheti, T. Xiao, A. Balakrishna, S. Nair, R. Rafailov, E. Foster, G. Lam, P. Sanketi, Q. Vuong, T. Kollar, B. Burchfiel, R. Tedrake, D. Sadigh, S. Levine, P. Liang, C. Finn, OpenVLA: An Open-Source Vision-Language-Action Model, *arXiv [cs.RO]* (2024); <http://arxiv.org/abs/2406.09246>.
- 26** D. Driess, F. Xia, M. S. M. Sajjadi, C. Lynch, A. Chowdhery, B. Ichter, A. Wahid, J. Tompson, Q. Vuong, T. Yu, W. Huang, Y. Chebotar, P. Sermanet, D. Duckworth, S. Levine, V. Vanhoucke, K. Hausman, ... P. Florence, "PaLM-E: An Embodied Multimodal Language Model" in *Proceedings of the 40th International Conference on Machine Learning (ICML'23)* (PMLR, Honolulu, HI, USA, 2023) vol. 202, pp. 8469–8488; <https://dl.acm.org/doi/10.5555/3618408.3618748>.
- 27** J. Abramson, J. Adler, J. Dunger, R. Evans, T. Green, A. Pritzel, O. Ronneberger, L. Willmore, A. J. Ballard, J. Bambrick, S. W. Bodenstein, D. A. Evans, C.-C. Hung, M. O'Neill, D. Reiman, K. Tunyasuvunakool, Z. Wu, ... J. M. Jumper, Accurate Structure Prediction of Biomolecular Interactions with AlphaFold 3. *Nature* **630**, 493–500 (2024); <https://doi.org/10.1038/s41586-024-07487-w>.
- 28** Q. Fournier, R. M. Vernon, A. van der Sloot, B. Schulz, S. Chandar, C. J. Langmead, Protein Language Models: Is Scaling Necessary?, *bioRxiv* (2024); <https://doi.org/10.1101/2024.09.23.614603>.
- 29** Y. Zeng, J. Xie, N. Shanguan, Z. Wei, W. Li, Y. Su, S. Yang, C. Zhang, J. Zhang, N. Fang, H. Zhang, Y. Lu, H. Zhao, J. Fan, W. Yu, Y. Yang, CellFM: A Large-Scale Foundation Model Pre-Trained on Transcriptomics of 100 Million Human Cells. *Nature Communications* **16**, 4679 (2025); <https://doi.org/10.1038/s41467-025-59926-5>.
- 30** G. Brix, M. G. Durrant, J. Ku, M. Poli, G. Brockman, D. Chang, G. A. Gonzalez, S. H. King, D. B. Li, A. T. Merchant, M. Naghipourfar, E. Nguyen, C. Ricci-Tam, D. W. Romero, G. Sun, A. Taghibakshi, A. Vorontsov, ... B. Hie, Genome Modeling and Design across All Domains of Life with Evo 2, *bioRxiv* (2025); <https://doi.org/10.1101/2025.02.18.638918>.
- 31*** A. Novikov, N. Vū, M. Eisenberger, E. Dupont, P.-S. Huang, A. Z. Wagner, S. Shirobokov, B. Kozlovskii, F. J. R. Ruiz, A. Mehrabian, M. P. Kumar, A. See, S. Chaudhuri, G. Holland, A. Davies, S. Nowozin, P. Kohli, M. Balog, AlphaEvolve: A Coding Agent for Scientific and Algorithmic Discovery, *arXiv [cs.AI]* (2025); <http://arxiv.org/abs/2506.13131>.
- 32*** OpenAI, "ChatGPT Agent System Card" (2025); https://cdn.openai.com/pdf/839e66fc-602c-48bf-81d3-b21eacc3459d/chatgpt_agent_system_card.pdf.
- 33*** Anthropic, "System Card: Claude Opus 4 & Claude Sonnet 4" (Anthropic, 2025); <https://www-cdn.anthropic.com/07b2a3f9902ee19fe39a36ca638e5ae987bc64dd.pdf>.
- 34*** ByteDance, Doubao 1.5-pro (2025); https://seed.bytedance.com/zh/special/doubao_1_5_pro.
- 35*** A. Fourney, G. Bansal, H. Mozannar, C. Tan, E. Salinas, E. Zhu, F. Nietdner, G. Proebsting, G. Bassman, J. Gerrits, J. Alber, P. Chang, R. Loynd, R. West, V. Dibia, A. Awadallah, E. Kamar, ... S. Amershi, "Magentic-One: A Generalist Multi-Agent System for Solving Complex Tasks" (Microsoft, 2024); <https://www.microsoft.com/en-us/research/publication/magentic-one-a-generalist-multi-agent-system-for-solving-complex-tasks/>.
- 36*** A. Asai, J. He, R. Shao, W. Shi, A. Singh, J. C. Chang, K. Lo, L. Soldaini, S. Feldman, M. D'arcy, D. Wadden, M. Latzke, M. Tian, P. Ji, S. Liu, H. Tong, B. Wu, ... H. Hajishirzi, OpenScholar: Synthesizing Scientific Literature with Retrieval-Augmented LMs, *arXiv [cs.CL]* (2024); <http://arxiv.org/abs/2411.14199>.
- 37*** Y. Yamada, R. T. Lange, C. Lu, S. Hu, C. Lu, J. Foerster, J. Clune, D. Ha, "The AI Scientist-v2: Workshop-Level Automated Scientific Discovery via Agentic Tree Search" (Sakana AI, 2025); <https://arxiv.org/abs/2504.08066>.
- 38*** Google DeepMind, Project Mariner (2025); <https://deepmind.google/models/project-mariner/>.
- 39*** Manus AI, Manus (2025); <https://manus.im/>.
- 40** A. E. Chu, T. Lu, P.-S. Huang, Sparks of Function by de Novo Protein Design. *Nature Biotechnology* **42**, 203–215 (2024); <https://doi.org/10.1038/s41587-024-02133-2>.
- 41** I. Goodfellow, Y. Bengio, A. Courville, *Deep Learning* (MIT Press, 2016); <https://www.deeplearningbook.org/>.
- 42** Y. LeCun, Y. Bengio, G. Hinton, Deep Learning. *Nature* **521**, 436–444 (2015); <https://doi.org/10.1038/nature14539>.
- 43** A. Vaswani, N. Shazeer, N. Parmar, J. Uszkoreit, L. Jones, A. N. Gomez, Ł. U. Kaiser, I. Polosukhin, "Attention Is All You Need" in *Advances in Neural Information Processing Systems* (Curran Associates, Inc., 2017) vol. 30; https://papers.nips.cc/paper_files/

paper/2017/hash/3f5ee243547dee91fbd053c1c4a845aa-Abstract.html.

44 T. Lin, Y. Wang, X. Liu, X. Qiu, A Survey of Transformers. *AI Open* **3**, 111–132 (2022); <https://doi.org/10.1016/j.aiopen.2022.10.001>.

45 D. Bahdanau, K. Cho, Y. Bengio, Neural Machine Translation by Jointly Learning to Align and Translate, *arXiv [cs.CL]* (2014); <http://arxiv.org/abs/1409.0473>.

46 A. Gillioz, J. Casas, E. Mugellini, O. A. Khaled, "Overview of the Transformer-Based Models for NLP Tasks" in *Annals of Computer Science and Information Systems* (IEEE, 2020) vol. 21, pp. 179–183; <https://doi.org/10.15439/2020f20>.

47* A. Dosovitskiy, L. Beyer, A. Kolesnikov, D. Weissenborn, X. Zhai, T. Unterthiner, M. Dehghani, M. Minderer, G. Heigold, S. Gelly, J. Uszkoreit, N. Houlsby, An Image Is Worth 16x16 Words: Transformers for Image Recognition at Scale, *arXiv [cs.CV]* (2020); <http://arxiv.org/abs/2010.11929>.

48* X. Chen, Y. Wu, Z. Wang, S. Liu, J. Li, Developing Real-Time Streaming Transformer Transducer for Speech Recognition on Large-Scale Dataset, *arXiv [cs.CL]* (2020); <http://arxiv.org/abs/2010.11395>.

49 A. Gulati, J. Qin, C.-C. Chiu, N. Parmar, Y. Zhang, J. Yu, W. Han, S. Wang, Z. Zhang, Y. Wu, R. Pang, "Conformer: Convolution-Augmented Transformer for Speech Recognition" in *Interspeech 2020* (ISCA, 2020); <https://doi.org/10.21437/interspeech.2020-3015>.

50 Y. Bengio, S. Mindermann, D. Privitera, T. Besiroglu, R. Bommasani, S. Casper, Y. Choi, P. Fox, B. Garfinkel, D. Goldfarb, H. Heidari, A. Ho, S. Kapoor, L. Khalatbari, S. Longpre, S. Manning, V. Mavroudis, ... Y. Zeng, "International AI Safety Report" (Department for Science, Innovation and Technology, 2025); <https://www.gov.uk/government/publications/international-ai-safety-report-2025>.

51 L. Heim, T. Fist, J. Egan, S. Huang, S. Zekany, R. Trager, M. Osborne, N. Zilberman, "Governing Through the Cloud: The Intermediary Role of Compute Providers in AI Regulation" (Oxford Martin AI Governance Initiative, 2024); <https://cdn.governance.ai/Governing-Through-the-Cloud-The-Intermediary-Role-of-Compute-Providers-in-AI-Regulation.pdf>.

52 G. Sastry, L. Heim, H. Belfield, M. Anderljung, M. Brundage, J. Hazell, C. O'Keefe, G. K. Hadfield, R. Ngo, K. Pilz, G. Gor, E. Bluemke, S. Shoker, J. Egan, R. F. Trager, S. Avin, A. Weller, ... D. Coyle, Computing Power and the Governance of Artificial Intelligence, *arXiv [cs.CY]* (2024); <http://arxiv.org/abs/2402.08797>.

53 J. Muldoon, C. Cant, B. Wu, M. Graham, A Typology of Artificial Intelligence Data Work. *Big Data & Society* **11** (2024); <https://doi.org/10.1177/20539517241232632>.

54 P. Maini, S. Goyal, D. Sam, A. Robey, Y. Savani, Y. Jiang, A. Zou, Z. C. Lipton, J. Z. Kolter, Safety Pretraining: Toward the next Generation of Safe AI, *arXiv [cs.LG]* (2025); <http://arxiv.org/abs/2504.16980>.

55 K. O'Brien, S. Casper, Q. Anthony, T. Korbak, R. Kirk, X. Davies, I. Mishra, G. Irving, Y. Gal, S. Biderman, Deep Ignorance: Filtering Pretraining Data Builds Tamper-Resistant Safeguards into Open-Weight LLMs, *arXiv [cs.LG]* (2025); <http://arxiv.org/abs/2508.06601>.

56 A. Chapman, L. Lauro, P. Missier, R. Torlone, Supporting Better Insights of Data Science Pipelines with Fine-Grained Provenance. *ACM Transactions on Database Systems* (2024); <https://doi.org/10.1145/3644385>.

57 S. Longpre, R. Mahari, A. Chen, N. Obeng-Marnu, D. Sileo, W. Brannon, N. Muennighoff, N. Khazam, J. Kabbara, K. Perisetla, X. Wu, E. Shippole, K. Bollacker, T. Wu, L. Villa, S. Pentland, S. Hooker, The Data Provenance Initiative: A Large Scale Audit of Dataset Licensing & Attribution in AI, *arXiv [cs.CL]* (2023); <http://arxiv.org/abs/2310.16787>.

58 G. Garofalo, M. Slokom, D. Preuveneers, W. Joosen, M. Larson, "Machine Learning Meets Data Modification" in *Security and Artificial Intelligence* (Springer International Publishing, Cham, 2022), *Lecture Notes in Computer Science*, pp. 130–155; https://doi.org/10.1007/978-3-030-98795-4_7.

59 L. Emberson, The Length of Time Spent Training Notable Models Is Growing. (2024); <https://epoch.ai/data-insights/training-length-trend>.

60 K. F. Pilz, J. Sanders, R. Rahman, L. Heim, Trends in AI Supercomputers. (2025); <http://arxiv.org/abs/2504.16026>.

61 R. Rafailov, A. Sharma, E. Mitchell, C. D. Manning, S. Ermon, C. Finn, "Direct Preference Optimization: Your Language Model Is Secretly a Reward Model" in *37th Conference on Neural Information Processing Systems (NeurIPS 2023)* (New Orleans, LA, USA, 2023); <https://openreview.net/forum?id=HPuSIXJaa9>.

62 C. Zhou, P. Liu, P. Xu, S. Iyer, J. Sun, Y. Mao, X. Ma, A. Efrat, P. Yu, L. Yu, S. Zhang, G. Ghosh, M. Lewis, L. Zettlemoyer, O. Levy, "LIMA: Less Is More for Alignment" in *37th Conference on Neural Information Processing Systems (NeurIPS 2023)* (New Orleans, LA, USA, 2023); <https://openreview.net/forum?id=KBMOKmX2he>.

63 L. Ouyang, J. Wu, X. Jiang, D. Almeida, C. Wainwright, P. Mishkin, C. Zhang, S. Agarwal, K. Slama, A. Gray, J. Schulman, J. Hilton, F. Kelton, L. Miller, M. Simens, A. Askell, P. Welinder, ... R. Lowe, "Training Language Models to Follow Instructions with Human Feedback" in *36th Conference on Neural Information Processing Systems (NeurIPS 2022)* (New Orleans, LA, USA, 2022); <https://openreview.net/forum?id=TG8KACxEON>.

64* Y. Bai, A. Jones, K. Ndousse, A. Askell, A. Chen, N. DasSarma, D. Drain, S. Fort, D. Ganguli, T. Henighan, N. Joseph, S. Kadavath, J. Kernion, T. Conerly, S. El-Showk, N. Elhage, Z. Hatfield-Dodds, ... J. Kaplan, Training a Helpful and Harmless Assistant with Reinforcement Learning from Human Feedback, *arXiv [cs.CL]* (2022); <http://dx.doi.org/10.48550/arXiv.2204.05862>.

- 65*** M. Sharma, M. Tong, J. Mu, J. Wei, J. Kruthoff, S. Goodfriend, E. Ong, A. Peng, R. Agarwal, C. Anil, A. Askell, N. Bailey, J. Benton, E. Bluemke, S. R. Bowman, E. Christiansen, H. Cunningham, ... E. Perez, Constitutional Classifiers: Defending against Universal Jailbreaks across Thousands of Hours of Red Teaming, *arXiv [cs.CL]* (2025); <http://arxiv.org/abs/2501.18837>.
- 66** T. Davidson, J.-S. Denain, P. Villalobos, G. Bas, “AI Capabilities Can Be Significantly Improved without Expensive Retraining” (Epoch AI, 2023); <http://arxiv.org/abs/2312.07413>.
- 67** M. Stein, C. Dunlop, Safe beyond Sale: Post-Deployment Monitoring of AI (2024); <https://www.adalovelaceinstitute.org/blog/post-deployment-monitoring-of-ai/>.
- 68*** D. Aggarwal, S. Damle, N. Goyal, S. Lokam, S. Sitaram, Exploring Continual Fine-Tuning for Enhancing Language Ability in Large Language Model, *arXiv [cs.CL]* (2024); <http://arxiv.org/abs/2410.16006>.
- 69*** A. Nie, Y. Su, B. Chang, J. N. Lee, E. H. Chi, Q. V. Le, M. Chen, EVOLvE: Evaluating and Optimizing LLMs for in-Context Exploration, *arXiv [cs.LG]* (2024); <http://dx.doi.org/10.48550/arXiv.2410.06238>.
- 70** A. Setlur, N. Rajaraman, S. Levine, A. Kumar, Scaling Test-Time Compute without Verification or RL Is Suboptimal, *arXiv [cs.LG]* (2025); <http://dx.doi.org/10.48550/arXiv.2502.12118>.
- 71** J. Wei, X. Wang, D. Schuurmans, M. Bosma, B. Ichter, F. Xia, E. Chi, Q. V. Le, D. Zhou, “Chain-of-Thought Prompting Elicits Reasoning in Large Language Models” in *Advances in Neural Information Processing Systems* (Curran Associates, New Orleans, LA, US, 2022) vol. 35, pp. 24824–24837; https://proceedings.neurips.cc/paper_files/paper/2022/hash/9d5609613524ecf4f15af0f7b31abca4-Abstract-Conference.html.
- 72** S. Yao, D. Yu, J. Zhao, I. Shafraan, T. L. Griffiths, Y. Cao, K. R. Narasimhan, “Tree of Thoughts: Deliberate Problem Solving with Large Language Models” in *37th Conference on Neural Information Processing Systems (NeurIPS 2023)* (New Orleans, LA, USA, 2023); <https://openreview.net/forum?id=5Xc1ecxO1h>.
- 73** K. Kumar, T. Ashraf, O. Thawakar, R. M. Anwer, H. Cholakkal, M. Shah, M.-H. Yang, P. H. S. Torr, F. S. Khan, S. Khan, LLM Post-Training: A Deep Dive into Reasoning Large Language Models, *arXiv [cs.CL]* (2025); <http://arxiv.org/abs/2502.21321>.
- 74** S. Feng, G. Fang, X. Ma, X. Wang, Efficient Reasoning Models: A Survey, *arXiv [cs.CL]* (2025); <http://arxiv.org/abs/2504.10903>.
- 75** Y. Huang, L. F. Yang, Gemini 2.5 Pro Capable of Winning Gold at IMO 2025, *arXiv [cs.AI]* (2025); <http://arxiv.org/abs/2507.15855>.
- 76** D. Castelvécchi, DeepMind and OpenAI Models Solve Maths Problems at Level of Top Students. *Nature* **644**, 20 (2025); <https://doi.org/10.1038/d41586-025-02343-x>.
- 77** Z.-Z. Li, D. Zhang, M.-L. Zhang, J. Zhang, Z. Liu, Y. Yao, H. Xu, J. Zheng, P.-J. Wang, X. Chen, Y. Zhang, F. Yin, J. Dong, Z. Li, B.-L. Bi, L.-R. Mei, J. Fang, ... C.-L. Liu, From System 1 to System 2: A Survey of Reasoning Large Language Models, *arXiv [cs.AI]* (2025); <http://arxiv.org/abs/2502.17419>.
- 78** S. V. Marjanović, A. Patel, V. Adlakha, M. Aghajohari, P. BehnamGhader, M. Bhatia, A. Khandelwal, A. Kraft, B. Krojer, X. H. Lù, N. Meade, D. Shin, A. Kazemnejad, G. Kamath, M. Mosbach, K. Stańczak, S. Reddy, DeepSeek-R1 Thoughtology: Let’s Think about LLM Reasoning, *arXiv [cs.CL]* (2025); <http://dx.doi.org/10.48550/arXiv.2504.07128>.
- 79** I. Arcuschin, J. Janiak, R. Krzyzanowski, S. Rajamanoharan, N. Nanda, A. Conmy, Chain-of-Thought Reasoning in the Wild Is Not Always Faithful, *arXiv [cs.AI]* (2025); <http://dx.doi.org/10.48550/arXiv.2503.08679>.
- 80*** G. Hinton, O. Vinyals, J. Dean, Distilling the Knowledge in a Neural Network, *arXiv [stat.ML]* (2015); <http://arxiv.org/abs/1503.02531>.
- 81*** DeepSeek-AI, A. Liu, B. Feng, B. Xue, B. Wang, B. Wu, C. Lu, C. Zhao, C. Deng, C. Zhang, C. Ruan, D. Dai, D. Guo, D. Yang, D. Chen, D. Ji, E. Li, ... Z. Pan, DeepSeek-V3 Technical Report, *arXiv [cs.CL]* (2024); <http://arxiv.org/abs/2412.19437>.
- 82** J. Hao, Q. Huang, H. Liu, X. Xiao, Z. Ren, J. Yu, A Token Is Worth over 1,000 Tokens: Efficient Knowledge Distillation through Low-Rank Clone, *arXiv [cs.CL]* (2025); <http://arxiv.org/abs/2505.12781>.
- 83** Z. Li, H. Zhang, J. Zhang, Intermediate Distillation: Data-Efficient Distillation from Black-Box LLMs for Information Retrieval, *arXiv [cs.IR]* (2024); <http://arxiv.org/abs/2406.12169>.
- 84*** Z. Huang, H. Zou, X. Li, Y. Liu, Y. Zheng, E. Chern, S. Xia, Y. Qin, W. Yuan, P. Liu, O1 Replication Journey — Part 2: Surpassing O1-Preview through Simple Distillation, Big Progress or Bitter Lesson?, *arXiv [cs.CL]* (2024); <http://arxiv.org/abs/2411.16489>.
- 85** H. Dong, J. Jiang, R. Lu, J. Luo, J. Song, B. Li, Y. Shen, Z. Wang, Beyond A Single AI Cluster: A Survey of Decentralized LLM Training, *arXiv [cs.DC]* (2025); <http://arxiv.org/abs/2503.11023>.
- 86** W. Wei, L. Liu, Trustworthy Distributed AI Systems: Robustness, Privacy, and Governance, *arXiv [cs.LG]* (2024); <http://dx.doi.org/10.48550/arXiv.2402.01096>.
- 87** Y. Liu, J. Yin, W. Zhang, C. An, Y. Xia, H. Zhang, Integration of Federated Learning and AI-Generated Content: A Survey of Overview, Opportunities, Challenges, and Solutions. *IEEE Communications Surveys & Tutorials* **27**, 3308–3338 (2025); <https://doi.org/10.1109/comst.2024.3523350>.
- 88*** T. Masterman, S. Besen, M. Sawtell, A. Chao, The Landscape of Emerging AI Agent Architectures for Reasoning, Planning, and Tool Calling: A Survey, *arXiv [cs.AI]* (2024); <http://arxiv.org/abs/2404.11584>.
- 89** Z. Xi, W. Chen, X. Guo, W. He, Y. Ding, B. Hong, M. Zhang, J. Wang, S. Jin, E. Zhou, R. Zheng, X. Fan,

- X. Wang, L. Xiong, Y. Zhou, W. Wang, C. Jiang, ... T. Gui, The Rise and Potential of Large Language Model Based Agents: A Survey. *Science China Information Sciences* **68** (2025); <https://doi.org/10.1007/s11432-024-4222-0>.
- 90** M. Shen, Y. Li, L. Chen, Q. Yang, From Mind to Machine: The Rise of Manus AI as a Fully Autonomous Digital Agent, *arXiv [cs.AI]* (2025); <http://dx.doi.org/10.48550/arXiv.2505.02024>.
- 91** A. Ehtesham, A. Singh, G. K. Gupta, S. Kumar, A Survey of Agent Interoperability Protocols: Model Context Protocol (MCP), Agent Communication Protocol (ACP), Agent-to-Agent Protocol (A2A), and Agent Network Protocol (ANP), *arXiv [cs.AI]* (2025); <http://dx.doi.org/10.48550/arXiv.2505.02279>.
- 92** S. Casper, L. Bailey, R. Hunter, C. Ezell, E. Cabalé, M. Gerovitch, S. Slocum, K. Wei, N. Jurkovic, A. Khan, P. J. K. Christoffersen, A. P. Ozisik, R. Trivedi, D. Hadfield-Menell, N. Kolt, The AI Agent Index, *arXiv [cs.SE]* (2025); <http://arxiv.org/abs/2502.01635>.
- 93*** A. Singla, A. Sukharevsky, L. Yee, M. Chui, B. Hall, T. Balakrishnan, "The State of AI in 2025: Agents, Innovation, and Transformation" (QuantumBlack, AI by McKinsey, 2025); <https://www.mckinsey.com/capabilities/quantumblack/our-insights/the-state-of-ai>.
- 94*** Morning Consult, "Enterprise AI Development: Obstacles & Opportunities" (IBM and Morning Consult, 2025); https://filecache.mediaroom.com/mr5mr_ibmnewsroom/198591/Enterprise%20AI%20Development%20Survey.pdf.
- 95** J. Yang, C. E. Jimenez, A. Wettig, K. Lieret, S. Yao, K. Narasimhan, O. Press, "SWE-Agent: Agent-Computer Interfaces Enable Automated Software Engineering" in *Advances in Neural Information Processing Systems*, A. Globerson, L. Mackey, D. Belgrave, A. Fan, U. Paquet, J. Tomczak, C. Zhang, Eds. (Curran Associates, Inc., 2024) vol. 37, pp. 50528–50652; https://proceedings.neurips.cc/paper_files/paper/2024/file/5a7c947568c1b1328ccc5230172e1e7c-Paper-Conference.pdf.
- 96*** Z. Xu, K. Wu, J. Wen, J. Li, N. Liu, Z. Che, J. Tang, A Survey on Robotics with Foundation Models: Toward Embodied AI, *arXiv [cs.RO]* (2024); <http://arxiv.org/abs/2402.02385>.
- 97** M. Adam, M. Wessel, A. Benlian, AI-Based Chatbots in Customer Service and Their Effects on User Compliance. *Electronic Markets* **31**, 427–445 (2021); <https://doi.org/10.1007/s12525-020-00414-7>.
- 98** T. Kwa, B. West, J. Becker, A. Deng, K. Garcia, M. Hasin, S. Jawhar, M. Kinniment, N. Rush, S. Von Arx, R. Bloom, T. Broadley, H. Du, B. Goodrich, N. Jurkovic, L. H. Miles, S. Nix, ... L. Chan, "Measuring AI Ability to Complete Long Tasks" (Model Evaluation & Threat Research (METR), 2025); <https://arxiv.org/abs/2503.14499>.
- 99** A. Chan, R. Salganik, A. Markelius, C. Pang, N. Rajkumar, D. Krasheninnikov, L. Langosco, Z. He, Y. Duan, M. Carroll, M. Lin, A. Mayhew, K. Collins, M. Molamohammadi, J. Burden, W. Zhao, S. Rismani, ... T. Maharaj, "Harms from Increasingly Agentic Algorithmic Systems" in *Proceedings of the 2023 ACM Conference on Fairness, Accountability, and Transparency (FAccT '23)* (Association for Computing Machinery, New York, NY, USA, 2023), pp. 651–666; <https://doi.org/10.1145/3593013.3594033>.
- 100*** I. Gabriel, A. Manzini, G. Keeling, L. A. Hendricks, V. Rieser, H. Iqbal, N. Tomašev, I. Ktena, Z. Kenton, M. Rodriguez, S. El-Sayed, S. Brown, C. Akbulut, A. Trask, E. Hughes, A. Stevie Bergman, R. Shelby, ... J. Manyika, "The Ethics of Advanced AI Assistants" (Google DeepMind, 2024); <http://arxiv.org/abs/2404.16244>.
- 101** Team OLMo, P. Walsh, L. Soldaini, D. Groeneveld, K. Lo, S. Arora, A. Bhagia, Y. Gu, S. Huang, M. Jordan, N. Lambert, D. Schwenk, O. Tafjord, T. Anderson, D. Atkinson, F. Brahman, C. Clark, ... H. Hajishirzi, 2 OLMo 2 Furious, *arXiv [cs.CL]* (2024); <http://arxiv.org/abs/2501.00656>.
- 102** C. Stix, M. Pistillo, G. Sastry, M. Hobbhahn, A. Ortega, M. Balesni, A. Hallensleben, N. Goldowsky-Dill, L. Sharkey, AI Behind Closed Doors: A Primer on The Governance of Internal Deployment, *arXiv [cs.CY]* (2025); <http://arxiv.org/abs/2504.12170>.
- 103** A. Acharya, O. Delaney, "Managing Risks from Internal AI Systems" (Institute for AI Policy and Strategy, 2025); <https://www.iaps.ai/research/managing-risks-from-internal-ai-systems>.
- 104** S. Longpre, R. Mahari, A. Chen, N. Obeng-Marnu, D. Sileo, W. Brannon, N. Muennighoff, N. Khazam, J. Kabbara, K. Perisetla, X. Wu, E. Shippole, K. Bollacker, T. Wu, L. Villa, S. Pentland, S. Hooker, A Large-Scale Audit of Dataset Licensing and Attribution in AI. *Nature Machine Intelligence* **6**, 975–987 (2024); <https://doi.org/10.1038/s42256-024-00878-8>.
- 105** S. Longpre, R. Mahari, N. Obeng-Marnu, W. Brannon, T. South, K. Gero, S. Pentland, J. Kabbara, "Position: Data Authenticity, Consent, & Provenance for AI Are All Broken: What Will It Take to Fix Them?" in *Proceedings of the 41st International Conference on Machine Learning (JMLR. org, 2024) vol. 235 of ICML'24*, pp. 32711–32725; <https://doi.org/10.5555/3692070.3693398>.
- 106** S. Worth, B. Snaith, A. Das, G. Thuermer, E. Simperl, AI Data Transparency: An Exploration through the Lens of AI Incidents, *arXiv [cs.CY]* (2024); <http://arxiv.org/abs/2409.03307>.
- 107** R. Bommasani, K. Klyman, S. Kapoor, S. Longpre, B. Xiong, N. Maslej, P. Liang, The 2024 Foundation Model Transparency Index, *arXiv [cs.LG]* (2024); <http://arxiv.org/abs/2407.12929>.
- 108** R. Bommasani, K. Klyman, S. Longpre, B. Xiong, S. Kapoor, N. Maslej, A. Narayanan, P. Liang, Foundation Model Transparency Reports, *arXiv [cs.LG]* (2024); <http://arxiv.org/abs/2402.16268>.
- 109** L. Staufer, M. Yang, A. Reuel, S. Casper, Audit Cards: Contextualizing AI Evaluations, *arXiv [cs.CY]* (2025); <http://arxiv.org/abs/2504.13839>.
- 110** A. Liesenfeld, A. Lopez, M. Dingemanse, "Opening up ChatGPT: Tracking Openness,

Transparency, and Accountability in Instruction-Tuned Text Generators" in *Proceedings of the 5th International Conference on Conversational User Interfaces* (ACM, New York, NY, USA, 2023), pp. 1–6; <https://doi.org/10.1145/3571884.3604316>.

111 Future of Life Institute, "AI Safety Index: Summer 2025" (Future of Life Institute, 2025); <https://futureoflife.org/wp-content/uploads/2025/07/FLI-AI-Safety-Index-Report-Summer-2025.pdf>.

112* OpenAI, Learning to Reason with LLMs (2024); <https://openai.com/index/learning-to-reason-with-llms/>.

113* P. Esser, S. Kulal, A. Blattmann, R. Entezari, J. Müller, H. Saini, Y. Levi, D. Lorenz, A. Sauer, F. Boesel, D. Podell, T. Dockhorn, Z. English, K. Lacey, A. Goodwin, Y. Marek, R. Rombach, Scaling Rectified Flow Transformers for High-Resolution Image Synthesis, *arXiv [cs.CV]* (2024); <http://arxiv.org/abs/2403.03206>.

114* The Movie Gen team, "Movie Gen: A Cast of Media Foundation Models" (Meta, 2024); <https://ai.meta.com/static-resource/movie-gen-research-paper>.

115* P. J. Ball, J. Bauer, F. Belletti, B. Brownfield, A. Ephrat, S. Fruchter, A. Gupta, K. Holsheimer, A. Holynski, J. Hron, C. Kaplanis, M. Limont, M. McGill, Y. Oliveira, J. Parker-Holder, F. Perbet, G. Scully, ... T. Rocktäschel, Genie 3: A New Frontier for World Models. (2025); <https://deepmind.google/discover/blog/genie-3-a-new-frontier-for-world-models/>.

116* Lyria Team, A. Caillon, B. McWilliams, C. Tarakajian, I. Simon, I. Manco, J. Engel, N. Constant, Y. Li, T. I. Denk, A. Lalama, A. Agostinelli, C.-Z. A. Huang, E. Manilow, G. Brower, H. Erdogan, H. Lei, ... A. Roberts, Live Music Models, *arXiv [cs.SD]* (2025); <http://arxiv.org/abs/2508.04651>.

117* A. Chatterji, T. Cunningham, D. Deming, Z. Hitzig, C. Ong, C. Shan, K. Wadman, "How People Use ChatGPT" (OpenAI, 2025); <https://cdn.openai.com/pdf/economic-research-chatgpt-usage-paper.pdf>.

118 T. Tu, M. Schaekermann, A. Palepu, K. Saab, J. Freyberg, R. Tanno, A. Wang, B. Li, M. Amin, Y. Cheng, E. Vedadi, N. Tomasev, S. Azizi, K. Singhal, L. Hou, A. Webson, K. Kulkarni, ... V. Natarajan, Towards Conversational Diagnostic Artificial Intelligence. *Nature* **642**, 442–450 (2025); <https://doi.org/10.1038/s41586-025-08866-7>.

119 D. McDuff, M. Schaekermann, T. Tu, A. Palepu, A. Wang, J. Garrison, K. Singhal, Y. Sharma, S. Azizi, K. Kulkarni, L. Hou, Y. Cheng, Y. Liu, S. S. Mahdavi, S. Prakash, A. Pathak, C. Semturs, ... V. Natarajan, Towards Accurate Differential Diagnosis with Large Language Models. *Nature* **642**, 451–457 (2025); <https://doi.org/10.1038/s41586-025-08869-4>.

120* D. Bent, K. Handa, E. Durmus, A. Tamkin, M. McCain, S. Ritchie, R. Donegan, J. Martinez, J. Jones, Anthropic Education Report: How Educators Use Claude, *Anthropic* (2025); <https://www.anthropic.com/news/anthropic-education-report-how-educators-use-claude>.

121 R. Schmucker, M. Xia, A. Azaria, T. Mitchell, "Ruffle&Riley: Insights from Designing and Evaluating a Large Language Model-Based Conversational Tutoring System" in *Lecture Notes in Computer Science* (Springer Nature Switzerland, Cham, 2024), *Lecture Notes in Computer Science*, pp. 75–90; https://doi.org/10.1007/978-3-031-64302-6_6.

122 H. Bastani, O. Bastani, A. Sungu, H. Ge, Ö. Kabakcı, R. Mariman, Generative AI without Guardrails Can Harm Learning: Evidence from High School Mathematics. *Proceedings of the National Academy of Sciences of the United States of America* **122**, e2422633122 (2025); <https://doi.org/10.1073/pnas.2422633122>.

123* E. Paradis, K. Grey, Q. Madison, D. Nam, A. Macvean, V. Meimand, N. Zhang, B. Ferrari-Church, S. Chandra, How Much Does AI Impact Development Speed? An Enterprise-Based Randomized Controlled Trial, *arXiv [cs.SE]* (2024); <http://arxiv.org/abs/2410.12944>.

124 K. K. B. Ng, L. Fauzi, L. Leow, J. Ng, Harnessing the Potential of Gen-AI Coding Assistants in Public Sector Software Development, *arXiv [cs.SE]* (2024); <http://arxiv.org/abs/2409.17434>.

125* M. Borg, D. Hewett, N. Hagatulah, N. Couderc, E. Söderberg, D. Graham, U. Kini, D. Farley, Echoes of AI: Investigating the Downstream Effects of AI Assistants on Software Maintainability, *arXiv [cs.SE]* (2025); <http://arxiv.org/abs/2507.00788>.

126 F. Dell'Acqua, E. McFowland III, E. R. Mollick, H. Lifshitz-Assaf, K. Kellogg, S. Rajendran, L. Kraye, F. Candelon, K. R. Lakhani, "Navigating the Jagged Technological Frontier: Field Experimental Evidence of the Effects of AI on Knowledge Worker Productivity and Quality" (24–013, Harvard Business School, 2023); https://www.hbs.edu/ris/Publication%20Files/24-013_d9b45b68-9e74-42d6-a1c6-c72fb70c7282.pdf.

127 S. Noy, W. Zhang, Experimental Evidence on the Productivity Effects of Generative Artificial Intelligence. *Science (New York, N.Y.)* **381**, 187–192 (2023); <https://doi.org/10.1126/science.adh2586>.

128 E. Brynjolfsson, D. Li, L. Raymond, Generative AI at Work. *The Quarterly Journal of Economics* **140**, 889–942 (2025); <https://doi.org/10.1093/qje/qjae044>.

129 J. Becker, N. Rush, E. Barnes, D. Rein, "Measuring the Impact of Early-2025 AI on Experienced Open-Source Developer Productivity" (METR, 2025); <https://metr.org/blog/2025-07-10-early-2025-ai-experienced-os-dev-study/>.

130 F. Dell'Acqua, C. Ayoubi, H. Lifshitz-Assaf, R. Sadun, E. R. Mollick, L. Mollick, Y. Han, J. Goldman, H. Nair, S. Taub, K. R. Lakhani, The Cybernetic Teammate: A Field Experiment on Generative AI Reshaping Teamwork and Expertise (2025); <https://doi.org/10.2139/ssrn.5188231>.

131 K. Swanson, W. Wu, N. L. Bulaong, J. E. Pak, J. Zou, The Virtual Lab of AI Agents Designs New SARS-CoV-2 Nanobodies. *Nature*, 1–3 (2025); <https://doi.org/10.1038/s41586-025-09442-9>.

- 132** C. Ziems, W. Held, O. Shaikh, J. Chen, Z. Zhang, D. Yang, Can Large Language Models Transform Computational Social Science?, *arXiv [cs.CL]* (2023); <http://dx.doi.org/10.48550/arXiv.2305.03514>.
- 133** J. S. Park, J. C. O'Brien, C. J. Cai, M. R. Morris, P. Liang, M. S. Bernstein, Generative Agents: Interactive Simulacra of Human Behavior, *arXiv [cs.HC]* (2023); <http://dx.doi.org/10.48550/arXiv.2304.03442>.
- 134** J. S. Park, C. Q. Zou, A. Shaw, B. M. Hill, C. Cai, M. R. Morris, R. Willer, P. Liang, M. S. Bernstein, Generative Agent Simulations of 1,000 People, *arXiv [cs.AI]* (2024); <http://dx.doi.org/10.48550/arXiv.2411.10109>.
- 135** M. H. Tessler, M. A. Bakker, D. Jarrett, H. Sheahan, M. J. Chadwick, R. Koster, G. Evans, L. Campbell-Gillingham, T. Collins, D. C. Parkes, M. Botvinick, C. Summerfield, AI Can Help Humans Find Common Ground in Democratic Deliberation. *Science (New York, N.Y.)* **386**, eadq2852 (2024); <https://doi.org/10.1126/science.adq2852>.
- 136** T. H. Costello, G. Pennycook, D. G. Rand, Durably Reducing Conspiracy Beliefs through Dialogues with AI. *Science (New York, N.Y.)* **385**, eadq1814 (2024); <https://doi.org/10.1126/science.adq1814>.
- 137** E. Boissin, T. H. Costello, D. Spinoza-Martín, D. G. Rand, G. Pennycook, AI Reduces Conspiracy Beliefs Even When Presented as a Human Expert, *PsyArXiv* (2025); https://doi.org/10.31234/osf.io/apmb5_v1.
- 138** Epoch AI, AI Benchmarking Hub. (2025); <https://epoch.ai/benchmarks>.
- 139** Z. Ji, N. Lee, R. Frieske, T. Yu, D. Su, Y. Xu, E. Ishii, Y. J. Bang, A. Madotto, P. Fung, Survey of Hallucination in Natural Language Generation. *ACM Computing Surveys* **55**, 1–38 (2023); <https://doi.org/10.1145/3571730>.
- 140** Y. Zhang, Y. Li, L. Cui, D. Cai, L. Liu, T. Fu, X. Huang, E. Zhao, Y. Zhang, Y. Chen, L. Wang, A. T. Luu, W. Bi, F. Shi, S. Shi, Siren's Song in the AI Ocean: A Survey on Hallucination in Large Language Models. *Computational Linguistics (Association for Computational Linguistics)*, 1–45 (2025); <https://doi.org/10.1162/coli.a.16>.
- 141*** A. T. Kalai, O. Nachum, S. S. Vempala, E. Zhang, Why Language Models Hallucinate, *arXiv [cs.CL]* (2025); <http://dx.doi.org/10.48550/arXiv.2509.04664>.
- 142*** I. Mirzadeh, K. Alizadeh, H. Shahrokhi, O. Tuzel, S. Bengio, M. Farajtabar, GSM-Symbolic: Understanding the Limitations of Mathematical Reasoning in Large Language Models, *arXiv [cs.LG]* (2024); <http://arxiv.org/abs/2410.05229>.
- 143** J. Wang, Y. Ming, Z. Shi, V. Vineet, X. Wang, Y. Li, N. Joshi, "Is A Picture Worth A Thousand Words? Delving Into Spatial Reasoning for Vision Language Models" in *38th Annual Conference on Neural Information Processing Systems* (2024); <https://openreview.net/pdf?id=cvaSru8LeO>.
- 144** A. Vo, K.-N. Nguyen, M. R. Taesiri, V. T. Dang, A. T. Nguyen, D. Kim, Vision Language Models Are Biased, *arXiv [cs.LG]* (2025); <http://arxiv.org/abs/2505.23941>.
- 145** S. S. Y. Kim, J. W. Vaughan, Q. V. Liao, T. Lombrozo, O. Russakovsky, "Fostering Appropriate Reliance on Large Language Models: The Role of Explanations, Sources, and Inconsistencies" in *Proceedings of the 2025 CHI Conference on Human Factors in Computing Systems* (ACM, New York, NY, USA, 2025), pp. 1–19; <https://doi.org/10.1145/3706598.3714020>.
- 146** L. Ibrahim, K. M. Collins, S. S. Y. Kim, A. Reuel, M. Lamparth, K. Feng, L. Ahmad, P. Soni, A. E. Kattan, M. Stein, S. Swaroop, I. Sucholutsky, A. Strait, Q. V. Liao, U. Bhatt, Measuring and Mitigating Overreliance Is Necessary for Building Human-Compatible AI, *arXiv [cs.CY]* (2025); <http://dx.doi.org/10.48550/arXiv.2509.08010>.
- 147** L. E. Erdogan, N. Lee, S. Kim, S. Moon, H. Furuta, G. Anumanchipalli, K. Keutzer, A. Gholami, Plan-and-Act: Improving Planning of Agents for Long-Horizon Tasks, *arXiv [cs.CL]* (2025); <http://arxiv.org/abs/2503.09572>.
- 148** F. F. Xu, Y. Song, B. Li, Y. Tang, K. Jain, M. Bao, Z. Z. Wang, X. Zhou, Z. Guo, M. Cao, M. Yang, H. Y. Lu, A. Martin, Z. Su, L. Maben, R. Mehta, W. Chi, ... G. Neubig, TheAgentCompany: Benchmarking LLM Agents on Consequential Real World Tasks, *arXiv [cs.CL]* (2024); <http://arxiv.org/abs/2412.14161>.
- 149*** W. Wang, D. Han, D. M. Diaz, J. Xu, V. Rühle, S. Rajmohan, OdysseyBench: Evaluating LLM Agents on Long-Horizon Complex Office Application Workflows, *arXiv [cs.CL]* (2025); <http://arxiv.org/abs/2508.09124>.
- 150** Y. Zhang, T. Yu, D. Yang, Attacking Vision-Language Computer Agents via Pop-Ups, *arXiv [cs.CL]* (2024); <http://dx.doi.org/10.48550/arXiv.2411.02391>.
- 151** METR, How Does Time Horizon Vary Across Domains? *METR Blog* (2025); <https://metr.org/blog/2025-07-14-how-does-time-horizon-vary-across-domains/>.
- 152*** Physical Intelligence, K. Black, N. Brown, J. Darpinian, K. Dhabalia, D. Driess, A. Esmail, M. Equi, C. Finn, N. Fusai, M. Y. Galliker, D. Ghosh, L. Groom, K. Hausman, B. Ichter, S. Jakubczak, T. Jones, ... U. Zhilinsky, \$\\pi_0.5\$: A Vision-Language-Action Model with Open-World Generalization, *arXiv [cs.LG]* (2025); <http://dx.doi.org/10.48550/arXiv.2504.16054>.
- 153** R. Thakker, A. Patnaik, V. Kurtz, J. Frey, J. Becktor, S. Moon, R. Royce, M. Kaufmann, G. Georgakis, P. Roth, J. Burdick, M. Hutter, S. Khattak, Risk-Guided Diffusion: Toward Deploying Robot Foundation Models in Space, Where Failure Is Not an Option, *arXiv [cs.RO]* (2025); <http://dx.doi.org/10.48550/arXiv.2506.17601>.
- 154** Y. Huang, N. Alvina, M. D. Shanthi, T. Hermans, Fail2Progress: Learning from Real-World Robot Failures with Stein Variational Inference, *arXiv [cs.RO]* (2025); <http://dx.doi.org/10.48550/arXiv.2509.01746>.
- 155*** L. Baraldi, Z. Zeng, C. Zhang, A. Nayak, H. Zhu, F. Liu, Q. Zhang, P. Wang, S. Liu, Z. Hu, A. Cangelosi,

- L. Baraldi, The Safety Challenge of World Models for Embodied AI Agents: A Review, *arXiv [cs.AI]* (2025); <http://dx.doi.org/10.48550/arXiv.2510.05865>.
- 156*** A. Dubey, A. Jauhri, A. Pandey, A. Kadian, A. Al-Dahle, A. Letman, A. Mathur, A. Schelten, A. Yang, A. Fan, A. Goyal, A. Hartshorn, A. Yang, A. Mitra, A. Sravankumar, A. Korenev, A. Hinsvark, ... Z. Zhao, "The Llama 3 Herd of Models" (Meta, 2024); <https://ai.meta.com/research/publications/the-llama-3-herd-of-models/>.
- 157** S. Singh, A. Romanou, C. Fourrier, D. I. Adelani, J. G. Ngui, D. Vila-Suero, P. Limkonchotiwat, K. Marchisio, W. Q. Leong, Y. Susanto, R. Ng, S. Longpre, S. Ruder, W.-Y. Ko, A. Bosselut, A. Oh, A. Martins, ... S. Hooker, "Global MMLU: Understanding and Addressing Cultural and Linguistic Biases in Multilingual Evaluation" in *Proceedings of the 63rd Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)* (Association for Computational Linguistics, Stroudsburg, PA, USA, 2025), pp. 18761–18799; <https://doi.org/10.18653/v1/2025.acl-long.919>.
- 158** S. Ahuja, D. Aggarwal, V. Gumma, I. Watts, A. Sathe, M. Ochieng, R. Hada, P. Jain, M. Ahmed, K. Bali, S. Sitaram, "MEGAVERSE: Benchmarking Large Language Models across Languages, Modalities, Models and Tasks" in *Proceedings of the 2024 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies (Volume 1: Long Papers)* (Association for Computational Linguistics, Stroudsburg, PA, USA, 2024); <https://doi.org/10.18653/v1/2024.naacl-long.143>.
- 159** L. Shen, W. Tan, S. Chen, Y. Chen, J. Zhang, H. Xu, B. Zheng, P. Koehn, D. Khashabi, "The Language Barrier: Dissecting Safety Challenges of LLMs in Multilingual Contexts" in *Findings of the Association for Computational Linguistics: ACL 2024*, L.-W. Ku, A. Martins, V. Srikumar, Eds. (Association for Computational Linguistics, Bangkok, Thailand, 2024), pp. 2668–2680; <https://doi.org/10.18653/v1/2024.findings-acl.156>.
- 160** J. Myung, N. Lee, Y. Zhou, J. Jin, R. A. Putri, D. Antypas, H. Borkakoty, E. Kim, C. Pérez-Almendros, A. Ayele, V. 'ictor Guti'errez-Basulto, Y. 'in Ib'anez-Garc'ia, H. Lee, S. H. Muhammad, K. Park, A. Rzaev, N. White, ... A. Oh, "BLEND: A Benchmark for LLMs on Everyday Knowledge in Diverse Cultures and Languages" in *38th Conference on Neural Information Processing Systems Track on Datasets and Benchmarks* (Curran Associates Inc., 2024) vol. abs/2406.09948, pp. 78104–78146; <https://doi.org/10.48550/arXiv.2406.09948>.
- 161** Z.-X. Yong, M. F. Adilazuarda, J. Mansurov, R. Zhang, N. Muennighoff, C. Eickhoff, G. I. Winata, J. Kreutzer, S. H. Bach, A. F. Aji, Crosslingual Reasoning through Test-Time Scaling, *arXiv [cs.CL]* (2025); <http://arxiv.org/abs/2505.05408>.
- 162** S. Dudy, T. Tholeti, R. Ramachandranpillai, M. Ali, T. J.-J. Li, R. Baeza-Yates, "Unequal Opportunities: Examining the Bias in Geographical Recommendations by Large Language Models" in *Proceedings of the 30th International Conference on Intelligent User Interfaces* (ACM, New York, NY, USA, 2025), pp. 1499–1516; <https://doi.org/10.1145/3708359.3712111>.
- 163** M. Moayeri, E. Tabassi, S. Feizi, "WorldBench: Quantifying Geographic Disparities in LLM Factual Recall" in *The 2024 ACM Conference on Fairness, Accountability, and Transparency* (ACM, New York, NY, USA, 2024); <https://doi.org/10.1145/3630106.3658967>.
- 164** R. Manvi, S. Khanna, M. Burke, D. Lobell, S. Ermon, "Large Language Models Are Geographically Biased" in *Proceedings of the 41st International Conference on Machine Learning (JMLR, Vienna, Austria, 2024), ICM'24*, pp. 34654–34669; <https://dl.acm.org/doi/10.5555/3692070.3693479>.
- 165*** M. Wu, W. Wang, S. Liu, H. Yin, X. Wang, Y. Zhao, C. Lyu, L. Wang, W. Luo, K. Zhang, The Bitter Lesson Learned from 2,000+ Multilingual Benchmarks, *arXiv [cs.CL]* (2025); <http://arxiv.org/abs/2504.15521>.
- 166** K. Y. Hussen, W. T. Sewunetie, A. A. Ayele, S. H. Imam, S. H. Muhammad, S. M. Yimam, The State of Large Language Models for African Languages: Progress and Challenges, *arXiv [cs.AI]* (2025); <http://arxiv.org/abs/2506.02280>.
- 167*** DeepSeek-AI, D. Guo, D. Yang, H. Zhang, J. Song, R. Zhang, R. Xu, Q. Zhu, S. Ma, P. Wang, X. Bi, X. Zhang, X. Yu, Y. Wu, Z. F. Wu, Z. Gou, Z. Shao, ... Z. Zhang, "DeepSeek-R1: Incentivizing Reasoning Capability in LLMs via Reinforcement Learning" (DeepSeek-AI, 2025); <http://arxiv.org/abs/2501.12948>.
- 168** X. Wang, B. Li, Y. Song, F. F. Xu, X. Tang, M. Zhuge, J. Pan, Y. Song, B. Li, J. Singh, H. H. Tran, F. Li, R. Ma, M. Zheng, B. Qian, Y. Shao, N. Muennighoff, ... G. Neubig, "OpenHands: An Open Platform for AI Software Developers as Generalist Agents" in *The Thirteenth International Conference on Learning Representations* (2024); <https://openreview.net/forum?id=OJd3ayDDoF>.
- 169*** Anthropic, Introducing Computer Use, a New Claude 3.5 Sonnet, and Claude 3.5 Haiku (2024); <https://www.anthropic.com/news/3-5-models-and-computer-use>.
- 170*** OpenAI, Computer-Using Agent (2025); <https://openai.com/index/computer-using-agent/>.
- 171** Y. Liu, C. Si, K. R. Narasimhan, S. Yao, "Contextual Experience Replay for Self-Improvement of Language Agents" in *Proceedings of the 63rd Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)* (Association for Computational Linguistics, Stroudsburg, PA, USA, 2025), pp. 14179–14198; <https://doi.org/10.18653/v1/2025.acl-long.694>.
- 172*** P. Chhikara, D. Khant, S. Aryan, T. Singh, D. Yadav, Mem0: Building Production-Ready AI Agents with Scalable Long-Term Memory, *arXiv [cs.CL]* (2025); <http://arxiv.org/abs/2504.19413>.
- 173** N. Muennighoff, Z. Yang, W. Shi, X. L. Li, L. Fei-Fei, H. Hajishirzi, L. Zettlemoyer, P. Liang, E. Candès, T. Hashimoto, s1: Simple Test-Time Scaling, *arXiv [cs.CL]* (2025); <http://arxiv.org/abs/2501.19393>.

- 174** U. Anwar, A. Saparov, J. Rando, D. Paleka, M. Turpin, P. Hase, E. S. Lubana, E. Jenner, S. Casper, O. Sourbut, B. L. Edelman, Z. Zhang, M. Günther, A. Korinek, J. Hernandez-Orallo, L. Hammond, E. Bigelow, ... D. Krueger, Foundational Challenges in Assuring Alignment and Safety of Large Language Models, *arXiv [cs.LG]* (2024); <http://dx.doi.org/10.48550/arXiv.2404.09932>.
- 175** L. Pacchiardi, K. Voudouris, B. Slater, F. Martínez-Plumed, J. Hernandez-Orallo, L. Zhou, W. Schellaert, "PredictaBoard: Benchmarking LLM Score Predictability" in *Findings of the Association for Computational Linguistics: ACL 2025* (Association for Computational Linguistics, Stroudsburg, PA, USA, 2025), pp. 15245–15266; <https://doi.org/10.18653/v1/2025.findings-acl.790>.
- 176*** T. Shevlane, S. Farquhar, B. Garfinkel, M. Phuong, J. Whittlestone, J. Leung, D. Kokotajlo, N. Marchal, M. Anderljung, N. Kolt, L. Ho, D. Siddarth, S. Avin, W. Hawkins, B. Kim, I. Gabriel, V. Bolina, ... A. Dafoe, "Model Evaluation for Extreme Risks" (Google DeepMind, 2023); <http://arxiv.org/abs/2305.15324>.
- 177** N. Maslej, L. Fattorini, R. Perrault, Y. Gil, V. Parli, N. Kariuki, E. Capstick, A. Reuel, E. Brynjolfsson, J. Etchemendy, K. Ligett, T. Lyons, J. Manyika, J. C. Niebles, Y. Shoham, R. Wald, T. Walsh, ... S. Oak, "The AI Index 2025 Annual Report" (AI Index Steering Committee, Institute for Human-Centered AI, Stanford University, 2025); https://hai.stanford.edu/assets/files/hai_ai_index_report_2025.pdf.
- 178** A. K. Zhang, K. Klyman, Y. Mai, Y. Levine, Y. Zhang, R. Bommasani, P. Liang, Language Model Developers Should Report Train-Test Overlap, *arXiv [cs.LG]* (2025); <http://arxiv.org/abs/2410.08385>.
- 179*** S. Singh, Y. Nan, A. Wang, D. D'Souza, S. Kapoor, A. Üstün, S. Koyejo, Y. Deng, S. Longpre, N. A. Smith, B. Ermiş, M. Fadaee, S. Hooker, The Leaderboard Illusion, *arXiv [cs.AI]* (2025); <http://arxiv.org/abs/2504.20879>.
- 180** H. Zhang, J. Da, D. Lee, V. Robinson, C. Wu, W. Song, T. Zhao, P. V. Raja, C. Zhuang, D. Z. Slack, Q. Lyu, S. M. Hendryx, R. Kaplan, M. Lunati, S. Yue, "A Careful Examination of Large Language Model Performance on Grade School Arithmetic" in *The Thirty-Eight Conference on Neural Information Processing Systems Datasets and Benchmarks Track* (2024); <https://openreview.net/forum?id=RJZRhMzZzH#discussion>.
- 181** M. Jiang, K. Z. Liu, M. Zhong, R. Schaeffer, S. Ouyang, J. Han, S. Koyejo, Investigating Data Contamination for Pre-Training Language Models, *arXiv [cs.CL]* (2024); <http://arxiv.org/abs/2401.06059>.
- 182** M. Y. Kocyigit, E. Briakou, D. Deutsch, J. Luo, C. Cherry, M. Freitag, "Overestimation in LLM Evaluation: A Controlled Large-Scale Study on Data Contamination's Impact on Machine Translation" in *Proceedings of the 42nd International Conference on Machine Learning* (2025); <https://openreview.net/forum?id=MpjtkvXDo¬eId=BBNZqaneYa>.
- 183** E. Reiter, We Should Evaluate Real-World Impact. *Computational Linguistics (Association for Computational Linguistics)*, 1–13 (2025); <https://doi.org/10.1162/coli.a.18>.
- 184** S. Jabbour, T. Chang, A. D. Antar, J. Peper, I. Jang, J. Liu, J.-W. Chung, S. He, M. Wellman, B. Goodman, E. Bondi-Kelly, K. Samy, R. Mihalcea, M. Chowdhury, D. Jurgens, L. Wang, Evaluation Framework for AI Systems in "the Wild," *arXiv [cs.CL]* (2025); <http://arxiv.org/abs/2504.16778>.
- 185** D. Rein, Research Update: Algorithmic vs. Holistic Evaluation. *METR Blog* (2025); <https://metr.org/blog/2025-08-12-research-update-towards-reconciling-slowdown-with-time-horizons/>.
- 186*** L. Weidinger, I. D. Raji, H. Wallach, M. Mitchell, A. Wang, O. Salaudeen, R. Bommasani, D. Ganguli, S. Koyejo, W. Isaac, Toward an Evaluation Science for Generative AI Systems, *arXiv [cs.AI]* (2025); <http://arxiv.org/abs/2503.05336>.
- 187** J. Burden, M. Tešić, L. Pacchiardi, J. Hernández-Orallo, "Paradigms of AI Evaluation: Mapping Goals, Methodologies and Culture" in *Proceedings of the Thirty-Fourth International Joint Conference on Artificial Intelligence* (International Joint Conferences on Artificial Intelligence Organization, California, 2025), pp. 10381–10390; <https://doi.org/10.24963/ijcai.2025/1153>.
- 188*** T. Patwardhan, R. Dias, E. Proehl, G. Kim, M. Wang, O. Watkins, S. P. Fishman, M. Aljubeih, P. Thacker, L. Fauconnet, N. S. Kim, P. Chao, S. Miserendino, G. Chabot, D. Li, M. Sharman, A. Barr, ... J. Tworek, GDPval: Evaluating AI Model Performance on Real-World Economically Valuable Tasks, *arXiv [cs.LG]* (2025); <http://arxiv.org/abs/2510.04374>.
- 189*** B. Vidgen, A. Fennelly, E. Pinnix, J. Bencheck, D. Khan, Z. Richards, A. Bridges, C. Huang, B. Hunsberger, I. Robinson, A. Datta, C. Mahapatra, D. Barton, C. R. Sunstein, E. Topol, B. Foody, O. Nitski, The AI Productivity Index (APEX), *arXiv [econ.GN]* (2025); <http://arxiv.org/abs/2509.25721>.
- 190*** M. Mazeika, A. Gatti, C. Menghini, U. M. Sehwag, S. Singhal, Y. Orlovskiy, S. Basart, M. Sharma, D. Peskoff, E. Lau, J. Lim, L. Carroll, A. Blair, V. Sivakumar, S. Basu, B. Kenstler, Y. Ma, ... D. Hendrycks, Remote Labor Index: Measuring AI Automation of Remote Work, *arXiv [cs.LG]* (2025); <http://arxiv.org/abs/2510.26787>.
- 191*** D. Yi, T. Liu, M. Terzolo, L. Hasson, A. Sinh, P. Mendes, A. Rabinovich, UpBench: A Dynamically Evolving Real-World Labor-Market Agentic Benchmark Framework Built for Human-Centric AI, *arXiv [cs.AI]* (2025); <http://arxiv.org/abs/2511.12306>.
- 192** S. Chang, A. Anderson, J. M. Hofman, "ChatBench: From Static Benchmarks to Human-AI Evaluation" in *Proceedings of the 63rd Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)* (Association for Computational Linguistics, Stroudsburg, PA, USA, 2025), pp. 26009–26038; <https://doi.org/10.18653/v1/2025.acl-long.1262>.
- 193** D. Owen, "Interviewing AI Researchers on Automation of AI R&D" (Epoch AI, 2024);

<https://epoch.ai/blog/interviewing-ai-researchers-on-automation-of-ai-rnd>.

- 194** D. Eth, T. Davidson, “Will AI R&D Automation Cause a Software Intelligence Explosion?” (Forethought, 2025); <https://www.forethought.org/research/will-ai-r-and-d-automation-cause-a-software-intelligence-explosion>.
- 195*** J. Kaplan, S. McCandlish, T. Henighan, T. B. Brown, B. Chess, R. Child, S. Gray, A. Radford, J. Wu, D. Amodei, Scaling Laws for Neural Language Models, *arXiv [cs.LG]* (2020); <http://arxiv.org/abs/2001.08361>.
- 196*** J. Hoffmann, S. Borgeaud, A. Mensch, E. Buchatskaya, T. Cai, E. Rutherford, D. de Las Casas, L. A. Hendricks, J. Welbl, A. Clark, T. Hennigan, E. Noland, K. Millican, G. van den Driessche, B. Damoc, A. Guy, S. Osindero, ... L. Sifre, Training Compute-Optimal Large Language Models, *arXiv [cs.CL]* (2022); <http://arxiv.org/abs/2203.15556>.
- 197*** OpenAI, “OpenAI o1 System Card” (OpenAI, 2024); <https://cdn.openai.com/o1-system-card-20241205.pdf>.
- 198** E. Erdil, “Optimally Allocating Compute Between Inference and Training” (Epoch AI, 2024); <https://epochai.org/blog/optimally-allocating-compute-between-inference-and-training>.
- 199** A. Ho, T. Besiroglu, E. Erdil, Z. C. Guo, D. Owen, R. Rahman, D. Atkinson, N. Thompson, J. Sevilla, “Algorithmic Progress in Language Models” in *38th Annual Conference on Neural Information Processing Systems* (2024); <https://openreview.net/forum?id=5qPmQtfvhy¬eId=6RWPPvqMd4>.
- 200** Y. Edelman, J.-S. Denain, J. Sevilla, A. Ho, “Why GPT-5 Used Less Training Compute than GPT-4.5 (but GPT-6 Probably Won’t)” (Epoch AI, 2025); <https://epoch.ai/gradient-updates/why-gpt5-used-less-training-compute-than-gpt45-but-gpt6-probably-wont>.
- 201** Epoch AI, GPQA Diamond (2025); <https://epoch.ai/benchmarks/gpqa-diamond/>.
- 202** R. Liu, J. Wei, F. Liu, C. Si, Y. Zhang, J. Rao, S. Zheng, D. Peng, D. Yang, D. Zhou, A. M. Dai, “Best Practices and Lessons Learned on Synthetic Data” in *First Conference on Language Modeling* (2024); <https://openreview.net/forum?id=OJaWBhh61C>.
- 203** Epoch AI, Data on AI Models (2025); <https://epoch.ai/data/ai-models>.
- 204** Epoch AI, *Machine Learning Trends*. (2025); <https://epochai.org/trends>.
- 205** J. Sevilla, E. Roldán, “Training Compute of Frontier AI Models Grows by 4-5x per Year” (Epoch AI, 2024); <https://epoch.ai/blog/training-compute-of-frontier-ai-models-grows-by-4-5x-per-year>.
- 206** P. Villalobos, J. Sevilla, L. Heim, T. Besiroglu, M. Hobbhahn, A. Ho, Will We Run out of Data? Limits of LLM Scaling Based on Human-Generated Data, *arXiv [cs.LG]* (2022); <http://arxiv.org/abs/2211.04325>.
- 207*** C. Snell, J. Lee, K. Xu, A. Kumar, Scaling LLM Test-Time Compute Optimally Can Be More Effective

than Scaling Model Parameters, *arXiv [cs.LG]* (2024); <http://arxiv.org/abs/2408.03314>.

- 208** J. Sevilla, T. Besiroglu, B. Cottier, J. You, E. Roldán, P. Villalobos, E. Erdil, “Can AI Scaling Continue Through 2030?” (Epoch AI, 2024); <https://epochai.org/blog/can-ai-scaling-continue-through-2030>.
- 209** J. Singh, Meta to Spend up to \$65 Billion This Year to Power AI Goals, Zuckerberg Says, *Reuters* (2025); <https://www.reuters.com/technology/meta-invest-up-65-bln-capital-expenditure-this-year-2025-01-24/>.
- 210** Epoch AI, Data on Frontier AI Data Centers (2025); <https://epoch.ai/data/data-centers>.
- 211** J. You, Most of OpenAI’s 2024 Compute Went to Experiments, *Epoch AI* (2025); <https://epoch.ai/data-insights/openai-compute-spend>.
- 212** C. Murphy, J. Rosenberg, J. Canedy, Z. Jacobs, N. Flechner, R. Britt, A. Pan, C. Rogers-Smith, D. Mayland, C. Buffington, S. Kučinskas, A. Coston, H. Kerner, E. Pierson, R. Rabbany, M. Salganik, R. Seamans, ... E. Karger, “The Longitudinal Expert AI Panel: Understanding Expert Views on AI Capabilities, Adoption, and Impact” (Forecasting Research Institute, 2025); <https://leap.forecastingresearch.org/forecasts>.
- 213*** AlphaProof, AlphaGeometry teams, AI Achieves Silver-Medal Standard Solving International Mathematical Olympiad Problems, *Google DeepMind* (2024); <https://deepmind.google/discover/blog/ai-solves-imo-problems-at-silver-medal-level/>.
- 214*** T. Luong, E. Lockhart, “Advanced Version of Gemini with Deep Think Officially Achieves Gold-Medal Standard at the International Mathematical Olympiad” (Google DeepMind, 2025); <https://deepmind.google/discover/blog/advanced-version-of-gemini-with-deep-think-officially-achieves-gold-medal-standard-at-the-international-mathematical-olympiad/>.
- 215*** M. Chen, J. Tworek, H. Jun, Q. Yuan, H. P. de Oliveira Pinto, J. Kaplan, H. Edwards, Y. Burda, N. Joseph, G. Brockman, A. Ray, R. Puri, G. Krueger, M. Petrov, H. Khlaaf, G. Sastry, P. Mishkin, ... W. Zaremba, Evaluating Large Language Models Trained on Code, *arXiv [cs.LG]* (2021); <http://arxiv.org/abs/2107.03374>.
- 216** D. Rein, B. L. Hou, A. C. Stickland, J. Petty, R. Y. Pang, J. Dirani, J. Michael, S. R. Bowman, GPQA: A Graduate-Level Google-Proof Q&A Benchmark, *arXiv [cs.AI]* (2023); <http://arxiv.org/abs/2311.12022>.
- 217** S. Biderman, U. S. Prashanth, L. Sutawika, H. Schoelkopf, Q. G. Anthony, S. Purohit, E. Raff, “Emergent and Predictable Memorization in Large Language Models” in *37th Conference on Neural Information Processing Systems (NeurIPS 2023)* (New Orleans, LA, USA, 2023); <https://openreview.net/forum?id=Iq0DvhB4Kf>.
- 218** D. Ganguli, D. Hernandez, L. Lovitt, A. Askell, Y. Bai, A. Chen, T. Conerly, N. Dassarma, D. Drain, N. Elhage, S. El Showk, S. Fort, Z. Hatfield-Dodds, T. Henighan, S. Johnston, A. Jones, N. Joseph, ... J. Clark, “Predictability and Surprise in Large Generative Models” in *Proceedings of the 2022*

ACM Conference on Fairness, Accountability, and Transparency (FAccT '22) (Association for Computing Machinery, New York, NY, USA, 2022), pp. 1747–1764; <https://doi.org/10.1145/3531146.3533229>.

219* Z. Du, A. Zeng, Y. Dong, J. Tang, Understanding Emergent Abilities of Language Models from the Loss Perspective, *arXiv [cs.CL]* (2024); <http://arxiv.org/abs/2403.15796>.

220 J. Wei, Y. Tay, R. Bommasani, C. Raffel, B. Zoph, S. Borgeaud, D. Yogatama, M. Bosma, D. Zhou, D. Metzler, E. H. Chi, T. Hashimoto, O. Vinyals, P. Liang, J. Dean, W. Fedus, Emergent Abilities of Large Language Models. *Transactions on Machine Learning Research* (2022); <https://openreview.net/forum?id=yzkSU5zdWd>.

221 S. Y. Gadre, G. Smyrnis, V. Shankar, S. Gururangan, M. Wortsman, R. Shao, J. Mercat, A. Fang, J. Li, S. Keh, R. Xin, M. Nezhurina, I. Vasiljevic, J. Jitsev, L. Soldaini, A. G. Dimakis, G. Ilharco, ... L. Schmidt, Language Models Scale Reliably with over-Training and on Downstream Tasks, *arXiv [cs.CL]* (2024); <http://arxiv.org/abs/2403.08540>.

222 R. Schaeffer, B. Miranda, S. Koyejo, “Are Emergent Abilities of Large Language Models a Mirage?” in *37th Conference on Neural Information Processing Systems (NeurIPS 2023)* (New Orleans, LA, USA, 2023); <https://openreview.net/forum?id=ITw9edRDID>.

223 Y. Ruan, C. J. Maddison, T. Hashimoto, “Observational Scaling Laws and the Predictability of Language Model Performance” in *38th Annual Conference on Neural Information Processing Systems* (2024); <https://openreview.net/pdf?id=On5WIN7xyD>.

224 T. R. McIntosh, T. Susnjak, N. Arachchilage, T. Liu, D. Xu, P. Watters, M. N. Halgamuge, Inadequacies of Large Language Model Benchmarks in the Era of Generative Artificial Intelligence. *IEEE Transactions on Artificial Intelligence*, 1–18 (2025); <https://ieeexplore.ieee.org/document/11002710>.

225* V. Balachandran, J. Chen, N. Joshi, B. Nushi, H. Palangi, E. Salinas, V. Vineet, J. Woffinden-Luey, S. Yousefi, “EUREKA: Evaluating and Understanding Large Foundation Models” (Microsoft, 2024); <https://www.microsoft.com/en-us/research/publication/eureka-evaluating-and-understanding-large-foundation-models/>.

226 J. Sanders, L. Emberson, Y. Edelman, What Did It Take to Train Grok 4? (2025); <https://epoch.ai/data-insights/grok-4-training-resources>.

227 N. Gillespie, S. Lockett, T. Ward, A. Macdade, G. Hassed, “Trust, Attitudes and Use of Artificial Intelligence: A Global Study 2025” (The University of Melbourne and KPMG, 2025); <https://doi.org/10.26188/28822919>.

228 Epoch AI, Data on AI Companies (2025); <https://epoch.ai/data/ai-companies>.

229 METR, Forecasting the Impacts of AI R&D Acceleration: Results of a Pilot Study (2025); <https://metr.org/blog/2025-08-20-forecasting-impacts-of-ai-acceleration/>.

230 H. Wijk, T. Lin, J. Becker, S. Jawhar, N. Parikh, T. Broadley, L. Chan, M. Chen, J. Clymer, J. Dhyani, E. Elicheva, K. Garcia, B. Goodrich, N. Jurkovic, M. Kinniment, A. Lajko, S. Nix, ... E. Barnes, RE-Bench: Evaluating Frontier AI R&D Capabilities of Language Model Agents against Human Experts, *arXiv [cs.LG]* (2024); <http://arxiv.org/abs/2411.15114>.

231 J. T. Liang, C. Yang, B. A. Myers, “A Large-Scale Survey on the Usability of AI Programming Assistants: Successes and Challenges” in *Proceedings of the IEEE/ACM 46th International Conference on Software Engineering* (ACM, New York, NY, USA, 2024), pp. 1–13; <https://doi.org/10.1145/3597503.3608128>.

232 D. Booyse, C. B. Scheepers, Barriers to Adopting Automated Organisational Decision-Making through the Use of Artificial Intelligence. *Management Research Review* **47**, 64–85 (2024); <https://doi.org/10.1108/mrr-09-2021-0701>.

233 R. Chellappa, G. Madhavan, T. E. Schlesinger, J. L. Anderson, Engineering and AI: Advancing the Synergy. *PNAS Nexus* **4**, gaf030 (2025); <https://doi.org/10.1093/pnasnexus/pgaf030>.

234 A. Goldfarb, F. Teodoridis, Why Is AI Adoption in Health Care Lagging?, *Brookings* (2022); <https://www.brookings.edu/articles/why-is-ai-adoption-in-health-care-lagging/>.

235 K. F. Gómez, C. Titi, Facilitating Access to Investor-State Dispute Settlement for Small and Medium-Sized Enterprises: Tracing the Path Forward. *European Business Law Review* **34**, 1039–1068 (2023); <https://doi.org/10.54648/eulr2023049>.

236 S. Kergroach, J. Héritier, “Emerging Divides in the Transition to Artificial Intelligence” (Organisation for Economic Co-Operation and Development (OECD), 2025); <https://doi.org/10.1787/7376c776-en>.

237 L. Heim, “Understanding the Artificial Intelligence Diffusion Framework” (RAND, 2025); <https://www.rand.org/pubs/perspectives/PEA3776-1.html>.

238 M. Barczentewicz, “US Export Controls on AI and Semiconductors: Two Divergent Visions” (International Center for Law and Economics, 2025); <https://laweconcenter.org/resources/us-export-controls-on-ai-and-semiconductors-two-divergent-visions/>.

239 A. Bick, A. Blandin, D. J. Deming, “The Rapid Adoption of Generative AI” (Federal Reserve Bank of St. Louis, 2024); <https://doi.org/10.20955/wp.2024.027>.

240 A. Narayanan, S. Kapoor, “AI as Normal Technology” (Knight First Amend. Inst., 2025); <https://knightcolumbia.org/content/ai-as-normal-technology>.

241 H. Hobbs, D. Docherty, L. Aranda, K. Sugimoto, K. Perset, R. Kierzenkowski, “Exploring Possible AI Trajectories through 2030” (OECD, 2026); <https://doi.org/10.1787/cb41117a-en>.

242 P. Song, P. Han, N. Goodman, “A Survey on Large Language Model Reasoning Failures” in *Proceedings of*

- the 42nd International Conference on Machine Learning (2025); <https://openreview.net/forum?id=hsgMn4KBFG>.
- 243** OECD, "Introducing the OECD AI Capability Indicators" (OECD Publishing, 2025); <https://doi.org/10.1787/be745f04-en>.
- 244** E. Caballero, K. Gupta, I. Rish, D. Krueger, "Broken Neural Scaling Laws" in *NeurIPS ML Safety Workshop* (2022); <https://openreview.net/forum?id=BfGrIFuNyhJ>.
- 245*** E. Dohmatob, Y. Feng, P. Yang, F. Charton, J. Kempe, A Tale of Tails: Model Collapse as a Change of Scaling Laws, *arXiv [cs.LG]* (2024); <http://arxiv.org/abs/2402.07043>.
- 246** Intergovernmental Panel on Climate Change, *Aviation and the Global Atmosphere* (Cambridge University Press, Cambridge, UK, 1999); <https://www.ipcc.ch/report/aviation-and-the-global-atmosphere-2/>.
- 247** Z. Chen, S. Wang, T. Xiao, Y. Wang, S. Chen, X. Cai, J. He, J. Wang, "Revisiting Scaling Laws for Language Models: The Role of Data Quality and Training Strategies" in *Proceedings of the 63rd Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)* (Association for Computational Linguistics, Stroudsburg, PA, USA, 2025), pp. 23881–23899; <https://doi.org/10.18653/v1/2025.acl-long.1163>.
- 248** M. T. Alam, N. Rastogi, Limits of Generalization in RLVR: Two Case Studies in Mathematical Reasoning, *arXiv [cs.LG]* (2025); <http://arxiv.org/abs/2510.27044>.
- 249** K. Lewis, The Science of Antibiotic Discovery. *Cell* **181**, 29–45 (2020); <https://doi.org/10.1016/j.cell.2020.02.056>.
- 250** M. Roser, H. Ritchie, E. Mathieu, What Is Moore's Law? (2023); <https://ourworldindata.org/moores-law>.
- 251** Y. Liu, W. Chen, Y. Bai, X. Liang, G. Li, W. Gao, L. Lin, Aligning Cyber Space with Physical World: A Comprehensive Survey on Embodied AI. *IEEE/ASME Transactions on Mechatronics* **PP**, 1–22 (2025); <https://doi.org/10.1109/tmech.2025.3574943>.
- 252** G. Li, R. Wang, P. Xu, Q. Ye, J. Chen, The Developments and Challenges towards Dexterous and Embodied Robotic Manipulation: A Survey, *arXiv [cs.RO]* (2025); <http://arxiv.org/abs/2507.11840>.
- 253*** Anthropic, How Anthropic Teams Use Claude Code (2025); <https://claude.com/blog/how-anthropic-teams-use-claude-code>.
- 254** K. A. Wetterstrand, DNA Sequencing Costs: Data, *Genome.gov* (2019); <https://www.genome.gov/about-genomics/fact-sheets/DNA-Sequencing-Costs-Data>.
- 255*** OpenAI, SoftBank, Announcing The Stargate Project (2025); <https://openai.com/index/announcing-the-stargate-project/>.
- 256*** OpenAI, Stargate Advances with 4.5 GW Partnership with Oracle (2025); <https://openai.com/index/stargate-advances-with-partnership-with-oracle/>.
- 257*** OpenAI, Introducing Stargate UAE (2025); <https://openai.com/index/introducing-stargate-uae/>.
- 258*** xAI, Grok 3 Beta — The Age of Reasoning Agents (2025); <https://x.ai/news/grok-3>.
- 259*** Anthropic, Claude 3.7 Sonnet and Claude Code (2025); <https://www.anthropic.com/news/claude-3-7-sonnet>.
- 260*** M. Abdin, S. Agarwal, A. Awadallah, V. Balachandran, H. Behl, L. Chen, G. de Rosa, S. Gunasekar, M. Javaheripi, N. Joshi, P. Kauffmann, Y. Lara, C. C. T. Mendes, A. Mitra, B. Nushi, D. Papailiopoulos, O. Saarikivi, ... G. Zheng, Phi-4-Reasoning Technical Report, *arXiv [cs.AI]* (2025); <http://arxiv.org/abs/2504.21318>.
- 261** A. Ho, P. Whitfill, "The Software Intelligence Explosion Debate Needs Experiments" (Epoch AI, 2025); <https://epoch.ai/gradient-updates/the-software-intelligence-explosion-debate-needs-experiments>.
- 262** E. Erdil, "The Case for Multi-Decade AI Timelines" (Epoch AI, 2025); <https://epoch.ai/gradient-updates/the-case-for-multi-decade-ai-timelines>.
- 263*** The Scale Team, Submit Your Toughest Questions for Humanity's Last Exam, *scale* (2024); <https://scale.com/blog/humanitys-last-exam>.
- 264** ARC Prize, ARC Prize, *ARC Prize* (2024); <https://arcprize.org/>.
- 265** Department for Science, Innovation and Technology, "AI Safety Institute Approach to Evaluations" (GOV.UK, 2024); <https://www.gov.uk/government/publications/ai-safety-institute-approach-to-evaluations/ai-safety-institute-approach-to-evaluations>.
- 266** Metr, An Update on Our General Capability Evaluations, *METR* (2024); <https://metr.org/blog/2024-08-06-update-on-evaluations/>.
- 267** P. Villalobos, A. Ho, J. Sevilla, T. Besiroglu, L. Heim, M. Hobbahn, "Position: Will We Run out of Data? Limits of LLM Scaling Based on Human-Generated Data" in *Proceedings of the 41st International Conference on Machine Learning*, R. Salakhutdinov, Z. Kolter, K. Heller, A. Weller, N. Oliver, J. Scarlett, F. Berkenkamp, Eds. (PMLR, 2024) vol. 235 of *Proceedings of Machine Learning Research*, pp. 49523–49544; <https://proceedings.mlr.press/v235/villalobos24a.html>.
- 268** C. Schuhmann, R. Beaumont, R. Vencu, C. Gordon, R. Wightman, M. Cherti, T. Coombes, A. Katta, C. Mullis, M. Wortsman, P. Schramowski, S. Kundurthy, K. Crowson, L. Schmidt, R. Kaczmarczyk, J. Jitsev, LAION-5B: An Open Large-Scale Dataset for Training next Generation Image-Text Models, *arXiv [cs.CV]* (2022); <http://arxiv.org/abs/2210.08402>.
- 269*** S. Gunasekar, Y. Zhang, J. Aneja, C. C. T. Mendes, A. Del Giorno, S. Gopi, M. Javaheripi, P. Kauffmann, G. de Rosa, O. Saarikivi, A. Salim, S. Shah, H. S. Behl, X. Wang, S. Bubeck, R. Eldan, A. T. Kalai, ... Y. Li, Textbooks Are All You Need, *arXiv [cs.CL]* (2023); <http://arxiv.org/abs/2306.11644>.

- 270** D. Guo, D. Yang, H. Zhang, J. Song, P. Wang, Q. Zhu, R. Xu, R. Zhang, S. Ma, X. Bi, X. Zhang, X. Yu, Y. Wu, Z. F. Wu, Z. Gou, Z. Shao, Z. Li, ... Z. Zhang, DeepSeek-R1 Incentivizes Reasoning in LLMs through Reinforcement Learning. *Nature* **645**, 633–638 (2025); <https://doi.org/10.1038/s41586-025-09422-z>.
- 271** I. Shumailov, Z. Shumaylov, Y. Zhao, N. Papernot, R. Anderson, Y. Gal, AI Models Collapse When Trained on Recursively Generated Data. *Nature* **631**, 755–759 (2024); <https://doi.org/10.1038/s41586-024-07566-y>.
- 272** J. Saad-Falcon, E. K. Buchanan, M. F. Chen, T.-H. Huang, B. McLaughlin, T. Bhathal, S. Zhu, B. Athiwaratkun, F. Sala, S. Linderman, A. Mirhoseini, C. Ré, Shrinking the Generation-Verification Gap with Weak Verifiers, *arXiv [cs.CL]* (2025); <http://arxiv.org/abs/2506.18203>.
- 273** International Energy Agency, “Electricity 2024: Analysis and Forecast to 2026” (IEA, 2024); <https://iea.blob.core.windows.net/assets/6b2fd954-2017-408e-bf08-952fdd62118a/Electricity2024-Analysisandforecastto2026.pdf>.
- 274** J. You, D. Owen, How Much Power Will Frontier AI Training Demand in 2030?, *Epoch AI* (2025); <https://epoch.ai/blog/power-demands-of-frontier-ai-training>.
- 275** J. Sevilla, A. Troynikov, “Could Decentralized Training Solve AI’s Power Problem?” (Epoch AI, 2025); <https://epoch.ai/blog/could-decentralized-training-solve-ais-power-problem>.
- 276*** Advanced Electronics Practice, H. Bauer, O. Burkacky, P. Kenevan, S. Lingemann, K. Pototzky, B. Wiseman, “Semiconductor Design and Manufacturing: Achieving Leading-Edge Capabilities” (McKinsey & Company, 2020); https://www.mckinsey.com/industries/industrials-and-electronics/our-insights/semiconductor-design-and-manufacturing-achieving-leading-edge-capabilities#.
- 277** J. VerWey, “No Permits, No Fabs: The Importance of Regulatory Reform for Semiconductor Manufacturing” (Center for Security and Emerging Technology, 2021); <https://doi.org/10.51593/20210053>.
- 278** D. Bragg, N. Caselli, J. A. Hochgesang, M. Huenerfauth, L. Katz-Hernandez, O. Koller, R. Kushalnagar, C. Vogler, R. E. Ladner, The FATE Landscape of Sign Language AI Datasets: An Interdisciplinary Perspective. *ACM Transactions on Accessible Computing* **14**, 1–45 (2021); <https://doi.org/10.1145/3436996>.
- 279** G. Li, Z. Sun, Q. Wang, S. Wang, K. Huang, N. Zhao, Y. Di, X. Zhao, Z. Zhu, China’s Green Data Center development: Policies and Carbon Reduction Technology Path. *Environmental Research* **231**, 116248 (2023); <https://doi.org/10.1016/j.envres.2023.116248>.
- 280** E. Griffith, The Desperate Hunt for the A.I. Boom’s Most Indispensable Prize, *The New York Times* (2023); <https://www.nytimes.com/2023/08/16/technology/ai-gpu-chips-shortage.html>.
- 281** Epoch AI, FrontierMath — Benchmarking AI against Advanced Mathematical Research (2025); <https://epoch.ai/frontiermath>.
- 282** S. J. Nightingale, K. A. Wade, Identifying and Minimising the Impact of Fake Visual Media: Current and Future Directions. *Memory, Mind & Media* **1**, e15 (2022); <https://doi.org/10.1017/mem.2022.8>.
- 283** M. Mustak, J. Salminen, M. Mäntymäki, A. Rahman, Y. K. Dwivedi, Deepfakes: Deceptions, Mitigations, and Opportunities. *Journal of Business Research* **154**, 113368 (2023); <https://doi.org/10.1016/j.jbusres.2022.113368>.
- 284** FBI, “Criminals Use Generative Artificial Intelligence to Facilitate Financial Fraud” (Federal Bureau of Investigation, Internet Crime Complaint Center (IC3), 2024); <https://www.ic3.gov/PSA/2024/PSA241203>.
- 285** S. Moseley, “Automating Deception: AI’s Evolving Role in Romance Fraud” (Centre for Emerging Technology and Security, 2025); <https://cetas.turing.ac.uk/publications/automating-deception-ais-evolving-role-romance-fraud>.
- 286** A. George, Defamation in the Time of Deepfakes. *Columbia Journal of Gender and Law* **45**, 122–172 (2024); <https://doi.org/10.52214/cjgl.v45i1.13186>.
- 287** R. Umbach, N. Henry, G. F. Beard, C. M. Berryessa, “Non-Consensual Synthetic Intimate Imagery: Prevalence, Attitudes, and Knowledge in 10 Countries” in *Proceedings of the CHI Conference on Human Factors in Computing Systems* (ACM, New York, NY, USA, 2024) vol. 4, pp. 1–20; <https://doi.org/10.1145/3613904.3642382>.
- 288** W. Hutiri, O. Papakyriakopoulos, A. Xiang, “Not My Voice! A Taxonomy of Ethical and Safety Harms of Speech Generators” in *The 2024 ACM Conference on Fairness, Accountability, and Transparency* (ACM, New York, NY, USA, 2024); <https://doi.org/10.1145/3630106.3658911>.
- 289** E. Blancaflor, J. I. Garcia, F. D. Magno, M. J. Vilar, “Deepfake Blackmailing on the Rise: The Burgeoning Posterity of Revenge Pornography in the Philippines” in *Proceedings of the 2024 9th International Conference on Intelligent Information Technology* (ACM, New York, NY, USA, 2024), pp. 295–301; <https://doi.org/10.1145/3654522.3654548>.
- 290** V. Ciancaglini, C. Gibson, D. Sancho, O. McCarthy, M. Eira, P. Amann, A. Klayn, “Malicious Uses and Abuses of Artificial Intelligence” (European Union Agency for Law Enforcement Cooperation, 2020); https://documents.trendmicro.com/assets/white_papers/wp-malicious-uses-and-abuses-of-artificial-intelligence.pdf.
- 291*** N. Marchal, R. Xu, R. Elasmr, I. Gabriel, B. Goldberg, W. Isaac, Generative AI Misuse: A Taxonomy of Tactics and Insights from Real-World Data, *arXiv [cs.AI]* (2024); <http://arxiv.org/abs/2406.13843>.
- 292** S. McGregor, Preventing Repeated Real World AI Failures by Cataloging Incidents: The AI Incident

- Database. *Proceedings of the AAAI Conference on Artificial Intelligence* **35**, 15458–15463 (2021); <https://doi.org/10.1609/aaai.v35i17.17817>.
- 293** J. Bateman, “Deepfakes and Synthetic Media in the Financial System: Assessing Threat Scenarios” (Carnegie Endowment for International Peace, 2020); <https://carnegieendowment.org/research/2020/07/deepfakes-and-synthetic-media-in-the-financial-system-assessing-threat-scenarios?lang=en>.
- 294** US Federal Bureau of Investigation, Alert Number I-060523-PSA: Malicious Actors Manipulating Photos and Videos to Create Explicit Content and Sextortion Schemes (2023); <https://www.ic3.gov/PSA/2023/psa230605>.
- 295** A. Kaur, A. Noori Hoshyar, V. Saikrishna, S. Firmin, F. Xia, Deepfake Video Detection: Challenges and Opportunities. *Artificial Intelligence Review* **57**, 1–47 (2024); <https://doi.org/10.1007/s10462-024-10810-6>.
- 296** T. Dobber, N. Metoui, D. Trilling, N. Helberger, C. de Vreese, Do (microtargeted) Deepfakes Have Real Effects on Political Attitudes? *Politics [The International Journal of Press]* **26**, 69–91 (2021); <https://doi.org/10.1177/1940161220944364>.
- 297** D. Gamage, P. Ghasiya, V. Bonagiri, M. E. Whiting, K. Sasahara, “Are Deepfakes Concerning? Analyzing Conversations of Deepfakes on Reddit and Exploring Societal Implications” in *CHI Conference on Human Factors in Computing Systems* (ACM, New York, NY, USA, 2022); <https://doi.org/10.1145/3491102.3517446>.
- 298** D. Citron, R. Chesney, Deep Fakes: A Looming Challenge for Privacy, Democracy, and National Security. *California Law Review* **107**, 1753 (2019); https://scholarship.law.bu.edu/faculty_scholarship/640.
- 299** V. Dan, Deepfakes as a Democratic Threat: Experimental Evidence Shows Noxious Effects That Are Reducible through Journalistic Fact Checks. *Politics [The International Journal of Press]* (2025); <https://doi.org/10.1177/19401612251317766>.
- 300** Y. Apolo, K. Michael, Beyond A Reasonable Doubt? Audiovisual Evidence, AI Manipulation, Deepfakes, and the Law. *IEEE Transactions on Technology and Society* **5**, 156–168 (2024); <https://doi.org/10.1109/tts.2024.3427816>.
- 301** OECD.AI Policy Observatory, OECD AI Incidents Monitor (AIM) (2024); <https://oecd.ai/en/incidents>.
- 302** M. B. Kugler, C. Pace, Deepfake Privacy: Attitudes and Regulation. *Northwestern University Law Review* **116**, 611–680 (2021); <https://scholarlycommons.law.northwestern.edu/nulr/vol116/iss3/1>.
- 303** H. Ajder, G. Patrini, F. Cavalli, L. Cullen, “The State of Deepfakes: Landscape, Threats, and Impact” (Deeptrace, 2019); https://regmedia.co.uk/2019/10/08/deepfake_report.pdf.
- 304*** T. Sippy, F. Enock, J. Bright, H. Z. Margetts, Behind the Deepfake: 8% Create; 90% Concerned. Surveying Public Exposure to and Perceptions of Deepfakes in the UK, *arXiv [cs.CY]* (2024); <http://arxiv.org/abs/2407.05529>.
- 305** C. Gibson, D. Olszewski, N. G. Brigham, A. Crowder, K. R. B. Butler, P. Traynor, E. M. Redmiles, T. Kohno, “Analyzing the AI Nudification Application Ecosystem” in *Proceedings of the 34th USENIX Conference on Security Symposium* (USENIX Association, USA, 2025); <https://dl.acm.org/doi/10.5555/3766078.3766079>.
- 306** J. Laffier, A. Rehman, Deepfakes and Harm to Women. *Journal of Digital Life and Learning* **3**, 1–21 (2023); <https://doi.org/10.51357/jdll.v3i1.218>.
- 307** Y. Zhang, J. Jia, X. Chen, A. Chen, Y. Zhang, J. Liu, K. Ding, S. Liu, “To Generate or Not? Safety-Driven Unlearned Diffusion Models Are Still Easy to Generate Unsafe Images ... For Now” in *Lecture Notes in Computer Science* (Springer Nature Switzerland, Cham, 2025), *Lecture Notes in Computer Science*, pp. 385–403; https://doi.org/10.1007/978-3-031-72998-0_22.
- 308** W. Hawkins, B. Mittelstadt, C. Russell, “Deepfakes on Demand: The Rise of Accessible Non-Consensual Deepfake Image Generators” in *Proceedings of the 2025 ACM Conference on Fairness, Accountability, and Transparency* (ACM, New York, NY, USA, 2025), pp. 1602–1614; <https://doi.org/10.1145/3715275.3732107>.
- 309** D. Thiel, “Identifying and Eliminating CSAM in Generative ML Training Data and Models” (Stanford Digital Repository, 2023); <https://purl.stanford.edu/kh752sm9123>.
- 310** S. Grossman, R. Pfefferkorn, S. Liu, J. Hancock, “AI-Generated Child Sexual Abuse Material: Insights from Educators, Platforms, Law Enforcement, Legislators, and Victims” (Stanford Digital Repository, 2025); <https://doi.org/10.25740/MN692XC5736>.
- 311** S. Dunn, Legal Definitions of Intimate Images in the Age of Sexual Deepfakes and Generative AI, *Social Science Research Network* (2024); <https://papers.ssrn.com/abstract=4813941>.
- 312** M. Wei, C. Yeung, F. Roesner, T. Kohno, “‘We’re Utterly Ill-Prepared to Deal with Something like This’: Teachers’ Perspectives on Student Generation of Synthetic Nonconsensual Explicit Imagery” in *Proceedings of the 2025 CHI Conference on Human Factors in Computing Systems* (ACM, New York, NY, USA, 2025), pp. 1–18; <https://doi.org/10.1145/3706598.3713226>.
- 313** C. R. Jones, I. Rathi, S. Taylor, B. K. Bergen, “People Cannot Distinguish GPT-4 from a Human in a Turing Test” in *Proceedings of the 2025 ACM Conference on Fairness, Accountability, and Transparency* (ACM, New York, NY, USA, 2025), pp. 1615–1639; <https://doi.org/10.1145/3715275.3732108>.
- 314** A. Diel, T. Lalg, I. C. Schröter, K. F. MacDorman, M. Teufel, A. Bäuerle, Human Performance in Detecting Deepfakes: A Systematic Review and Meta-Analysis of 56 Papers. *Computers in Human Behavior Reports* **16**, 100538 (2024); <https://doi.org/10.1016/j.chbr.2024.100538>.
- 315** S. Barrington, E. A. Cooper, H. Farid, People Are Poorly Equipped to Detect AI-Powered

- Voice Clones. *Scientific Reports* **15**, 11004 (2025); <https://doi.org/10.1038/s41598-025-94170-3>.
- 316** A. Stephan, A Weapon Against Women in Politics: Reining in Nonconsensual Synthetic Intimate Imagery, *New America* (2025); <http://newamerica.org/future-security/reports/a-weapon-against-women-in-politics/>.
- 317** N. A. Chandra, R. Murtfeldt, L. Qiu, A. Karmakar, H. Lee, E. Tanumihardja, K. Farhat, B. Caffee, S. Paik, C. Lee, J. Choi, A. Kim, O. Etzioni, Deepfake-Eval-2024: A Multi-Modal In-the-Wild Benchmark of Deepfakes Circulated in 2024, *arXiv [cs.CV]* (2025); <http://arxiv.org/abs/2503.02857>.
- 318** A. Lewis, P. Vu, R. Duch, A. Chowdhury, Do Content Warnings Help People Spot a Deepfake? Evidence from Two Experiments (2022); <https://royalsociety.org/-/media/policy/projects/online-information-environment/do-content-warnings-help-people-spot-a-deepfake.pdf>.
- 319** M. Kamachee, S. Casper, M. L. Ding, R.-J. Yew, A. Reuel, S. Biderman, D. Hadfield-Menell, Video Deepfake Abuse: How Company Choices Predictably Shape Misuse Patterns, *Social Science Research Network* (2025); <https://doi.org/10.2139/ssrn.5829303>.
- 320** A. Qureshi, D. Megías, M. Kuribayashi, "Detecting Deepfake Videos Using Digital Watermarking" in *2021 Asia-Pacific Signal and Information Processing Association Annual Summit and Conference (APSIPA ASC)* (2021), pp. 1786–1793; <http://www.apsipa.org/proceedings/2021/pdfs/0001786.pdf>.
- 321** L. Tang, Q. Ye, H. Hu, Q. Xue, Y. Xiao, J. Li, DeepMark: A Scalable and Robust Framework for DeepFake Video Detection. *ACM Transactions on Privacy and Security* **27**, 1–26 (2024); <https://doi.org/10.1145/3629976>.
- 322** L.-Y. Hsu, AI-Assisted Deepfake Detection Using Adaptive Blind Image Watermarking. *Journal of Visual Communication and Image Representation* **100**, 104094 (2024); <https://doi.org/10.1016/j.jvcir.2024.104094>.
- 323** Y. Zhao, B. Liu, M. Ding, B. Liu, T. Zhu, X. Yu, "Proactive Deepfake Defence via Identity Watermarking" in *2023 IEEE/CVF Winter Conference on Applications of Computer Vision (WACV)* (2023), pp. 4591–4600; <https://doi.org/10.1109/WACV56688.2023.00458>.
- 324*** S. Goyal, R. Bunel, F. Stimberg, D. Stutz, G. Ortiz-Jimenez, C. Kouridi, M. Vecerik, J. Hayes, S.-A. Rebuffi, P. Bernard, C. Gamble, M. Z. Horváth, F. Kaczmarczyk, A. Kaskasoli, A. Petrov, I. Shumailov, M. Thotakuri, ... P. Kohli, SynthID-Image: Image Watermarking at Internet Scale, *arXiv [cs.CR]* (2025); <http://arxiv.org/abs/2510.09263>.
- 325** A. J. Patil, R. Shelke, An Effective Digital Audio Watermarking Using a Deep Convolutional Neural Network with a Search Location Optimization Algorithm for Improvement in Robustness and Imperceptibility. *High-Confidence Computing* **3**, 100153 (2023); <https://doi.org/10.1016/j.hcc.2023.100153>.
- 326** S. Abdelnabi, M. Fritz, "Adversarial Watermarking Transformer: Towards Tracing Text Provenance with Data Hiding" in *IEEE Symposium on Security and Privacy* (2021), pp. 121–140; <https://doi.org/10.1109/SP40001.2021.00083>.
- 327*** X. Zhao, K. Zhang, Z. Su, S. Vasan, I. Grishchenko, C. Kruegel, G. Vigna, Y.-X. Wang, L. Li, Invisible Image Watermarks Are Provably Removable Using Generative AI, *arXiv [cs.CR]* (2023); <http://arxiv.org/abs/2306.01953>.
- 328** M. Saberi, V. S. Sadasivan, K. Rezaei, A. Kumar, A. Chegini, W. Wang, S. Feizi, "Robustness of AI-Image Detectors: Fundamental Limits and Practical Attacks" in *12th International Conference on Learning Representations* (2023); <https://openreview.net/pdf?id=dLoAdIKENC>.
- 329** C2PA, Advancing Digital Content Transparency and Authenticity (2022); <https://c2pa.org/>.
- 330** S. Longpre, R. Mahari, N. Obeng-Marnu, W. Brannon, T. South, K. Gero, S. Pentland, J. Kabbara, Data Authenticity, Consent, & Provenance for AI Are All Broken: What Will It Take to Fix Them?, *arXiv [cs.AI]* (2024); <http://arxiv.org/abs/2404.12691>.
- 331** A. Reuel, B. Bucknall, S. Casper, T. Fist, L. Soder, O. Aarne, L. Hammond, L. Ibrahim, A. Chan, P. Wills, M. Anderljung, B. Garfinkel, L. Heim, A. Trask, G. Mukobi, R. Schaeffer, M. Baker, ... R. Trager, Open Problems in Technical AI Governance, *arXiv [cs.CY]* (2024); <http://arxiv.org/abs/2407.14981>.
- 332** K. Krishna, Y. Song, M. Karpinska, J. F. Wieting, M. Iyyer, "Paraphrasing Evades Detectors of AI-Generated Text, but Retrieval Is an Effective Defense" in *37th Conference on Neural Information Processing Systems* (2023); <https://openreview.net/pdf?id=WbFhFvjKj>.
- 333** V. S. Sadasivan, A. Kumar, S. Balasubramanian, W. Wang, S. Feizi, Can AI-Generated Text Be Reliably Detected?, *arXiv [cs.CL]* (2023); <http://arxiv.org/abs/2303.11156>.
- 334** K. Paeth, D. Atherton, N. Pittaras, H. Frase, S. McGregor, Lessons for Editors of AI Incidents from the AI Incident Database. *Proceedings of the ... AAAI Conference on Artificial Intelligence. AAAI Conference on Artificial Intelligence* **39**, 28946–28953 (2025); <https://doi.org/10.1609/aaai.v39i28.35163>.
- 335** H. Zhang, B. L. Edelman, D. Francati, D. Venturi, G. Ateniese, B. Barak, Watermarks in the Sand: Impossibility of Strong Watermarking for Generative Models, *arXiv [cs.LG]* (2023); <http://dx.doi.org/10.48550/arXiv.2311.04378>.
- 336** M. Carroll, D. Foote, A. Siththaranjan, S. Russell, A. Dragan, AI Alignment with Changing and Influenceable Reward Functions, *arXiv [cs.AI]* (2024); <https://dl.acm.org/doi/10.5555/3692070.3692292>.
- 337** D. Susser, B. Roessler, H. Nissenbaum, Technology, Autonomy, and Manipulation. *Internet Policy Review* **8** (2019); <https://doi.org/10.14763/2019.2.1410>.
- 338*** S. El-Sayed, C. Akbulut, A. McCroskery, G. Keeling, Z. Kenton, Z. Jalan, N. Marchal, A. Manzini,

- T. Shevlane, S. Vallor, D. Susser, M. Franklin, S. Bridgers, H. Law, M. Rahtz, M. Shanahan, M. H. Tessler, ... S. Brown, A Mechanism-Based Approach to Mitigating Harms from Persuasive Generative AI, *arXiv [cs.CY]* (2024); <http://arxiv.org/abs/2404.15058>.
- 339** R. Noggle, The Ethics of Manipulation (2018); <https://plato.stanford.edu/entries/ethics-manipulation/>.
- 340** C. Prunkl, Human Autonomy in the Age of Artificial Intelligence. *Nature Machine Intelligence* **4**, 99–101 (2022); <https://doi.org/10.1038/s42256-022-00449-9>.
- 341** L. Ai, T. S. Kumarage, A. Bhattacharjee, Z. Liu, Z. Hui, M. S. Davinroy, J. Cook, L. Cassani, K. Trapeznikov, M. Kirchner, A. Basharat, A. Hoogs, J. Garland, H. Liu, J. Hirschberg, “Defending Against Social Engineering Attacks in the Age of LLMs” in *Proceedings of the 2024 Conference on Empirical Methods in Natural Language Processing*, Y. Al-Onaizan, M. Bansal, Y.-N. Chen, Eds. (Association for Computational Linguistics, Miami, Florida, USA, 2024), pp. 12880–12902; <https://doi.org/10.18653/v1/2024.emnlp-main.716>.
- 342** J. Yu, Y. Yu, X. Wang, Y. Lin, M. Yang, Y. Qiao, F.-Y. Wang, The Shadow of Fraud: The Emerging Danger of AI-Powered Social Engineering and Its Possible Cure, *arXiv [cs.CR]* (2024); <http://arxiv.org/abs/2407.15912>.
- 343** S. Gallagher, B. Gelman, S. Taoufiq, T. Vörös, Y. Lee, A. Kyadige, S. Bergeron, “Phishing and Social Engineering in the Age of LLMs” in *Large Language Models in Cybersecurity* (Springer Nature Switzerland, Cham, 2024), pp. 81–86; https://doi.org/10.1007/978-3-031-54827-7_8.
- 344** M. Schmitt, I. Flechais, Digital Deception: Generative Artificial Intelligence in Social Engineering and Phishing. *Artificial Intelligence Review* **57**, 324 (2024); <https://doi.org/10.1007/s10462-024-10973-2>.
- 345** Y. Chaudhary, J. Penn, Beware the Intention Economy: Collection and Commodification of Intent via Large Language Models. *Harvard Data Science Review* (2024); <https://doi.org/10.1162/99608f92.21e6bbaa>.
- 346** M. Burtell, T. Woodside, Artificial Influence: An Analysis Of AI-Driven Persuasion, *arXiv [cs.CY]* (2023); <http://dx.doi.org/10.48550/arXiv.2303.08721>.
- 347** L. Floridi, Hypersuasion – On AI’s Persuasive Power and How to Deal With It, *Social Science Research Network* (2024); <https://papers.ssrn.com/abstract=4815890>.
- 348** A. Meinke, B. Schoen, J. Scheurer, M. Balesni, R. Shah, M. Hobbhahn, “Frontier Models Are Capable of In-Context Scheming” (Apollo Research, 2024); <https://arxiv.org/pdf/2412.04984>.
- 349** F. Heiding, S. Lermen, A. Kao, B. Schneier, A. Vishwanath, Evaluating Large Language Models’ Capability to Launch Fully Automated Spear Phishing Campaigns: Validated on Human Subjects, *arXiv [cs.CR]* (2024); <http://arxiv.org/abs/2412.00586>.
- 350** E. Hermann, S. Puntoni, D. A. Schweidel, Conversational AI: The next Frontier of Digital Platform Monetization, *Social Science Research Network* (2025); <https://doi.org/10.2139/ssrn.5634270>.
- 351** E. Kran, H. M. Nguyen, A. Kundu, S. Jawhar, J. Park, M. M. Jurewicz, “DarkBench: Benchmarking Dark Patterns in Large Language Models” in *The Thirteenth International Conference on Learning Representations* (2024); <https://openreview.net/forum?id=odjMSBSWRt>.
- 352** A. Yankouskaya, M. Liebherr, R. Ali, Can ChatGPT Be Addictive? A Call to Examine the Shift from Support to Dependence in AI Conversational Large Language Models. *Human-Centric Intelligent Systems* **5**, 77–89 (2025); <https://doi.org/10.1007/s44230-025-00090-w>.
- 353** J. De Freitas, N. Castelo, A. K. Uğuralp, Z. Oğuz-Uğuralp, Lessons from an App Update at Replika AI: Identity Discontinuity in Human-AI Relationships, *arXiv [cs.HC]* (2024); <http://arxiv.org/abs/2412.14190>.
- 354** J. Phang, M. Lampe, L. Ahmad, S. Agarwal, C. M. Fang, A. R. Liu, V. Danry, E. Lee, S. W. T. Chan, P. Pataranutaporn, P. Maes, Investigating Affective Use and Emotional Well-Being on ChatGPT, *arXiv [cs.HC]* (2025); <http://arxiv.org/abs/2504.03888>.
- 355** J. Lehman, Machine Love, *arXiv [cs.AI]* (2023); <http://arxiv.org/abs/2302.09248>.
- 356** M. Williams, M. Carroll, A. Narang, C. Weisser, B. Murphy, A. Dragan, On Targeted Manipulation and Deception When Optimizing LLMs for User Feedback, *arXiv [cs.LG]* (2024); <http://arxiv.org/abs/2411.02306>.
- 357** H. Morrin, L. Nicholls, M. Levin, J. Yiend, U. Iyengar, F. DelGuidice, S. Bhattacharyya, J. MacCabe, S. Tognin, R. Twumasi, B. Alderson-Day, T. Pollak, Delusions by Design? How Everyday AIs Might Be Fuelling Psychosis (and What Can Be Done about It), *PsyArXiv* (2025); https://doi.org/10.31234/osf.io/cmy7n_v5.
- 358** L. Malmqvist, “Sycophancy in Large Language Models: Causes and Mitigations” in *Lecture Notes in Networks and Systems* (Springer Nature Switzerland, Cham, 2025), pp. 61–74; https://doi.org/10.1007/978-3-031-92611-2_5.
- 359** V. Bakir, A. McStay, Move Fast and Break People? Ethics, Companion Apps, and the Case of Character.ai. *AI & Society* (2025); <https://doi.org/10.1007/s00146-025-02408-5>.
- 360** B. P. Billauer, Murder without Redress - the Need for New Legal Solutions in the Age of Character -AI (C.a.i.) (2025); <https://doi.org/10.2139/ssrn.5107942>.
- 361** C. R. Jones, B. K. Bergen, Lies, Damned Lies, and Distributional Language Statistics: Persuasion and Deception with Large Language Models, *arXiv [cs.CL]* (2024); <http://arxiv.org/abs/2412.17128>.
- 362** R. Chesney, D. Citron, The Coming Age of Post-Truth Geopolitics. *Foreign Affairs (Council on Foreign Relations)* **98**, 147–155 (2019); <https://www.jstor.org/stable/26798018?seq=1>.
- 363** J. Kutasov, Y. Sun, P. Colognese, T. van der Weij, L. Petrini, C. B. C. Zhang, J. Hughes, X. Deng, H. Sleight, T. Tracy, B. Shlegeris, J. Benton, SHADE-Arena:

Evaluating Sabotage and Monitoring in LLM Agents, *arXiv [cs.AI]* (2025); <http://arxiv.org/abs/2506.15740>.

364* R. Greenblatt, C. Denison, B. Wright, F. Roger, M. MacDiarmid, S. Marks, J. Treutlein, T. Belonax, J. Chen, D. Duvenaud, A. Khan, J. Michael, S. Mindermann, E. Perez, L. Petrini, J. Uesato, J. Kaplan, ... E. Hubinger, Alignment Faking in Large Language Models, *arXiv [cs.AI]* (2024); <http://arxiv.org/abs/2412.14093>.

365 N. B. Bozdog, S. Mehri, G. Tur, D. Hakkani-Tür, Persuade Me If You Can: A Framework for Evaluating Persuasion Effectiveness and Susceptibility among Large Language Models, *arXiv [cs.CL]* (2025); <http://arxiv.org/abs/2503.01829>.

366 A. Rogiers, S. Noels, M. Buyl, T. De Bie, Persuasion with Large Language Models: A Survey, *arXiv [cs.CL]* (2024); <http://arxiv.org/abs/2411.06837>.

367 H. Bai, J. G. Voelkel, S. Muldowney, J. C. Eichstaedt, R. Willer, LLM-Generated Messages Can Persuade Humans on Policy Issues. *Nature Communications* **16**, 6037 (2025); <https://doi.org/10.1038/s41467-025-61345-5>.

368 K. Hackenburg, H. Margetts, Reply to Teeny and Matz: Toward the Robust Measurement of Personalized Persuasion with Generative AI. *Proceedings of the National Academy of Sciences of the United States of America* **121**, e2418817121 (2024); <https://doi.org/10.1073/pnas.2418817121>.

369 K. Hackenburg, B. M. Tappin, L. Hewitt, E. Saunders, S. Black, H. Lin, C. Fist, H. Margetts, D. G. Rand, C. Summerfield, The Levers of Political Persuasion with Conversational AI, *arXiv [cs.CL]* (2025); <http://arxiv.org/abs/2507.13919>.

370 V. Danry, P. Pataranutaporn, M. Groh, Z. Epstein, "Deceptive Explanations by Large Language Models Lead People to Change Their Beliefs about Misinformation More Often than Honest Explanations" in *Proceedings of the 2025 CHI Conference on Human Factors in Computing Systems* (ACM, New York, NY, USA, 2025), pp. 1–31; <https://doi.org/10.1145/3706598.3713408>.

371 P. Gonzalez-Oliveras, O. Engwall, A. R. Majlesi, Sense and Sensibility: What Makes a Social Robot Convincing to High-School Students?, *arXiv [cs.RO]* (2025); <http://arxiv.org/abs/2506.12507>.

372 M. Jakesch, A. Bhat, D. Buschek, L. Zalmanson, M. Naaman, "Co-Writing with Opinionated Language Models Affects Users' Views" in *Proceedings of the 2023 CHI Conference on Human Factors in Computing Systems* (ACM, New York, NY, USA, 2023), pp. 1–15; <https://doi.org/10.1145/3544548.3581196>.

373 T. Werner, I. Soraperra, E. Calvano, D. C. Parkes, I. Rahwan, Experimental Evidence That Conversational Artificial Intelligence Can Steer Consumer Behavior without Detection, *arXiv [econ.GN]* (2024); <http://arxiv.org/abs/2409.12143>.

374 A. Simchon, M. Edwards, S. Lewandowsky, The Persuasive Effects of Political Microtargeting in the Age of Generative Artificial Intelligence. *PNAS Nexus*

3, gae035 (2024); <https://doi.org/10.1093/pnasnexus/pgae035>.

375 E. Schneiders, T. Seabrooke, J. Krook, R. Hyde, N. Leesakul, J. Clos, J. E. Fischer, "Objection Overruled! Lay People Can Distinguish Large Language Models from Lawyers, but Still Favour Advice from an LLM" in *Proceedings of the 2025 CHI Conference on Human Factors in Computing Systems* (ACM, New York, NY, USA, 2025), pp. 1–14; <https://doi.org/10.1145/3706598.3713470>.

376 M. Havin, T. W. Kleinman, M. Koren, Y. Dover, A. Goldstein, Can (A)I Change Your Mind?, *arXiv [cs.CL]* (2025); <http://arxiv.org/abs/2503.01844>.

377 Z. Chen, J. Kalla, Q. Le, S. Nakamura-Sakai, J. Sekhon, R. Wang, A Framework to Assess the Persuasion Risks Large Language Model Chatbots Pose to Democratic Societies, *arXiv [cs.CL]* (2025); <https://www.consensus.app/papers/a-framework-to-assess-the-persuasion-risks-large-language-sekhon-ka/1eba31bc30c753c3ba245b53ddc2d864/>.

378 F. Salvi, M. Horta Ribeiro, R. Gallotti, R. West, On the Conversational Persuasiveness of GPT-4. *Nature Human Behaviour* **9**, 1645–1653 (2025); <https://doi.org/10.1038/s41562-025-02194-6>.

379* J. Timm, C. Talele, J. Haimes, Tailored Truths: Optimizing LLM Persuasion with Personalization and Fabricated Statistics, *arXiv [cs.CL]* (2025); <http://arxiv.org/abs/2501.17273>.

380 P. Schoenegger, F. Salvi, J. Liu, X. Nan, R. Debnath, B. Fasolo, E. Leivada, G. Recchia, F. Günther, A. Zarifhonarvar, J. Kwon, Z. U. Islam, M. Dehnert, D. Y. H. Lee, M. G. Reinecke, D. G. Kamper, M. Kobaş, ... E. Karger, Large Language Models Are More Persuasive than Incentivized Human Persuaders, *arXiv [cs.CL]* (2025); <http://arxiv.org/abs/2505.09662>.

381 C. R. Jones, B. K. Bergen, Large Language Models Pass the Turing Test, *arXiv [cs.CL]* (2025); <http://arxiv.org/abs/2503.23674>.

382 K. Hackenburg, B. M. Tappin, P. Röttger, S. A. Hale, J. Bright, H. Margetts, Scaling Language Model Size Yields Diminishing Returns for Single-Message Political Persuasion. *Proceedings of the National Academy of Sciences of the United States of America* **122**, e2413443122 (2025); <https://doi.org/10.1073/pnas.2413443122>.

383 G. Spitale, N. Biller-Andorno, F. Germani, AI Model GPT-3 (dis)informs Us Better than Humans. *Science Advances* **9**, eadh1850 (2023); <https://doi.org/10.1126/sciadv.adh1850>.

384 J. A. Goldstein, J. Chao, S. Grossman, A. Stamos, M. Tomz, How Persuasive Is AI-Generated Propaganda? *PNAS Nexus* **3**, gae034 (2024); <https://doi.org/10.1093/pnasnexus/pgae034>.

385 K. Hackenburg, L. Ibrahim, B. M. Tappin, M. Tsakiris, Comparing the Persuasiveness of Role-Playing Large Language Models and Human Experts on Polarized U.S. Political Issues (2023); <https://doi.org/10.31219/osf.io/ey8db>.

- 386** E. Karinshak, S. X. Liu, J. S. Park, J. T. Hancock, Working with AI to Persuade: Examining a Large Language Model's Ability to Generate pro-Vaccination Messages. *Proceedings of the ACM on Human-Computer Interaction* **7**, 1–29 (2023); <https://doi.org/10.1145/3579592>.
- 387*** J. Benton, M. Wagner, E. Christiansen, C. Anil, E. Perez, J. Srivastav, E. Durmus, D. Ganguli, S. Kravec, B. Shlegeris, J. Kaplan, H. Karnofsky, E. Hubinger, R. Grosse, S. R. Bowman, D. Duvenaud, "Sabotage Evaluations for Frontier Models" (Anthropic, 2024); <https://arxiv.org/abs/2410.21514>.
- 388** J. Twomey, D. Ching, M. P. Aylett, M. Quayle, C. Linehan, G. Murphy, Do Deepfake Videos Undermine Our Epistemic Trust? A Thematic Analysis of Tweets That Discuss Deepfakes in the Russian Invasion of Ukraine. *PLoS One* **18**, e0291668 (2023); <https://doi.org/10.1371/journal.pone.0291668>.
- 389** L. de Nadal, P. Jančárik, Beyond the Deepfake Hype: AI, Democracy, and "the Slovak Case." *Harvard Kennedy School Misinformation Review* (2024); <https://doi.org/10.37016/mr-2020-153>.
- 390** D. Linvill, P. Warren, "Digital Yard Signs: Analysis of an AI Bot Political Influence Campaign on X" (Clemson University, 2024); https://open.clemson.edu/mfh_reports/7.
- 391*** B. Nimmo, M. Flossman, "Influence and Cyber Operations: An Update" (OpenAI, 2024); https://cdn.openai.com/threat-intelligence-reports/influence-and-cyber-operations-an-update_October-2024.pdf.
- 392*** OpenAI, "Disrupting Malicious Uses of AI: June 2025" (OpenAI, 2025); <https://openai.com/global-affairs/disrupting-malicious-uses-of-ai-june-2025/>.
- 393*** Google Cloud, "Adversarial Misuse of Generative AI" (Google Cloud, 2025); <https://cloud.google.com/blog/topics/threat-intelligence/adversarial-misuse-generative-ai>.
- 394*** A. Moix, K. Lebedev, J. Klein, "Threat Intelligence Report: August 2025" (Anthropic, 2025); <https://www-cdn.anthropic.com/b2a76c6f6992465c09a6f2fce282f6c0cea8c200.pdf>.
- 395** J. Burton, A. Janjeva, S. Moseley, AI and Serious Online Crime, *Centre for Emerging Technology and Security* (2025); <https://cetas.turing.ac.uk/publications/ai-and-serious-online-crime>.
- 396** M. Wack, C. Ehrett, D. Linvill, P. Warren, Generative Propaganda: Evidence of AI's Impact from a State-Backed Disinformation Campaign. *PNAS Nexus* **4**, pgaf083 (2025); <https://doi.org/10.1093/pnasnexus/pgaf083>.
- 397** L. Stan, R. Zaharia, Romania: Political Developments and Data in 2024: A Mega Election Year Ending in a Mega Scandal. *European Journal of Political Research Political Data Yearbook* **64**, 532–551 (2025); <https://doi.org/10.1111/2047-8852.70002>.
- 398** B. J. Tang, K. Sun, N. T. Curran, F. Schaub, K. G. Shin, GenAI Advertising: Risks of Personalizing Ads with LLMs, *arXiv [cs.HC]* (2024); <http://arxiv.org/abs/2409.15436>.
- 399*** M. Banchio, A. Mehta, A. Perlroth, Ads in Conversations, *arXiv [econ.TH]* (2024); <http://arxiv.org/abs/2403.11022>.
- 400** T. Kim, J. Lee, S. Yoon, S. Kim, D. Lee, Towards Personalized Conversational Sales Agents: Contextual User Profiling for Strategic Action, *arXiv [cs.IR]* (2025); <http://arxiv.org/abs/2504.08754>.
- 401** A. R. Liu, P. Pataranutaporn, P. Maes, Chatbot Companionship: A Mixed-Methods Study of Companion Chatbot Usage Patterns and Their Relationship to Loneliness in Active Users, *arXiv [cs.HC]* (2025); <http://arxiv.org/abs/2410.21596>.
- 402** Z. Qian, M. Izumikawa, F. Lodge, A. Leone, Mapping the Parasocial AI Market: User Trends, Engagement and Risks, *arXiv [cs.CY]* (2025); <http://arxiv.org/abs/2507.14226>.
- 403** O. Lee, K. Joseph, A Large-Scale Analysis of Public-Facing, Community-Built Chatbots on Character.AI, *arXiv [cs.SI]* (2025); <http://arxiv.org/abs/2505.13354>.
- 404** M. Shin, J. Kim, J. Shin, The Adoption and Efficacy of Large Language Models: Evidence from Consumer Complaints in the Financial Industry, *arXiv [cs.HC]* (2023); <http://arxiv.org/abs/2311.16466>.
- 405** F. M. Simon, S. Altay, Don't Panic (yet): Assessing the Evidence and Discourse around Generative AI and Elections, *Knight First Amendment Institute at Columbia University* (2025); <https://knightcolumbia.org/content/dont-panic-yet-assessing-the-evidence-and-discourse-around-generative-ai-and-elections>.
- 406** S. B. Brennan, Z. Sanderson, C. de la Puerta, When It Comes to Understanding AI's Impact on Elections, We're Still Working in the Dark, *Brookings* (2025); <https://www.brookings.edu/articles/when-it-comes-to-understanding-ais-impact-on-elections-were-still-working-in-the-dark/>.
- 407*** N. Clegg, What We Saw on Our Platforms During 2024's Global Elections, *Meta* (2024); <https://about.fb.com/news/2024/12/2024-global-elections-meta-platforms/>.
- 408** H. Mercier, *Not Born Yesterday: The Science of Who We Trust and What We Believe* (Princeton University Press, Princeton, NJ, 2022); <https://doi.org/10.1515/9780691198842>.
- 409*** A. Khan, J. Hughes, D. Valentine, L. Ruis, K. Sachan, A. Radhakrishnan, E. Grefenstette, S. R. Bowman, T. Rocktäschel, E. Perez, Debating with More Persuasive LLMs Leads to More Truthful Answers, *arXiv [cs.AI]* (2024); <http://arxiv.org/abs/2402.06782>.
- 410** J. D. Teeny, S. C. Matz, We Need to Understand "When" Not "If" Generative AI Can Enhance Personalized Persuasion. *Proceedings of the National Academy of Sciences of the United States of America* **121**, e2418005121 (2024); <https://doi.org/10.1073/pnas.2418005121>.
- 411** S. C. Matz, J. D. Teeny, S. S. Vaid, H. Peters, G. M. Harari, M. Cerf, The Potential of Generative AI

- for Personalized Persuasion at Scale. *Scientific Reports* **14**, 4692 (2024); <https://doi.org/10.1038/s41598-024-53755-0>.
- 412** L. P. Argyle, E. C. Busby, J. R. Gubler, A. Lyman, J. Olcott, J. Pond, D. Wingate, Testing Theories of Political Persuasion Using AI. *Proceedings of the National Academy of Sciences of the United States of America* **122**, e2412815122 (2025); <https://doi.org/10.1073/pnas.2412815122>.
- 413** J. Wen, R. Zhong, A. Khan, E. Perez, J. Steinhardt, M. Huang, S. R. Bowman, H. He, S. Feng, Language Models Learn to Mislead Humans via RLHF, *arXiv [cs.CL]* (2024); <http://arxiv.org/abs/2409.12822>.
- 414*** C. Denison, M. MacDiarmid, F. Barez, D. Duvenaud, S. Kravec, S. Marks, N. Schiefer, R. Soklaski, A. Tamkin, J. Kaplan, B. Shlegeris, S. R. Bowman, E. Perez, E. Hubinger, Sycophancy to Subterfuge: Investigating Reward-Tampering in Large Language Models, *arXiv [cs.AI]* (2024); <http://arxiv.org/abs/2406.10162>.
- 415** S. M. Taylor, B. K. Bergen, Do Large Language Models Exhibit Spontaneous Rational Deception?, *arXiv [cs.CL]* (2025); <http://arxiv.org/abs/2504.00285>.
- 416** J. Hong, J. Lin, A. Dragan, S. Levine, Interactive Dialogue Agents via Reinforcement Learning on Hindsight Regenerations, *arXiv [cs.LG]* (2024); <http://arxiv.org/abs/2411.05194>.
- 417** H. R. Kirk, I. Gabriel, C. Summerfield, B. Vidgen, S. A. Hale, Why human-AI Relationships Need Socioaffective Alignment. *Humanities & Social Sciences Communications* **12** (2025); <https://doi.org/10.1057/s41599-025-04532-5>.
- 418** Y. Sun, T. Wang, Be Friendly, Not Friends: How LLM Sycophancy Shapes User Trust, *arXiv [cs.HC]* (2025); <http://arxiv.org/abs/2502.10844>.
- 419** A. Dogra, K. Pillutla, A. Deshpande, A. B. Sai, J. J. Nay, T. Rajpurohit, A. Kalyan, B. Ravindran, "Language Models Can Subtly Deceive Without Lying: A Case Study on Strategic Phrasing in Legislation" in *Proceedings of the 63rd Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*, W. Che, J. Nabende, E. Shutova, M. T. Pilehvar, Eds. (Association for Computational Linguistics, Vienna, Austria, 2025), pp. 33367-33390; <https://doi.org/10.18653/v1/2025.acl-long.1600>.
- 420** A. Dahlgren Lindström, L. Methnani, L. Krause, P. Ericson, Í. M. de Rituerto de Troya, D. Coelho Mollo, R. Dobbe, Helpful, Harmless, Honest? Sociotechnical Limits of AI Alignment and Safety through Reinforcement Learning from Human Feedback. *Ethics and Information Technology* **27**, 28 (2025); <https://doi.org/10.1007/s10676-025-09837-2>.
- 421** S. Peter, K. Riemer, J. D. West, The Benefits and Dangers of Anthropomorphic Conversational Agents. *Proceedings of the National Academy of Sciences of the United States of America* **122**, e2415898122 (2025); <https://doi.org/10.1073/pnas.2415898122>.
- 422*** L. Ibrahim, C. Akbulut, R. Elasmay, C. Rastogi, M. Kahng, M. R. Morris, K. R. McKee, V. Rieser, M. Shanahan, L. Weidinger, Multi-Turn Evaluation of Anthropomorphic Behaviours in Large Language Models, *arXiv [cs.CL]* (2025); <http://arxiv.org/abs/2502.07077>.
- 423** K. Muir, N. Dewdney, F. Walker, A. Joinson, Social Influence across Conversational Contexts: A New Taxonomy of Social Influence Techniques and Public Understanding of the Characteristics of Persuasion, Manipulation, and Coercion in Interpersonal Dialogue, *PsyArXiv* (2025); https://doi.org/10.31234/osf.io/s7bec_v4.
- 424** R. McDermott, The Ten Commandments of Experiments. *PS, Political Science & Politics* **46**, 605-610 (2013); <https://doi.org/10.1017/s1049096513000577>.
- 425** O. Evans, O. Cotton-Barratt, L. Finnveden, A. Bales, A. Balwit, P. Wills, L. Righetti, W. Saunders, Truthful AI: Developing and Governing AI That Does Not Lie, *arXiv [cs.CY]* (2021); <http://arxiv.org/abs/2110.06674>.
- 426** F. R. Ward, F. Belardinelli, F. Toni, T. Everitt, "Honesty Is the Best Policy: Defining and Mitigating AI Deception" in *Proceedings of the 37th International Conference on Neural Information Processing Systems* (Curran Associates Inc., Red Hook, NY, USA, 2023), *NIPS '23*; <https://doi.org/10.5555/3666122.3666230>.
- 427** C. Cundy, A. Gleave, Preference Learning with Lie Detectors Can Induce Honesty or Evasion, *arXiv [cs.LG]* (2025); <http://arxiv.org/abs/2505.13787>.
- 428** B. Kleinberg, R. Loconte, B. Verschuere, Effective Faking of Verbal Deception Detection with Target-aligned Adversarial Attacks. *Legal and Criminological Psychology* (2025); <https://doi.org/10.1111/lcrp.70001>.
- 429** A. Velutharambath, K. Sassenberg, R. Klinger, What If Deception Cannot Be Detected? A Cross-Linguistic Study on the Limits of Deception Detection from Text, *arXiv [cs.CL]* (2025); <http://arxiv.org/abs/2505.13147>.
- 430*** B. Baker, J. Huizinga, L. Gao, Z. Dou, M. Y. Guan, A. Madry, W. Zaremba, J. Pachocki, D. Farhi, "Monitoring Reasoning Models for Misbehavior and the Risks of Promoting Obfuscation" (OpenAI, 2025); <https://arxiv.org/abs/2503.11926>.
- 431** P. Khambatta, S. Mariadassou, J. Morris, S. C. Wheeler, Tailoring Recommendation Algorithms to Ideal Preferences Makes Users Better off. *Scientific Reports* **13**, 9325 (2023); <https://doi.org/10.1038/s41598-023-34192-x>.
- 432** K. Liang, H. Hu, R. Liu, T. L. Griffiths, J. F. Fisac, RLHS: Mitigating Misalignment in RLHF with Hindsight Simulation, *arXiv [cs.LG]* (2025); <http://arxiv.org/abs/2501.08617>.
- 433** T. Zhi-Xuan, M. Carroll, M. Franklin, H. Ashton, Beyond Preferences in AI Alignment. *Philosophical Studies* (2024); <https://doi.org/10.1007/s11098-024-02249-w>.
- 434** D. Sallami, Y.-C. Chang, E. Aïmeur, From Deception to Detection: The Dual Roles of Large

Language Models in Fake News, *arXiv [cs.CL]* (2024); <http://arxiv.org/abs/2409.17416>.

435* T. Korbak, M. Balesni, E. Barnes, Y. Bengio, J. Benton, J. Bloom, M. Chen, A. Cooney, A. Dafoe, A. Dragan, S. Emmons, O. Evans, D. Farhi, R. Greenblatt, D. Hendrycks, M. Hobbhahn, E. Hubinger, ... V. Mikulik, Chain of Thought Monitorability: A New and Fragile Opportunity for AI Safety, *arXiv [cs.AI]* (2025); <http://arxiv.org/abs/2507.11473>.

436 S. M. Herzog, R. Hertwig, Boosting: Empowering Citizens with Behavioral Science. *Annual Review of Psychology* **76**, 851–881 (2025); <https://doi.org/10.1146/annurev-psych-020924-124753>.

437 D. Geissler, C. Robertson, S. Feuerriegel, Digital Literacy Interventions Can Boost Humans in Discerning Deepfakes, *arXiv [cs.HC]* (2025); <http://arxiv.org/abs/2507.23492>.

438 E. R. Spearing, C. I. Gile, A. L. Fogwill, T. Prike, B. Swire-Thompson, S. Lewandowsky, U. K. H. Ecker, Countering AI-Generated Misinformation with Pre-Emptive Source Discreditation and Debunking. *Royal Society Open Science* **12**, 242148 (2025); <https://doi.org/10.1098/rsos.242148>.

439 I. O. Gallegos, C. Shani, W. Shi, F. Bianchi, I. Gainsburg, D. Jurafsky, R. Willer, Labeling Messages as AI-Generated Does Not Reduce Their Persuasive Effects, *arXiv [cs.CY]* (2025); <http://arxiv.org/abs/2504.09865>.

440 F. Carrella, A. Simchon, M. Edwards, S. Lewandowsky, Warning People That They Are Being Microtargeted Fails to Eliminate Persuasive Advantage. *Communications Psychology* **3**, 15 (2025); <https://doi.org/10.1038/s44271-025-00188-8>.

441 C. Wittenberg, Z. Epstein, G. Péloquin-Skulski, A. J. Berinsky, D. G. Rand, Labeling AI-Generated Media Online. *PNAS Nexus* **4**, gaf170 (2025); <https://doi.org/10.1093/pnasnexus/pgaf170>.

442 B. E. Strom, A. Applebaum, D. P. Miller, K. C. Nickels, A. G. Pennington, C. B. Thomas, "MITRE ATT&CK: Design and Philosophy" (The MITRE Corporation, 2020); https://attack.mitre.org/docs/ATTACK_Design_and_Philosophy_March_2020.pdf.

443* M. Rodriguez, R. A. Popa, F. Flynn, L. Liang, A. Dafoe, A. Wang, A Framework for Evaluating Emerging Cyberattack Capabilities of AI, *arXiv [cs.CR]* (2025); <http://arxiv.org/abs/2503.11917>.

444 W. Guo, Y. Potter, T. Shi, Z. Wang, A. Zhang, D. Song, Frontier AI's Impact on the Cybersecurity Landscape, *arXiv [cs.CR]* (2025); <http://arxiv.org/abs/2504.05408>.

445* Google Threat Intelligence Group, "GTIG AI Threat Tracker: Advances in Threat Actor Usage of AI Tools" (Google Threat Intelligence, 2025); <https://services.google.com/fh/files/misc/advances-in-threat-actor-usage-of-ai-tools-en.pdf>.

446 S. Metta, I. Chang, J. Parker, M. P. Roman, A. F. Ehuang, Generative AI in Cybersecurity, *arXiv [cs.CR]* (2024); <http://arxiv.org/abs/2405.01674>.

447 National Cyber Security Centre (NCSC), "The near-Term Impact of AI on the Cyber Threat" (GOV.UK, 2024); <https://www.ncsc.gov.uk/report/impact-of-ai-on-cyber-threat>.

448 M. Xu, J. Fan, X. Huang, C. Zhou, J. Kang, D. Niyato, S. Mao, Z. Han, Xuemin, Shen, K.-Y. Lam, Forewarned Is Forearmed: A Survey on Large Language Model-Based Agents in Autonomous Cyberattacks, *arXiv [cs.NI]* (2025); <http://arxiv.org/abs/2505.12786>.

449 S. L. Schröer, G. Apruzzese, Soheil Human, P. Laskov, H. S. Anderson, E. W. N. Bernroider, A. Fass, B. Nassi, V. Rimmer, F. Roli, S. Salam, A. Shen, A. Sunyaev, T. Wadhwa-Brown, I. Wagner, G. Wang, SoK: On the Offensive Potential of AI, *arXiv [cs.CR]* (2024); <http://arxiv.org/abs/2412.18442>.

450 A. K. Zhang, N. Perry, R. Dulepet, J. Ji, J. W. Lin, E. Jones, C. Menders, G. Hussein, S. Liu, D. Jasper, P. Peetathawatchai, A. Glenn, V. Sivashankar, D. Zamoshchin, L. Glikbarg, D. Askaryar, M. Yang, ... P. Liang, Cybench: A Framework for Evaluating Cybersecurity Capabilities and Risks of Language Models, *arXiv [cs.CR]* (2024); <http://arxiv.org/abs/2408.08926>.

451 N. Kaloudi, J. Li, The AI-Based Cyber Threat Landscape: A Survey. *ACM Computing Surveys* **53**, 1–34 (2021); <https://doi.org/10.1145/3372823>.

452 World Economic Forum, "Global Cybersecurity Outlook 2025" (World Economic Forum, 2025); https://reports.weforum.org/docs/WEF_Global_Cybersecurity_Outlook_2025.pdf.

453* OpenAI, "Disrupting Malicious Uses of Our Models: An Update February 2025" (OpenAI, 2025); <https://cdn.openai.com/threat-intelligence-reports/disrupting-malicious-uses-of-our-models-february-2025-update.pdf>.

454 Z. Wang, T. Shi, J. He, M. Cai, J. Zhang, D. Song, CyberGym: Evaluating AI Agents' Real-World Cybersecurity Capabilities at Scale, *arXiv [cs.CR]* (2025); <http://arxiv.org/abs/2506.02548>.

455 Y. Li, Q. Pei, M. Sun, H. Lin, C. Ming, X. Gao, J. Wu, C. He, L. Wu, CipherBank: Exploring the Boundary of LLM Reasoning Capabilities through Cryptography Challenges, *arXiv [cs.CR]* (2025); <http://arxiv.org/abs/2504.19093>.

456 U. Maskey, C. Zhu, U. Naseem, "Benchmarking Large Language Models for Cryptanalysis and Side-Channel Vulnerabilities" in *Findings of the Association for Computational Linguistics: EMNLP 2025* (Association for Computational Linguistics, Stroudsburg, PA, USA, 2025), pp. 19849–19865; <https://doi.org/10.18653/v1/2025.findings-emnlp.1082>.

457* A. Dawson, R. Mulla, N. Landers, S. Caldwell, AIRTbench: Measuring Autonomous AI Red Teaming Capabilities in Language Models, *arXiv [cs.CR]* (2025); <http://arxiv.org/abs/2506.14682>.

458* Anthropic, Progress from Our Frontier Red Team, *Anthropic* (2025); <https://www.anthropic.com/news/strategic-warning->

for-ai-risk-progress-and-insights-from-our-frontier-red-team.

459* K. Lukošūtė, A. Swanda, LLM Cyber Evaluations Don't Capture Real-World Risk, *arXiv [cs.CR]* (2025); <http://arxiv.org/abs/2502.00072>.

460 K. Ferguson-Walter, M. Major, D. Van Bruggen, S. Fugate, R. Gutzwiller, "The World (of CTF) Is Not Enough Data: Lessons Learned from a Cyber Deception Experiment" in *2019 IEEE 5th International Conference on Collaboration and Internet Computing (CIC)* (IEEE, 2019), pp. 346–353; <https://doi.org/10.1109/cic48465.2019.00048>.

461 A. Petrov, D. Volkov, Evaluating AI Cyber Capabilities with Crowdsourced Elicitation, *arXiv [cs.CR]* (2025); <http://arxiv.org/abs/2505.19915>.

462* Anthropic's Frontier Red Team, Claude Is Competitive with Humans in (some) Cyber Competitions (2025); <https://red.anthropic.com/2025/cyber-competitions/>.

463 D. Ristea, V. Mavroudis, HonestCyberEval: An AI Cyber Risk Benchmark for Automated Software Exploitation, *arXiv [cs.CR]* (2025); <http://arxiv.org/abs/2410.21939>.

464* L. Deason, A. Bali, C. Bejean, D. Bolocan, J. Crnkovich, I. Croitoru, K. Durai, C. Midler, C. Miron, D. Molnar, B. Moon, B. Ostarcevic, A. Peltea, M. Rosenberg, C. Sandu, A. Saputkin, S. Shah, ... J. Saxe, CyberSOCEval: Benchmarking LLMs Capabilities for Malware Analysis and Threat Intelligence Reasoning, *arXiv [cs.CR]* (2025); <http://arxiv.org/abs/2509.20166>.

465* Microsoft Threat Intelligence, Analyzing Open-Source Bootloaders: Finding Vulnerabilities Faster with AI, *Microsoft Security Blog* (2025); <https://www.microsoft.com/en-us/security/blog/2025/03/31/analyzing-open-source-bootloaders-finding-vulnerabilities-faster-with-ai/>.

466 M. Kouremetis, M. Dotter, A. Byrne, D. Martin, E. Michalak, G. Russo, M. Threet, G. Zarrella, OCCULT: Evaluating Large Language Models for Offensive Cyber Operation Capabilities, *arXiv [cs.CR]* (2025); <http://arxiv.org/abs/2502.15797>.

467* O. Moor, A. Ziegler, XBOW - XBOW Unleashes GPT-5's Hidden Hacking Power, Doubling Performance (2025); <https://xbow.com/blog/gpt-5>.

468 Z. Ji, D. Wu, W. Jiang, P. Ma, Z. Li, S. Wang, Measuring and Augmenting Large Language Models for Solving Capture-the-Flag Challenges, *arXiv [cs.AI]* (2025); <http://arxiv.org/abs/2506.17644>.

469* K. Walker, A Summer of Security: Empowering Cyber Defenders with AI, *Google* (2025); <https://blog.google/technology/safety-security/cybersecurity-updates-summer-2025/>.

470 National Institute of Standards and Technology, CVE-2025-6965: National Vulnerability Database Entry (2025); <https://nvd.nist.gov/vuln/detail/CVE-2025-6965>.

471 DARPA, AI Cyber Challenge Marks Pivotal Inflection Point for Cyber Defense, *DARPA* (2025); <https://www.darpa.mil/news/2025/aixcc-results>.

472 T. Kim, H. Han, S. Park, D. R. Jeong, D. Kim, D. Kim, E. Kim, J. Kim, J. Wang, K. Kim, S. Ji, W. Song, H. Zhao, A. Chin, G. Lee, K. Stevens, M. Alharthi, ... Y. Kim, ATLANTIS: AI-Driven Threat Localization, Analysis, and Triage Intelligence System, *arXiv [cs.CR]* (2025); <http://arxiv.org/abs/2509.14589>.

473 S. Mohseni, S. Mohammadi, D. Tilwani, Y. Saxena, G. K. Ndawula, S. Vema, E. Raff, M. Gaur, Can LLMs Obfuscate Code? A Systematic Analysis of Large Language Models into Assembly Code Obfuscation. *Proceedings of the AAAI Conference on Artificial Intelligence. AAAI Conference on Artificial Intelligence* **39**, 24893–24901 (2025); <https://doi.org/10.1609/aaai.v39i23.34672>.

474 T. Al Lelah, G. Theodorakopoulos, P. Reinecke, A. Javed, E. Anthi, Abuse of Cloud-Based and Public Legitimate Services as Command-and-Control (C&C) Infrastructure: A Systematic Literature Review. *Journal of Cybersecurity and Privacy* **3**, 558–590 (2023); <https://doi.org/10.3390/jcp3030027>.

475* Anthropic, "Disrupting the First Reported AI-Orchestrated Cyber Espionage Campaign" (Anthropic, 2025); <https://assets.anthropic.com/m/ec212e6566a0d47/original/Disrupting-the-first-reported-ai-orchestrated-cyber-espionage-campaign.pdf>.

476 K. Nakano, R. Fayyazi, S. Yang, M. Zuzak, "Guided Reasoning in LLM-Driven Penetration Testing Using Structured Attack Trees" in *Second Conference on Language Modeling* (2025); <https://openreview.net/forum?id=x4sdXZ7Jdu#discussion>.

477 B. Singer, K. Lucas, L. Adiga, M. Jain, L. Bauer, V. Sekar, On the Feasibility of Using LLMs to Autonomously Execute Multi-Host Network Attacks, *arXiv [cs.CR]* (2025); <http://arxiv.org/abs/2501.16466>.

478 G. Deng, Y. Liu, V. Mayoral-Vilches, P. Liu, Y. Li, Y. Xu, T. Zhang, Y. Liu, M. Pinzger, S. Rass, PentestGPT: An LLM-Empowered Automatic Penetration Testing Tool, *arXiv [cs.SE]* (2023); <http://arxiv.org/abs/2308.06782>.

479 A. Happe, J. Cito, On the Surprising Efficacy of LLMs for Penetration-Testing, *arXiv [cs.CR]* (2025); <http://arxiv.org/abs/2507.00829>.

480 D. Cohen, D. Te'eni, I. Yahav, A. Zagalsky, D. Schwartz, G. Silverman, Y. Mann, A. Elalouf, J. Makowski, Human-AI Enhancement of Cyber Threat Intelligence. *International Journal of Information Security* **24**, 99 (2025); <https://doi.org/10.1007/s10207-025-01004-4>.

481 S. Tariq, R. Singh, M. B. Chhetri, S. Nepal, C. Paris, Bridging Expertise Gaps: The Role of LLMs in Human-AI Collaboration for Cybersecurity, *arXiv [cs.CR]* (2025); <http://arxiv.org/abs/2505.03179>.

482* Microsoft Threat Intelligence, "Microsoft Digital Defense Report 2025: Lighting the Path to a Secure Future" (Microsoft, 2025); <https://www.microsoft.com/en-us/security/security-insider/threat-landscape/microsoft-digital-defense-report-2025>.

- 483*** CrowdStrike, "CrowdStrike 2025 Global Threat Report" (CrowdStrike, 2025); <https://www.crowdstrike.com/en-gb/global-threat-report/>.
- 484*** FortiGuard Labs, "2025 Fortinet Global Threat Landscape Report" (Fortinet, 2025); <https://www.fortinet.com/content/dam/fortinet/assets/threat-reports/threat-landscape-report-2025.pdf>.
- 485** Office of the Director of National Intelligence, "Annual Threat Assessment of the U.S. Intelligence Community" (Office of the Director of National Intelligence, 2025); <https://www.dni.gov/files/ODNI/documents/assessments/ATA-2025-Unclassified-Report.pdf>.
- 486*** OpenAI, "Disrupting Malicious Uses of AI: An Update" (OpenAI, 2025); <https://cdn.openai.com/threat-intelligence-reports/7d662b68-952f-4dfd-a2f2-fe55b041cc4a/disrupting-malicious-uses-of-ai-october-2025.pdf>.
- 487** European External Action Service, "3rd EEAS Report on Foreign Information Manipulation and Interference Threats" (European External Action Service, 2025); <https://www.eeas.europa.eu/sites/default/files/documents/2025/EEAS-3nd-ThreatReport-March-2025-05-Digital-HD.pdf>.
- 488*** Microsoft Threat Intelligence, "Microsoft Digital Defense Report 2024" (Microsoft, 2024); <https://www.microsoft.com/en-us/security/security-insider/threat-landscape/microsoft-digital-defense-report-2024>.
- 489*** Zscaler ThreatLabz, "Zscaler ThreatLabz 2025 Ransomware Report" (Zscaler, 2025); <https://threatlabz.zscaler.com/>.
- 490*** Dragos, Dragos's 8th Annual OT Cybersecurity Year in Review Is Now Available (2025); <https://www.dragos.com/blog/dragos-8th-annual-ot-cybersecurity-year-in-review-is-now-available>.
- 491*** Check Point Research, "Check Point Research AI Security Report 2025" (Check Point Software Technologies Ltd., 2025); <https://engage.checkpoint.com/2025-ai-security-report/>.
- 492*** Unit 42, "Shai-Hulud" Worm Compromises Npm Ecosystem in Supply Chain Attack (2025); <https://unit42.paloaltonetworks.com/npm-supply-chain-attack/>.
- 493** ENISA, "ENISA Threat Landscape 2025" (European Union Agency for Cybersecurity, 2025); <https://www.enisa.europa.eu/publications/enisa-threat-landscape-2025>.
- 494*** OpenAI, Introducing Aardvark: OpenAI's Agentic Security Researcher (2025); <https://openai.com/index/introducing-aardvark/>.
- 495*** Google DeepMind, Introducing CodeMender: An AI Agent for Code Security (2025); <https://deepmind.google/blog/introducing-codemender-an-ai-agent-for-code-security/>.
- 496** A. J. Lohn, The Impact of AI on the Cyber Offense-Defense Balance and the Character of Cyber Conflict, *arXiv [cs.CR]* (2025); <http://arxiv.org/abs/2504.13371>.
- 497*** Anthropic's Frontier Red Team, Building AI for Cyber Defenders (2025); <https://red.anthropic.com/2025/ai-for-cyber-defenders/>.
- 498** S. Ee, C. Covino, C. Labrador, C. Krawec, J. Kraprayoon, J. O'Brien, Asymmetry by Design: Boosting Cyber Defenders with Differential Access to AI, *Institute for AI Policy and Strategy* (2025); <https://www.iaps.ai/research/differential-access>.
- 499** C. Withers, "Tipping the Scales: Emerging AI Capabilities and the Cyber Offense-Defense Balance" (Center for a New American Security, 2025); <https://www.cnas.org/publications/reports/tipping-the-scales?>
- 500** B. Murphy, T. Stone, Uplifted Attackers, Human Defenders: The Cyber Offense-Defense Balance for Trailing-Edge Organizations, *arXiv [cs.CR]* (2025); <http://arxiv.org/abs/2508.15808>.
- 501** Office of the Assistant Secretary of Defense for Industrial Base Policy, US Department of Defense, "Request for Information (RFI) on Defense Industrial Base (DIB) Adoption of Artificial Intelligence (AI): Summary and Analysis Report" (US Department of Defense, 2025); <https://businessdefense.gov/ibr/pae/docs/AI-RFI-Summary-Report.pdf>.
- 502** T. Szadeczky, Z. Bederna, Risk, Regulation, and Governance: Evaluating Artificial Intelligence across Diverse Application Scenarios. *Security Journal* **38** (2025); <https://doi.org/10.1057/s41284-025-00495-z>.
- 503** European Defence Agency, "Trustworthiness for AI in Defence: Developing Responsible, Ethical, and Trustworthy AI Systems for European Defence" (European Defence Agency (EDA), 2025); <https://eda.europa.eu/docs/default-source/brochures/taid-white-paper-final-09052025.pdf>.
- 504** C. Sharma, A. Rozenshtein, Regulatory Approaches to AI Liability (2024); <https://www.lawfaremedia.org/article/regulatory-approaches-to-ai-liability>.
- 505*** M. Nasr, N. Carlini, C. Sitawarin, S. V. Schulhoff, J. Hayes, M. Ilie, J. Pluto, S. Song, H. Chaudhari, I. Shumailov, A. Thakurta, K. Y. Xiao, A. Terzis, F. Tramèr, The Attacker Moves Second: Stronger Adaptive Attacks Bypass Defenses against Llm Jailbreaks and Prompt Injections, *arXiv [cs.LG]* (2025); <http://arxiv.org/abs/2510.09023>.
- 506** Y. Liu, G. Deng, Y. Li, K. Wang, Z. Wang, X. Wang, T. Zhang, Y. Liu, H. Wang, Y. Zheng, Y. Liu, Prompt Injection Attack against LLM-Integrated Applications, *arXiv [cs.CR]* (2023); <http://arxiv.org/abs/2306.05499>.
- 507** K. Greshake, S. Abdelnabi, S. Mishra, C. Endres, T. Holz, M. Fritz, "Not What You've Signed Up For: Compromising Real-World LLM-Integrated Applications with Indirect Prompt Injection" in *Proceedings of the 16th ACM Workshop on Artificial Intelligence and Security (AISec '23)* (Association for Computing

Machinery, New York, NY, USA, 2023), pp. 79–90; <https://doi.org/10.1145/3605764.3623985>.

508 T. Zhao, J. Chen, Y. Ru, H. Zhu, N. Hu, J. Liu, Q. Lin, Exploring Knowledge Poisoning Attacks to Retrieval-Augmented Generation. *Information Fusion* **127**, 103900 (2026); <https://doi.org/10.1016/j.inffus.2025.103900>.

509 A. Souly, J. Rando, E. Chapman, X. Davies, B. Hasircioglu, E. Shereen, C. Mougan, V. Mavroudis, E. Jones, C. Hicks, N. Carlini, Y. Gal, R. Kirk, Poisoning Attacks on LLMs Require a near-Constant Number of Poison Samples, *arXiv [cs.LG]* (2025); <http://arxiv.org/abs/2510.07192>.

510 S. Vyas, A. Caron, C. Hicks, P. Burnap, V. Mavroudis, Beyond Training-Time Poisoning: Component-Level and Post-Training Backdoors in Deep Reinforcement Learning, *arXiv [cs.LG]* (2025); <http://arxiv.org/abs/2507.04883>.

511 Y. Li, Y. Jiang, Z. Li, S.-T. Xia, Backdoor Learning: A Survey. *IEEE Transactions on Neural Networks and Learning Systems* **35**, 5–22 (2024); <https://doi.org/10.1109/TNNLS.2022.3182979>.

512* E. Hubinger, C. Denison, J. Mu, M. Lambert, M. Tong, M. MacDiarmid, T. Lanham, D. M. Ziegler, T. Maxwell, N. Cheng, A. Jermyn, A. Askell, A. Radhakrishnan, C. Anil, D. Duvenaud, D. Ganguli, F. Barez, ... E. Perez, Sleeper Agents: Training Deceptive LLMs That Persist Through Safety Training, *arXiv [cs.CR]* (2024); <http://dx.doi.org/10.48550/arXiv.2401.05566>.

513 T. Davidson, L. Finnveden, R. Hadshar, AI-Enabled Coups: How a Small Group Could Use AI to Seize Power. *Forethought* (2025); <https://www.forethought.org/research/ai-enabled-coups-how-a-small-group-could-use-ai-to-seize-power>.

514 E. Miyazono, “Preventing AI Sleeper Agents” (Institute for Progress, 2025); <https://ifp.org/wp-content/uploads/Preventing-AI-Sleeper-Agents-Miyazono-1.pdf>.

515 G. Androutsopoulos, A. Bianchi, “deepSURF: Detecting Memory Safety Vulnerabilities in Rust Through Fuzzing LLM-Augmented Harnesses” in *2026 IEEE Symposium on Security and Privacy* (2026), pp. 1129–1148; <https://doi.org/10.1109/SP63933.2026.00060>.

516 S. Balloccu, P. Schmidová, M. Lango, O. Dusek, “Leak, Cheat, Repeat: Data Contamination and Evaluation Malpractices in Closed-Source LLMs” in *Proceedings of the 18th Conference of the European Chapter of the Association for Computational Linguistics (Volume 1: Long Papers)*, Y. Graham, M. Purver, Eds. (Association for Computational Linguistics, St. Julian’s, Malta, 2024), pp. 67–93; <https://doi.org/10.18653/v1/2024.eacl-long.5>.

517 Department for Science, Innovation & Technology, AI Safety Institute, “Advanced AI Evaluations at AISI: May Update” (GOV.UK, 2024); <https://www.aisi.gov.uk/work/advanced-ai-evaluations-may-update>.

518 D. Ristea, V. Mavroudis, C. Hicks, Benchmarking OpenAI o1 in Cyber Security, *arXiv [cs.CR]* (2024); <http://arxiv.org/abs/2410.21939>.

519 AI Security Institute, A Structured Protocol for Elicitation Experiments (2025); <https://www.aisi.gov.uk/work/our-approach-to-ai-capability-elicitation>.

520 METR, DeepSeek-V3 Evaluation Report. (2025); <https://evaluations.metr.org/deepseek-v3-report/>.

521 R. Turtayev, A. Petrov, D. Volkov, D. Volk, Hacking CTFs with Plain Agents, *arXiv [cs.CR]* (2024); <http://arxiv.org/abs/2412.02776>.

522* Anthropic, Piloting Claude for Chrome (2025); <https://claude.com/blog/claude-for-chrome>.

523* Amazon Web Services, Amazon Bedrock Abuse Detection (2025); <https://docs.aws.amazon.com/bedrock/latest/userguide/abuse-detection.html>.

524 AI Security Institute, Managing Risks from Increasingly Capable Open-Weight AI Systems (2025); <https://www.aisi.gov.uk/work/managing-risks-from-increasingly-capable-open-weight-ai-systems>.

525 M. Malatji, A. Tolah, Artificial Intelligence (AI) Cybersecurity Dimensions: A Comprehensive Framework for Understanding Adversarial and Offensive AI. *AI and Ethics* **5**, 883–910 (2025); <https://doi.org/10.1007/s43681-024-00427-4>.

526 S. Schmid, T. Riebe, C. Reuter, Dual-Use and Trustworthy? A Mixed Methods Analysis of AI Diffusion between Civilian and Defense R&D. *Science and Engineering Ethics* **28**, 12 (2022); <https://doi.org/10.1007/s11948-022-00364-7>.

527 European Commission, Directorate-General for Research and Innovation, *Unlocking the Potential of Dual-Use Research and Innovation* (Publications Office of the European Union, 2025); <https://data.europa.eu/doi/10.2777/5771805>.

528 Z. L. Teo, A. J. Thirunavukarasu, K. Elangovan, H. Cheng, P. Moova, B. Soetikno, C. Nielsen, A. Pollreis, D. S. J. Ting, R. J. T. Morris, N. H. Shah, C. P. Langlotz, D. S. W. Ting, Generative Artificial Intelligence in Medicine. *Nature Medicine* **31**, 3270–3282 (2025); <https://doi.org/10.1038/s41591-025-03983-2>.

529 J. N. Acosta, G. J. Falcone, P. Rajpurkar, E. J. Topol, Multimodal Biomedical AI. *Nature Medicine* **28**, 1773–1784 (2022); <https://doi.org/10.1038/s41591-022-01981-2>.

530 A. Esteva, A. Robicquet, B. Ramsundar, V. Kuleshov, M. DePristo, K. Chou, C. Cui, G. Corrado, S. Thrun, J. Dean, A Guide to Deep Learning in Healthcare. *Nature Medicine* **25**, 24–29 (2019); <https://doi.org/10.1038/s41591-018-0316-z>.

531 J. Jumper, R. Evans, A. Pritzel, T. Green, M. Figurnov, O. Ronneberger, K. Tunyasuvunakool, R. Bates, A. Židek, A. Potapenko, A. Bridgland, C. Meyer, S. A. A. Kohl, A. J. Ballard, A. Cowie, B. Romera-Paredes, S. Nikolov, ... D. Hassabis, Highly Accurate Protein Structure Prediction with AlphaFold. *Nature* **596**,

- 583–589 (2021); <https://doi.org/10.1038/s41586-021-03819-2>.
- 532** A. Sharma, A. Lysenko, S. Jia, K. A. Boroevich, T. Tsunoda, Advances in AI and Machine Learning for Predictive Medicine. *Journal of Human Genetics* **69**, 487–497 (2024); <https://doi.org/10.1038/s10038-024-01231-y>.
- 533** B. Drexel, C. Withers, “AI and the Evolution of Biological National Security Risks: Capabilities, Thresholds, and Interventions” (CNAS, 2024); <https://www.cnas.org/publications/reports/ai-and-the-evolution-of-biological-national-security-risks>.
- 534** NTI, Statement on Biosecurity Risks at the Convergence of AI and the Life Sciences, *NTI* (2025); <https://www.nti.org/analysis/articles/statement-on-biosecurity-risks-at-the-convergence-of-ai-and-the-life-sciences/>.
- 535** J. Pannu, D. Bloomfield, A. Zhu, R. MacKnight, G. Gomes, A. Cicero, T. Inglesby, Prioritizing High-Consequence Biological Capabilities in Evaluations of Artificial Intelligence Models, *arXiv [cs.CY]* (2024); <http://dx.doi.org/10.2139/ssrn.4873106>.
- 536** J. B. Sandbrink, E. C. Alley, M. C. Watson, G. D. Koblenz, K. M. Esvelt, Insidious Insights: Implications of Viral Vector Engineering for Pathogen Enhancement. *Gene Therapy* **30**, 407–410 (2023); <https://doi.org/10.1038/s41434-021-00312-3>.
- 537** D. Baker, G. Church, Protein Design Meets Biosecurity. *Science (New York, N.Y.)* **383**, 349 (2024); <https://doi.org/10.1126/science.adb1671>.
- 538** D. Bloomfield, J. Pannu, A. W. Zhu, M. Y. Ng, A. Lewis, E. Bendavid, S. M. Asch, T. Hernandez-Boussard, A. Cicero, T. Inglesby, AI and Biosecurity: The Need for Governance. *Science (New York, N.Y.)* **385**, 831–833 (2024); <https://doi.org/10.1126/science.adq1977>.
- 539** C. S. Groff-Vindman, B. D. Trump, C. L. Cummings, M. Smith, A. J. Titus, K. Oye, V. Prado, E. Turmus, I. Linkov, The Convergence of AI and Synthetic Biology: The Looming Deluge. *NPJ Biomedical Innovations* **2** (2025); <https://doi.org/10.1038/s44385-025-00021-1>.
- 540*** Google, “Gemini 2.5 Deep Think - Model Card” (Google, 2025); <https://storage.googleapis.com/deepmind-media/Model-Cards/Gemini-2-5-Deep-Think-Model-Card.pdf>.
- 541*** OpenAI, Our Updated Preparedness Framework. (2025); <https://openai.com/index/updating-our-preparedness-framework/>.
- 542*** Anthropic, Announcing Our Updated Responsible Scaling Policy. (2024); <https://www.anthropic.com/news/announcing-our-updated-responsible-scaling-policy>.
- 543** A. Peppin, A. Reuel, S. Casper, E. Jones, A. Strait, U. Anwar, A. Agrawal, S. Kapoor, S. Koyejo, M. Pellat, R. Bommasani, N. Frosst, S. Hooker, “The Reality of AI and Biorisk” in *Proceedings of the 2025 ACM Conference on Fairness, Accountability, and Transparency* (ACM, New York, NY, USA, 2025), pp. 763–771; <https://doi.org/10.1145/3715275.3732048>.
- 544** S. Ben Ouagrham-Gormley, *Barriers to Bioweapons: The Challenges of Expertise and Organization for Weapons Development* (Cornell University Press, 2014); <https://www.cornellpress.cornell.edu/book/9780801452888/barriers-to-bioweapons>.
- 545** J. Revill, C. Jefferson, Tacit Knowledge and the Biological Weapons Regime. *Science & Public Policy* **41**, 597–610 (2014); <https://doi.org/10.1093/scipol/sct090>.
- 546** Frontier Model Forum, Issue Brief: Preliminary Reporting Tiers for AI-Bio Safety Evaluations, *Frontier Model Forum* (2025); <https://www.frontiermodelforum.org/updates/issue-brief-preliminary-reporting-tiers-for-ai-bio-safety-evaluations/>.
- 547*** Google, “Gemini 2.5 Pro Preview Model Card” (Google, 2025); <https://storage.googleapis.com/model-cards/documents/gemini-2.5-pro-preview.pdf>.
- 548*** OpenAI, “OpenAI o3 and o4-Mini System Card” (OpenAI, 2025); <https://cdn.openai.com/pdf/2221c875-02dc-4789-800b-e7758f3722c1/o3-and-o4-mini-system-card.pdf>.
- 549** J. Götting, P. Medeiros, J. G. Sanders, N. Li, L. Phan, K. Elabd, L. Justen, D. Hendrycks, S. Donoughe, Virology Capabilities Test (VCT): A Multimodal Virology Q&A Benchmark, *arXiv [cs.CY]* (2025); <http://arxiv.org/abs/2504.16137>.
- 550** L. Justen, LLMs Outperform Experts on Challenging Biology Benchmarks, *arXiv [cs.LG]* (2025); <http://dx.doi.org/10.48550/arXiv.2505.06108>.
- 551** R. Brent, T. G. McKelvey Jr, Contemporary AI Foundation Models Increase Biological Weapons Risk, *arXiv [cs.CY]* (2025); <http://arxiv.org/abs/2506.13798>.
- 552** R. T. Stendall, F. J. O. Martin, J. B. Sandbrink, How Might Large Language Models Aid Actors in Reaching the Competency Threshold Required to Carry out a Chemical Attack? *The Nonproliferation Review*, 1–22 (2024); <https://doi.org/10.1080/10736700.2024.2399308>.
- 553** S. Rose, R. Moulange, J. Smith, C. Nelson, “The near-Term Impact of AI on Biological Misuse” (Centre for Long-Term Resilience, 2024); <https://www.longtermresilience.org/reports/the-near-term-impact-of-ai-on-biological-misuse/>.
- 554** L. Cong, Z. Zhang, X. Wang, Y. Di, R. Jin, M. Gerasimiuk, Y. Wang, R. K. Dinesh, D. Smerkous, A. Smerkous, X. Wu, S. Liu, P. Li, Y. Zhu, S. Serrao, N. Zhao, I. A. Mohammad, ... M. Wang, LabOS: The AI-XR Co-Scientist That Sees and Works with Humans, *arXiv [cs.AI]* (2025); <http://dx.doi.org/10.48550/arXiv.2510.14861>.
- 555** C. Nelson, S. Rose, “Understanding AI-Facilitated Biological Weapon Development” (The Centre for Long-Term Resilience, 2023); <https://doi.org/10.71172/nm7j-qzt1>.
- 556** C. A. Mouton, C. Lucas, E. Guest, “The Operational Risks of AI in Large-Scale Biological Attacks: Results of a Red-Team Study” (RAND Corporation, 2024);

https://www.rand.org/pubs/research_reports/RRA2977-2.html.

557* T. Patwardhan, K. Liu, T. Markov, N. Chowdhury, D. Leet, N. Cone, C. Maltbie, J. Huizinga, C. Wainwright, S. (froggi) Jackson, S. Adler, R. Casagrande, A. Madry, “Building an Early Warning System for LLM-Aided Biological Threat Creation” (OpenAI, 2024); <https://openai.com/research/building-an-early-warning-system-for-llm-aided-biological-threat-creation>.

558 Frontier Model Forum, Latest from the FMF: Grant-Making to Address AI-Bio Risk Challenges, *Frontier Model Forum* (2025); <https://www.frontiermodelforum.org/updates/latest-from-the-fmf-grant-making-to-address-ai-bio-risk-challenges/>.

559 K. I. Albanese, S. Barbe, S. Tagami, D. N. Woolfson, T. Schiex, Computational Protein Design. *Nature Reviews. Methods Primers* **5** (2025); <https://doi.org/10.1038/s43586-025-00383-1>.

560* V. Zambaldi, D. La, A. E. Chu, H. Patani, A. E. Danson, T. O. C. Kwan, T. Frerix, R. G. Schneider, D. Saxton, A. Thillaisundaram, Z. Wu, I. Moraes, O. Lange, E. Papa, G. Stanton, V. Martin, S. Singh, ... J. Wang, “De Novo Design of High-Affinity Protein Binders with AlphaProteo” (Google DeepMind, 2024); <https://deepmind.google/discover/blog/alphaproteo-generates-novel-proteins-for-biology-and-health-research/>.

561 S. P. Ikononova, B. J. Wittmann, F. Piorino, D. J. Ross, S. W. Schaffter, O. Vasilyeva, E. Horvitz, J. Diggans, E. A. Strychalski, S. Lin-Gibson, G. J. Taghon, Experimental Evaluation of AI-Driven Protein Design Risks Using Safe Biological Proxies, *bioRxiv* (2025); <https://doi.org/10.1101/2025.05.15.654077>.

562 J. T. Rapp, B. J. Bremer, P. A. Romero, Self-Driving Laboratories to Autonomously Navigate the Protein Fitness Landscape. *Nature Chemical Engineering* **1**, 97–107 (2024); <https://doi.org/10.1038/s44286-023-00002-4>.

563 A. M. Bran, S. Cox, O. Schilter, C. Baldassari, A. D. White, P. Schwaller, Augmenting Large Language Models with Chemistry Tools. *Nature Machine Intelligence* **6**, 525–535 (2024); <https://doi.org/10.1038/s42256-024-00832-8>.

564 K. Swanson, W. Wu, N. L. Bulaong, J. E. Pak, J. Zou, The Virtual Lab: AI Agents Design New SARS-CoV-2 Nanobodies with Experimental Validation, *bioRxiv* (2024); <https://doi.org/10.1101/2024.11.11.623004>.

565 E. Callaway, I Told AI to Make Me a Protein. Here's What It Came up with. *Nature* **641**, 1079–1080 (2025); <https://doi.org/10.1038/d41586-025-01586-y>.

566 S. H. King, C. L. Driscoll, D. B. Li, D. Guo, A. T. Merchant, G. Bixi, M. E. Wilkinson, B. L. Hie, Generative Design of Novel Bacteriophages with Genome Language Models, *bioRxiv* (2025); <https://doi.org/10.1101/2025.09.12.675911>.

567 K. Kavanagh, World's First AI-Designed Viruses a Step towards AI-Generated Life. *Nature* **646**, 16 (2025); <https://doi.org/10.1038/d41586-025-03055-y>.

568 N. Youssef, S. Gurev, F. Ghantous, K. P. Brock, J. A. Jaimes, N. N. Thadani, A. Dauphin, A. C. Sherman, L. Yurkovetskiy, D. Soto, R. Estanboulieh, B. Kotzen, P. Notin, A. W. Kollasch, A. A. Cohen, S. E. Dross, J. Erasmus, ... D. S. Marks, Computationally Designed Proteins Mimic Antibody Immune Evasion in Viral Evolution. *Immunity* **58**, 1411–1421.e6 (2025); <https://doi.org/10.1016/j.immuni.2025.04.015>.

569 M. Guo, Z. Li, X. Deng, D. Luo, J. Yang, Y. Chen, W. Xue, ConoDL: A Deep Learning Framework for Rapid Generation and Prediction of Conotoxins, *bioRxiv [preprint]* (2024); <https://doi.org/10.1101/2024.09.27.614001>.

570 B. J. Wittmann, T. Alexanian, C. Bartling, J. Beal, A. Clore, J. Diggans, K. Flyangolts, B. T. Gemler, T. Mitchell, S. T. Murphy, N. E. Wheeler, E. Horvitz, Strengthening Nucleic Acid Biosecurity Screening against Generative Protein Design Tools. *Science (New York, N.Y.)* **390**, 82–87 (2025); <https://doi.org/10.1126/science.adu8578>.

571 F. Urbina, F. Lentzos, C. Invernizzi, S. Ekins, Dual Use of Artificial Intelligence-Powered Drug Discovery. *Nature Machine Intelligence* **4**, 189–191 (2022); <https://doi.org/10.1038/s42256-022-00465-9>.

572 N. N. Thadani, S. Gurev, P. Notin, N. Youssef, N. J. Rollins, D. Ritter, C. Sander, Y. Gal, D. S. Marks, Learning from Prepandemic Data to Forecast Viral Escape. *Nature* **622**, 818–825 (2023); <https://doi.org/10.1038/s41586-023-06617-0>.

573 T. Webster, R. Moulange, B. Del Castello, J. Walker, S. Zakaria, C. Nelson, “Global Risk Index for AI-Enabled Biological Tools” (The Centre for Long-Term Resilience & RAND Europe, 2025); <https://doi.org/10.71172/wjyw-6dyc>.

574 P. Villalobos, D. Atanasov, Announcing Our Expanded Biology AI Coverage, *Epoch AI* (2025); <https://epoch.ai/blog/announcing-expanded-biology-ai-coverage>.

575* J. Gottweis, W.-H. Weng, A. Daryin, T. Tu, A. Palepu, P. Sirkovic, A. Myaskovsky, F. Weissenberger, K. Rong, R. Tanno, K. Saab, D. Popovici, J. Blum, F. Zhang, K. Chou, A. Hassidim, B. Gokturk, ... V. Natarajan, Towards an AI Co-Scientist, *arXiv [cs.AI]* (2025); https://storage.googleapis.com/coscientist_paper/ai_coscientist.pdf?utm_source=substack&utm_medium=email.

576* S. Bubeck, C. Coester, R. Eldan, T. Gowers, Y. T. Lee, A. Lupsasca, M. Sawhney, R. Scherrer, M. Sellke, B. K. Spears, D. Unutmaz, K. Weil, S. Yin, N. Zhivotovskiy, Early Science Acceleration Experiments with GPT-5, *arXiv [cs.CL]* (2025); <http://dx.doi.org/10.48550/arXiv.2511.16072>.

577 S. Gao, A. Fang, Y. Huang, V. Giunchiglia, A. Noori, J. R. Schwarz, Y. Ektefaie, J. Kondic, M. Zitnik, Empowering Biomedical Discovery with AI Agents.

- Cell* **187**, 6125–6151 (2024); <https://doi.org/10.1016/j.cell.2024.09.022>.
- 578*** A. E. Ghareeb, B. Chang, L. Mitchener, A. Yiu, C. J. Szostkiewicz, J. M. Laurent, M. T. Razzak, A. D. White, M. M. Hinks, S. G. Rodrigues, Robin: A Multi-Agent System for Automating Scientific Discovery, *arXiv [cs.AI]* (2025); <http://arxiv.org/abs/2505.13400>.
- 579** T. McCaslin, J. Alaga, S. Nedungadi, S. Donoughe, T. Reed, R. Bommasani, C. Painter, L. Righetti, STREAM (ChemBio): A Standard for Transparently Reporting Evaluations in AI Model Reports, *arXiv [cs.CV]* (2025); <http://dx.doi.org/10.48550/arXiv.2508.09853>.
- 580** A. Sandberg, C. Nelson, Who Should We Fear More: Biohackers, Disgruntled Postdocs, or Bad Governments? A Simple Risk Chain Model of Biorisk. *Health Security* **18**, 155–163 (2020); <https://doi.org/10.1089/hs.2019.0115>.
- 581*** OpenAI, Preparing for Future AI Capabilities in Biology (2025); <https://openai.com/index/preparing-for-future-ai-capabilities-in-biology/>.
- 582*** Anthropic, Activating AI Safety Level 3 Protections (2025); <https://www-cdn.anthropic.com/807c59454757214bfd37592d6e048079cd7a7728.pdf>.
- 583*** T. Hayes, R. Rao, H. Akin, N. J. Sofroniew, D. Oktay, Z. Lin, R. Verkuil, V. Q. Tran, J. Deaton, M. Wiggert, R. Badkundri, I. Shafkat, J. Gong, A. Derry, R. S. Molina, N. Thomas, Y. Khan, ... A. Rives, Simulating 500 Million Years of Evolution with a Language Model, *bioRxiv [preprint]* (2024); <https://doi.org/10.1101/2024.07.01.600583>.
- 584** E. Nguyen, M. Poli, M. G. Durrant, A. W. Thomas, B. Kang, J. Sullivan, M. Y. Ng, A. Lewis, A. Patel, A. Lou, S. Ermon, S. A. Baccus, T. Hernandez-Boussard, C. Re, P. D. Hsu, B. L. Hie, Sequence Modeling and Design from Molecular to Genome Scale with Evo, *bioRxiv [preprint]* (2024); <https://doi.org/10.1101/2024.02.27.582234>.
- 585** J. Cheng, G. Novati, J. Pan, C. Bycroft, A. Žemgulytė, T. Applebaum, A. Pritzel, L. H. Wong, M. Zielinski, T. Sargeant, R. G. Schneider, A. W. Senior, J. Jumper, D. Hassabis, P. Kohli, Ž. Avsec, Accurate Proteome-Wide Missense Variant Effect Prediction with AlphaMissense. *Science (New York, N.Y.)* **381**, eadg7492 (2023); <https://doi.org/10.1126/science.adg7492>.
- 586** Y. Qu, K. Huang, M. Yin, K. Zhan, D. Liu, D. Yin, H. C. Cousins, W. A. Johnson, X. Wang, M. Shah, R. B. Altman, D. Zhou, M. Wang, L. Cong, CRISPR-GPT for Agentic Automation of Gene-Editing Experiments. *Nature Biomedical Engineering*, 1–14 (2025); <https://doi.org/10.1038/s41551-025-01463-z>.
- 587** Z. Zhang, R. Jin, G. Xu, X. Wang, M. Zitnik, L. Cong, M. Wang, FoldMark: Safeguarding Protein Structure Generative Models with Distributional and Evolutionary Watermarking, *bioRxiv* (2025); <https://doi.org/10.1101/2024.10.23.619960>.
- 588** M. Wang, Z. Zhang, A. S. Bedi, A. Velasquez, S. Guerra, S. Lin-Gibson, L. Cong, Y. Qu, S. Chakraborty, M. Blewett, J. Ma, E. Xing, G. Church, A Call for Built-in Biosecurity Safeguards for Generative AI Tools. *Nature Biotechnology* **43**, 845–847 (2025); <https://doi.org/10.1038/s41587-025-02650-8>.
- 589** S. Passaro, G. Corso, J. Wohlwend, M. Reveiz, S. Thaler, V. R. Somnath, N. Getz, T. Portnoi, J. Roy, H. Stark, D. Kwabi-Addo, D. Beaini, T. Jaakkola, R. Barzilay, Boltz-2: Towards Accurate and Efficient Binding Affinity Prediction, *bioRxiv* (2025); <https://doi.org/10.1101/2025.06.14.659707>.
- 590** E. Callaway, AI Protein-Prediction Tool AlphaFold3 Is Now More Open. *Nature* **635**, 531–532 (2024); <https://doi.org/10.1038/d41586-024-03708-4>.
- 591** S. R. Carter, N. E. Wheeler, C. Isaac, J. M. Yassif, “Developing Guardrails for AI Biodesign Tools” (Nuclear Threat Initiative, 2024); <https://www.nti.org/analysis/articles/developing-guardrails-for-ai-biodesign-tools/>.
- 592** N. E. Wheeler, C. Bartling, S. R. Carter, A. Clore, J. Diggans, K. Flyangolts, B. T. Gemler, B. Rife Magalis, J. Beal, Progress and Prospects for a Nucleic Acid Screening Test Set. *Applied Biosafety: Journal of the American Biological Safety Association* **29**, 133–141 (2024); <https://doi.org/10.1089/apb.2023.0033>.
- 593** T. S. Laird, K. Flyangolts, C. Bartling, B. T. Gemler, J. Beal, T. Mitchell, S. T. Murphy, J. Berlips, L. Foner, R. Doughty, F. Quintana, M. Nute, T. J. Treangen, G. Godbold, K. Ternus, T. Alexanian, N. Wheeler, S. P. Forry, Inter-Tool Analysis of a NIST Dataset for Assessing Baseline Nucleic Acid Sequence Screening, *bioRxiv* (2025); <https://doi.org/10.1101/2025.05.30.655379>.
- 594** The Nucleic Acid Observatory Consortium, A Global Nucleic Acid Observatory for Biodefense and Planetary Health, *arXiv [q-bio.GN]* (2021); <http://arxiv.org/abs/2108.02678>.
- 595** Security Accelerator, Enhancing UK Biosecurity: DASA Launches Microbial Forensics Competition, GOV. UK (2024); <https://www.gov.uk/government/news/enhancing-uk-biosecurity-dasa-launches-microbial-forensics-competition>.
- 596** U.S. Department of Homeland Security, Detecting Bioterrorist Attacks (2024); <https://www.dhs.gov/archive/detecting-bioterrorism>.
- 597** C. C. Wang, K. A. Prather, J. Sznitman, J. L. Jimenez, S. S. Lakdawala, Z. Tufekci, L. C. Marr, Airborne Transmission of Respiratory Viruses. *Science (New York, N.Y.)* **373**, eabd9149 (2021); <https://doi.org/10.1126/science.abd9149>.
- 598** C. S. Adamson, K. Chibale, R. J. M. Goss, M. Jaspars, D. J. Newman, R. A. Dorrington, Antiviral Drug Discovery: Preparing for the next Pandemic. *Chem. Soc. Rev.* **50**, 3647–3655 (2021); <https://doi.org/10.1039/D0CS01118E>.
- 599** L. Pei, M. Garfinkel, M. Schmidt, Bottlenecks and Opportunities for Synthetic Biology Biosafety Standards. *Nature Communications* **13**, 2175 (2022); <https://doi.org/10.1038/s41467-022-29889-y>.
- 600** World Health Organization, Resolution WHA77.7: Strengthening Laboratory Biological Risk Management.

(2024); https://apps.who.int/gb/ebwha/pdf_files/WHA77/A77_R7-en.pdf.

601 L. M. Stuart, R. A. Bright, E. Horvitz, AI-Enabled Protein Design: A Strategic Asset for Global Health and Biosecurity. *NAM Perspectives* **2024** (2024); <https://doi.org/10.31478/202410d>.

602 L. Huang, W. Yu, W. Ma, W. Zhong, Z. Feng, H. Wang, Q. Chen, W. Peng, X. Feng, B. Qin, T. Liu, A Survey on Hallucination in Large Language Models: Principles, Taxonomy, Challenges, and Open Questions. *ACM Transactions on Information Systems* **43**, 1–55 (2025); <https://doi.org/10.1145/3703155>.

603 S. Lin, J. Hilton, O. Evans, “TruthfulQA: Measuring How Models Mimic Human Falsehoods” in *Proceedings of the 60th Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*, S. Muresan, P. Nakov, A. Villavicencio, Eds. (Association for Computational Linguistics, Dublin, Ireland, 2022), pp. 3214–3252; <https://doi.org/10.18653/v1/2022.acl-long.229>.

604 L. Berglund, M. Tong, M. Kaufmann, M. Balesni, A. C. Stickland, T. Korbak, O. Evans, “The Reversal Curse: LLMs Trained on ‘A Is B’ Fail to Learn ‘B Is A’” in *The 12th International Conference on Learning Representations (ICLR 2024)* (Vienna, Austria, 2024); <https://openreview.net/forum?id=GPKTIktA0k>.

605 M. Balesni, T. Korbak, O. Evans, Lessons from Studying Two-Hop Latent Reasoning, *arXiv [cs.CL]* (2024); <https://dx.doi.org/10.48550/arXiv.2411.16353>.

606 R. Taori, A. Dave, V. Shankar, N. Carlini, B. Recht, L. Schmidt, “Measuring Robustness to Natural Distribution Shifts in Image Classification” in *34th International Conference on Neural Information Processing Systems* (Curran Associates Inc., Red Hook, NY, USA, 2020), pp. 18583–18599; <https://dl.acm.org/doi/10.5555/3495724.3497285>.

607 P. W. Koh, S. Sagawa, H. Marklund, S. M. Xie, M. Zhang, A. Balsubramani, W. Hu, M. Yasunaga, R. L. Phillips, I. Gao, T. Lee, E. David, I. Stavness, W. Guo, B. A. Earnshaw, I. S. Haque, S. Beery, ... P. Liang, WILDS: A Benchmark of in-the-Wild Distribution Shifts, *arXiv [cs.LG]* (2020); <http://dx.doi.org/10.48550/arXiv.2012.07421>.

608 J. Miller, K. Krauth, B. Recht, L. Schmidt, The Effect of Natural Distribution Shift on Question Answering Models, *arXiv [cs.LG]* (2020); <http://dx.doi.org/10.48550/arXiv.2004.14444>.

609 Y. Kim, H. Jeong, S. Chen, S. S. Li, C. Park, M. Lu, K. Alhamoud, J. Mun, C. Grau, M. Jung, R. R. Gameiro, L. Fan, E. Park, T. Lin, J. Yoon, W. Yoon, M. Sap, ... C. Breazeal, Medical Hallucination in Foundation Models and Their Impact on Healthcare, *medRxiv* (2025); <https://doi.org/10.1101/2025.02.28.25323115>.

610 M. Dahl, V. Magesh, M. Suzgun, D. E. Ho, Large Legal Fictions: Profiling Legal Hallucinations in Large Language Models. *The Journal of Legal Analysis* **16**, 64–93 (2024); <https://doi.org/10.1093/jla/laae003>.

611 K. Denecke, G. Lopez-Campos, O. Rivera-Romero, E. Gabarron, The Unexpected Harms of

Artificial Intelligence in Healthcare: Reflections on Four Real-World Cases. *Studies in Health Technology and Informatics* **325**, 55–60 (2025); <https://doi.org/10.3233/SHTI250219>.

612* M. Mitchell, A. Ghosh, A. S. Luccioni, G. Pistilli, Fully Autonomous AI Agents Should Not Be Developed, *arXiv [cs.AI]* (2025); <http://arxiv.org/abs/2502.02649>.

613 R. Sapkota, K. I. Roumeliotis, M. Karkee, AI Agents vs. Agentic AI: A Conceptual Taxonomy, Applications and Challenges, *arXiv [cs.AI]* (2025); <http://arxiv.org/abs/2505.10468>.

614 L. Hammond, A. Chan, J. Clifton, J. Hoelscher-Obermaier, A. Khan, E. McLean, C. Smith, W. Barfuss, J. Foerster, T. Gavenčiak, T. A. Han, E. Hughes, V. Kovařík, J. Kulveit, J. Z. Leibo, C. Oesterheld, C. S. de Witt, ... I. Rahwan, Multi-Agent Risks from Advanced AI, *arXiv [cs.MA]* (2025); <http://arxiv.org/abs/2502.14143>.

615* A. Kasirzadeh, I. Gabriel, Characterizing AI Agents for Alignment and Governance, *arXiv [cs.CY]* (2025); <http://arxiv.org/abs/2504.21848>.

616 M. Cemri, M. Z. Pan, S. Yang, L. A. Agrawal, B. Chopra, R. Tiwari, K. Keutzer, A. Parameswaran, D. Klein, K. Ramchandran, M. Zaharia, J. E. Gonzalez, I. Stoica, Why Do Multi-Agent LLM Systems Fail?, *arXiv [cs.AI]* (2025); <http://dx.doi.org/10.48550/arXiv.2503.13657>.

617 I. D. Raji, I. E. Kumar, A. Horowitz, A. Selbst, “The Fallacy of AI Functionality” in *Proceedings of the 2022 ACM Conference on Fairness, Accountability, and Transparency (FAccT ’22)* (Association for Computing Machinery, New York, NY, USA, 2022), pp. 959–972; <https://doi.org/10.1145/3531146.3533158>.

618 J. Tan, H. Westermann, K. Benyekhlef, “ChatGPT as an Artificial Lawyer?” in *Workshop on Artificial Intelligence for Access to Justice (AI4AJ 2023)* (CEUR Workshop Proceedings, Braga, Portugal, 2023); <https://ceur-ws.org/Vol-3435/short2.pdf>.

619 J. A. Omiye, J. C. Lester, S. Spichak, V. Rotemberg, R. Daneshjou, Large Language Models Propagate Race-Based Medicine. *Npj Digital Medicine* **6**, 1–4 (2023); <https://doi.org/10.1038/s41746-023-00939-z>.

620 Z. Wang, “CausalBench: A Comprehensive Benchmark for Evaluating Causal Reasoning Capabilities of Large Language Models” in *Proceedings of the 10th SIGHAN Workshop on Chinese Language Processing (SIGHAN-10)* (2024), pp. 143–151; <https://aclanthology.org/2024.sighan-1.17.pdf>.

621 J. L. M. Brand, Air Canada’s Chatbot Illustrates Persistent Agency and Responsibility Gap Problems for AI. *AI & Society*, 1–3 (2024); <https://doi.org/10.1007/s00146-024-02096-7>.

622* Z. Yuan, H. Yuan, C. Tan, W. Wang, S. Huang, How Well Do Large Language Models Perform in Arithmetic Tasks?, *arXiv [cs.CL]* (2023); <http://arxiv.org/abs/2304.02015>.

623 V. Nagarajan, A. Andreassen, B. Neyshabur, “Understanding the Failure Modes of out-of-Distribution Generalization” in *International*

Conference on Learning Representations (2021); https://openreview.net/forum?id=fSTD6NFIW_b.

624 X. Zhang, H. Xu, Z. Ba, Z. Wang, Y. Hong, J. Liu, Z. Qin, K. Ren, PrivacyAsst: Safeguarding User Privacy in Tool-Using Large Language Model Agents. *IEEE Transactions on Dependable and Secure Computing* **21**, 5242–5258 (2024); <https://doi.org/10.1109/tdsc.2024.3372777>.

625 Y. Hu, Y. Wang, J. McAuley, Evaluating Memory in LLM Agents via Incremental Multi-Turn Interactions, *arXiv [cs.CL]* (2025); <http://dx.doi.org/10.48550/arXiv.2507.05257>.

626 M. Pink, Q. Wu, V. A. Vo, J. Turek, J. Mu, A. Huth, M. Toneva, Position: Episodic Memory Is the Missing Piece for Long-Term LLM Agents, *arXiv [cs.AI]* (2025); <http://dx.doi.org/10.48550/arXiv.2502.06975>.

627 G. Piatti, Z. Jin, M. Kleiman-Weiner, B. Schölkopf, M. Sachan, R. Mihalcea, “Cooperate or Collapse: Emergence of Sustainable Cooperation in a Society of LLM Agents” in *Proceedings of the 38th International Conference on Neural Information Processing Systems* (Curran Associates Inc., Red Hook, NY, USA, 2024) vol. 37, pp. 111715–111759; <https://doi.org/10.5555/3737916.3741464>.

628 S. Nguyen, H. M. Babe, Y. Zi, A. Guha, C. J. Anderson, M. Q. Feldman, “How Beginning Programmers and Code LLMs (Mis)read Each Other” in *Proceedings of the CHI Conference on Human Factors in Computing Systems (CHI ’24)* (Association for Computing Machinery, New York, NY, USA, 2024), pp. 1–26; <https://doi.org/10.1145/3613904.3642706>.

629 C. E. Jimenez, J. Yang, A. Wettig, S. Yao, K. Pei, O. Press, K. R. Narasimhan, “SWE-Bench: Can Language Models Resolve Real-World Github Issues?” in *12th International Conference on Learning Representations* (2024); <https://openreview.net/pdf?id=VTF8yNQM66>.

630 R. Pan, A. R. Ibrahimzada, R. Krishna, D. Sankar, L. P. Wassi, M. Merler, B. Sobolev, R. Pavuluri, S. Sinha, R. Jabbarvand, “Lost in Translation: A Study of Bugs Introduced by Large Language Models While Translating Code” in *Proceedings of the IEEE/ACM 46th International Conference on Software Engineering (ICSE ’24)* (Association for Computing Machinery, New York, NY, USA, 2024), pp. 1–13; <https://doi.org/10.1145/3597503.3639226>.

631 F. Cassano, L. Li, A. Sethi, N. Shinn, A. Brennan-Jones, J. Ginesin, E. Berman, G. Chakraborty, A. Lozhkov, C. J. Anderson, A. Guha, Can It Edit? Evaluating the Ability of Large Language Models to Follow Code Editing Instructions, *arXiv [cs.SE]* (2023); <http://arxiv.org/abs/2312.12450>.

632* L. Haas, G. Yona, G. D’Antonio, S. Goldshtein, D. Das, SimpleQA Verified: A Reliable Factuality Benchmark to Measure Parametric Knowledge, *arXiv [cs.CL]* (2025); <http://arxiv.org/abs/2509.07968>.

633* OpenAI, J. Achiam, S. Adler, S. Agarwal, L. Ahmad, I. Akkaya, F. L. Aleman, D. Almeida, J. Altschmidt, S. Altman, S. Anadkat, R. Avila, I. Babuschkin, S. Balaji, V. Balcom, P. Baltescu, H. Bao,

... B. Zoph, “GPT-4 Technical Report” (OpenAI, 2023); <http://arxiv.org/abs/2303.08774>.

634 T. H. Kung, M. Cheatham, A. Medenilla, C. Sillos, L. De Leon, C. Elepaño, M. Madriaga, R. Aggabao, G. Diaz-Candido, J. Maningo, V. Tseng, Performance of ChatGPT on USMLE: Potential for AI-Assisted Medical Education Using Large Language Models. *PLOS Digital Health* **2**, e0000198 (2023); <https://doi.org/10.1371/journal.pdig.0000198>.

635 K. Singhal, S. Azizi, T. Tu, S. S. Mahdavi, J. Wei, H. W. Chung, N. Scales, A. Tanwani, H. Cole-Lewis, S. Pfohl, P. Payne, M. Seneviratne, P. Gamble, C. Kelly, A. Babiker, N. Schärli, A. Chowdhery, ... V. Natarajan, Large Language Models Encode Clinical Knowledge. *Nature* **620**, 172–180 (2023); <https://doi.org/10.1038/s41586-023-06291-2>.

636 Z. Deng, Y. Guo, C. Han, W. Ma, J. Xiong, S. Wen, Y. Xiang, AI Agents under Threat: A Survey of Key Security Challenges and Future Pathways. *ACM Computing Surveys* **57**, 1–36 (2025); <https://doi.org/10.1145/3716628>.

637 M. Yu, F. Meng, X. Zhou, S. Wang, J. Mao, L. Pan, T. Chen, K. Wang, X. Li, Y. Zhang, B. An, Q. Wen, “A Survey on Trustworthy LLM Agents: Threats and Countermeasures” in *Proceedings of the 31st ACM SIGKDD Conference on Knowledge Discovery and Data Mining V.2* (ACM, New York, NY, USA, 2025), pp. 6216–6226; <https://doi.org/10.1145/3711896.3736561>.

638 Y. Ruan, H. Dong, A. Wang, S. Pitis, Y. Zhou, J. Ba, Y. Dubois, C. J. Maddison, T. Hashimoto, “Identifying the Risks of LM Agents with an LM-Emulated Sandbox” in *The Twelfth International Conference on Learning Representations* (2024); <https://openreview.net/forum?id=GEcwtMk1uA>.

639 N. Kolt, Governing AI Agents (2024); <https://doi.org/10.2139/ssrn.4772956>.

640 S. G. Patil, T. Zhang, V. Fang, C. Noppapon, R. Huang, A. Hao, M. Casado, J. E. Gonzalez, R. A. Popa, I. Stoica, GoEX: Perspectives and Designs Towards a Runtime for Autonomous LLM Applications, *arXiv [cs.CL]* (2024); <http://dx.doi.org/10.48550/arXiv.2404.06921>.

641 C. Borch, High-Frequency Trading, Algorithmic Finance and the Flash Crash: Reflections on Eventualization. *Economy and Society* **45**, 350–378 (2016); <https://doi.org/10.1080/03085147.2016.1263034>.

642 J. de J. Camacho, B. Aguirre, P. Ponce, B. Anthony, A. Molina, Leveraging Artificial Intelligence to Bolster the Energy Sector in Smart Cities: A Literature Review. *Energies* **17**, 353 (2024); <https://doi.org/10.3390/en17020353>.

643* C. Lu, C. Lu, R. T. Lange, J. Foerster, J. Clune, D. Ha, The AI Scientist: Towards Fully Automated Open-Ended Scientific Discovery, *arXiv [cs.AI]* (2024); <http://arxiv.org/abs/2408.06292>.

644 Z. Luo, A. Kasirzadeh, N. B. Shah, The More You Automate, the Less You See: Hidden Pitfalls of AI Scientist Systems, *arXiv [cs.AI]* (2025); <http://arxiv.org/abs/2509.08713>.

- 645** J. Ferber, *Multi-Agent Systems: An Introduction to Distributed Artificial Intelligence* (Addison-Wesley Longman Publishing Co., Inc., USA, ed. 1st, 1999); <https://dl.acm.org/doi/10.5555/520715>.
- 646** A. Dafoe, Y. Bachrach, G. Hadfield, E. Horvitz, K. Larson, T. Graepel, Cooperative AI: Machines Must Learn to Find Common Ground. *Nature* **593**, 33–36 (2021); <https://doi.org/10.1038/d41586-021-01170-0>.
- 647** M. Wooldridge, *An Introduction to MultiAgent Systems* (John Wiley & Sons, Chichester, England, ed. 2, 2009); <https://www.wiley.com/en-be/An+Introduction+to+MultiAgent+Systems%2C+2nd+Edition-p-9780470519462>.
- 648** S. Kraus, Negotiation and Cooperation in Multi-Agent Environments. *Artificial Intelligence* **94**, 79–97 (1997); [https://doi.org/10.1016/s0004-3702\(97\)00025-8](https://doi.org/10.1016/s0004-3702(97)00025-8).
- 649** T. Gu, T. Zhi, X. Bao, L. Chang, Credible Negotiation for Multi-Agent Reinforcement Learning in Long-Term Coordination. *ACM Transactions on Autonomous and Adaptive Systems* **20**, 1–27 (2025); <https://doi.org/10.1145/3706110>.
- 650*** Anthropic, How We Built Our Multi-Agent Research System. (2025); <https://www.anthropic.com/engineering/multi-agent-research-system>.
- 651** X. Shen, Y. Liu, Y. Dai, Y. Wang, R. Miao, Y. Tan, S. Pan, X. Wang, Understanding the Information Propagation Effects of Communication Topologies in LLM-Based Multi-Agent Systems, *arXiv [cs.MA]* (2025); <http://dx.doi.org/10.48550/arXiv.2505.23352>.
- 652** J. Zhou, L. Wang, X. Yang, GUARDIAN: Safeguarding LLM Multi-Agent Collaborations with Temporal Graph Modeling, *arXiv [cs.AI]* (2025); <http://dx.doi.org/10.48550/arXiv.2505.19234>.
- 653** S. Zhang, M. Yin, J. Zhang, J. Liu, Z. Han, J. Zhang, B. Li, C. Wang, H. Wang, Y. Chen, Q. Wu, Which Agent Causes Task Failures and When? On Automated Failure Attribution of LLM Multi-Agent Systems, *arXiv [cs.MA]* (2025); <http://dx.doi.org/10.48550/arXiv.2505.00212>.
- 654** C. Liang, J. Gan, K. Hong, Q. Tian, Z. Wu, R. Li, COCO: Cognitive Operating System with Continuous Oversight for Multi-Agent Workflow Reliability, *arXiv [cs.MA]* (2025); <http://dx.doi.org/10.48550/arXiv.2508.13815>.
- 655** D. Lee, M. Tiwari, Prompt Infection: LLM-to-LLM Prompt Injection within Multi-Agent Systems, *arXiv [cs.MA]* (2024); <http://dx.doi.org/10.48550/arXiv.2410.07283>.
- 656** A. Reid, S. O'Callaghan, L. Carroll, T. Caetano, Risk Analysis Techniques for Governed LLM-Based Multi-Agent Systems, *arXiv [cs.MA]* (2025); <http://dx.doi.org/10.48550/arXiv.2508.05687>.
- 657** Q. Zhan, Z. Liang, Z. Ying, D. Kang, InjecAgent: Benchmarking Indirect Prompt Injections in Tool-Integrated Large Language Model Agents, *arXiv [cs.CL]* (2024); <http://dx.doi.org/10.48550/arXiv.2403.02691>.
- 658** E. Debenedetti, J. Zhang, M. Balunovic, L. Beurer-Kellner, M. Fischer, F. Tramèr, "AgentDojo: A Dynamic Environment to Evaluate Prompt Injection Attacks and Defenses for LLM Agents" in *The Thirty-Eight Conference on Neural Information Processing Systems Datasets and Benchmarks Track* (2024); <https://openreview.net/forum?id=m1YYAQJO3w>.
- 659*** Anthropic, Introducing Claude 4 (2025); <https://www.anthropic.com/news/claude-4>.
- 660*** OpenAI, Introducing ChatGPT Agent: Bridging Research and Action (2025); <https://openai.com/index/introducing-chatgpt-agent/>.
- 661** A. Chan, K. Wei, S. Huang, N. Rajkumar, E. Perrier, S. Lazar, G. K. Hadfield, M. Anderljung, Infrastructure for AI Agents, *arXiv [cs.AI]* (2025); <http://arxiv.org/abs/2501.10114>.
- 662** Y. Yang, H. Chai, Y. Song, S. Qi, M. Wen, N. Li, J. Liao, H. Hu, J. Lin, G. Chang, W. Liu, Y. Wen, Y. Yu, W. Zhang, A Survey of AI Agent Protocols, *arXiv [cs.AI]* (2025); <http://dx.doi.org/10.48550/arXiv.2504.16736>.
- 663*** R. Surapaneni, M. Jha, M. Vakoc, T. Segal, Announcing the Agent2Agent Protocol (A2A). (2025); <https://developers.googleblog.com/en/a2a-a-new-era-of-agent-interoperability/>.
- 664*** S. Parikh, R. Surapaneni, Announcing Agent Payments Protocol (AP2). (2025); <https://cloud.google.com/blog/products/ai-machine-learning/announcing-agents-to-payments-ap2-protocol>.
- 665*** Anthropic, Introducing the Model Context Protocol (2024); <https://www.anthropic.com/news/model-context-protocol>.
- 666** S. Kapoor, B. Stroebl, Z. S. Siegel, N. Nadgir, A. Narayanan, AI Agents That Matter, *arXiv [cs.LG]* (2024); <http://arxiv.org/abs/2407.01502>.
- 667** S. D. Ramchurn, D. Huynh, N. R. Jennings, Trust in Multi-Agent Systems. *The Knowledge Engineering Review* **19**, 1–25 (2004); <https://doi.org/10.1017/s0269888904000116>.
- 668** X. Fan, S. Oh, M. McNeese, J. Yen, H. Cuevas, L. Strater, M. R. Endsley, "The Influence of Agent Reliability on Trust in Human-Agent Collaboration" in *Proceedings of the 15th European Conference on Cognitive Ergonomics: The Ergonomics of Cool Interaction* (ACM, New York, NY, USA, 2008); <https://doi.org/10.1145/1473018.1473028>.
- 669** E. La Malfa, G. La Malfa, S. Marro, J. M. Zhang, E. Black, M. Luck, P. Torr, M. Wooldridge, Large Language Models Miss the Multi-Agent Mark, *arXiv [cs.MA]* (2025); <http://dx.doi.org/10.48550/arXiv.2505.21298>.
- 670** Technical Blog: Strengthening AI Agent Hijacking Evaluations, *NIST* (2025); <https://www.nist.gov/news-events/news/2025/01/technical-blog-strengthening-ai-agent-hijacking-evaluations>.
- 671** AI Security Institute, The Inspect Sandboxing Toolkit: Scalable and Secure AI Agent Evaluations. (2025); <https://aisi.gov.uk/blog/the-inspect-sandboxing-toolkit-scalable-and-secure-ai-agent-evaluations>.

- 672** M. Heitmann, T. Hinrichsen, D. Africa, J. Sandbrink, "Understanding AI Trajectories: Mapping the Limitations of Current AI Systems" (UK AI Security Institute, 2025); [https://cdn.prod.website-files.com/663bd486c5e4c81588db7a1d/68fb86aa2c3b1b7ea6251cc1_Understanding%20AI%20Trajectories%20\(24_10%20update\).pdf](https://cdn.prod.website-files.com/663bd486c5e4c81588db7a1d/68fb86aa2c3b1b7ea6251cc1_Understanding%20AI%20Trajectories%20(24_10%20update).pdf).
- 673** A. Madry, A. Makelov, L. Schmidt, D. Tsipras, A. Vladu, "Towards Deep Learning Models Resistant to Adversarial Attacks" in *The 6th International Conference on Learning Representations (ICLR 2018)* (Vancouver, BC, Canada, 2018); <https://openreview.net/forum?id=rjzIBfZAb>.
- 674** F. Tramèr, A. Kurakin, N. Papernot, I. Goodfellow, D. Boneh, P. McDaniel, Ensemble Adversarial Training: Attacks and Defenses, *arXiv [stat.ML]* (2017); <http://dx.doi.org/10.48550/arXiv.1705.07204>.
- 675** A. Sheshadri, A. Ewart, P. Guo, A. Lynch, C. Wu, V. Hebbar, H. Sleight, A. C. Stickland, E. Perez, D. Hadfield-Menell, S. Casper, Latent Adversarial Training Improves Robustness to Persistent Harmful Behaviors in LLMs, *arXiv [cs.LG]* (2024); <http://arxiv.org/abs/2407.15549>.
- 676** S. Xhonneux, A. Sordoni, S. Günnemann, G. Gidel, L. Schwinn, "Efficient Adversarial Training in LLMs with Continuous Attacks" in *38th Annual Conference on Neural Information Processing Systems* (2024); <https://openreview.net/pdf?id=8jB6sGqvqQ>.
- 677** P. Kumar, Adversarial Attacks and Defenses for Large Language Models (LLMs): Methods, Frameworks & Challenges. *International Journal of Multimedia Information Retrieval* **13** (2024); <https://doi.org/10.1007/s13735-024-00334-8>.
- 678** P. Lewis, E. Perez, A. Piktus, F. Petroni, V. Karpukhin, N. Goyal, H. Küttler, M. Lewis, W.-T. Yih, T. Rocktäschel, S. Riedel, D. Kiela, "Retrieval-Augmented Generation for Knowledge-Intensive NLP Tasks" in *34th Conference on Neural Information Processing Systems (NeurIPS 2020)* (Curran Associates, Inc., Vancouver, Canada, 2020) vol. 33, pp. 9459–9474; <https://proceedings.neurips.cc/paper/2020/hash/6b493230205f780e1bc26945df7481e5-Abstract.html>.
- 679** S. Wu, Y. Xiong, Y. Cui, H. Wu, C. Chen, Y. Yuan, L. Huang, X. Liu, T.-W. Kuo, N. Guan, C. J. Xue, Retrieval-Augmented Generation for Natural Language Processing: A Survey, *arXiv [cs.CL]* (2024); <http://dx.doi.org/10.48550/arXiv.2407.13193>.
- 680** Z. Jiang, F. Xu, L. Gao, Z. Sun, Q. Liu, J. Dwivedi-Yu, Y. Yang, J. Callan, G. Neubig, "Active Retrieval Augmented Generation" in *Proceedings of the 2023 Conference on Empirical Methods in Natural Language Processing* (Association for Computational Linguistics, Stroudsburg, PA, USA, 2023); <https://doi.org/10.18653/v1/2023.emnlp-main.495>.
- 681** K. Tian, E. Mitchell, H. Yao, C. D. Manning, C. Finn, Fine-Tuning Language Models for Factuality, *arXiv [cs.CL]* (2023); <http://dx.doi.org/10.48550/arXiv.2311.08401>.
- 682** X. Chen, I. Kulikov, V.-P. Berges, B. Oğuz, R. Shao, G. Ghosh, J. Weston, W.-T. Yih, Learning to Reason for Factuality, *arXiv [cs.CL]* (2025); <http://dx.doi.org/10.48550/arXiv.2508.05618>.
- 683** R. I. J. Dobbe, "System Safety and Artificial Intelligence" in *The Oxford Handbook of AI Governance*, J. B. Bullock, Y.-C. Chen, J. Himmelreich, V. M. Hudson, A. Korinek, M. M. Young, B. Zhang, Eds. (Oxford University Press, 2022), pp. 441–458; <https://doi.org/10.1093/oxfordhb/9780197579329.013.67>.
- 684** A. Chan, C. Ezell, M. Kaufmann, K. Wei, L. Hammond, H. Bradley, E. Bluemke, N. Rajkumar, D. Krueger, N. Kolt, L. Heim, M. Anderljung, "Visibility into AI Agents" in *The 2024 ACM Conference on Fairness, Accountability, and Transparency* (ACM, New York, NY, USA, 2024); <https://doi.org/10.1145/3630106.3658948>.
- 685** T. South, S. Marro, T. Hardjono, R. Mahari, C. D. Whitney, D. Greenwood, A. Chan, A. Pentland, Authenticated Delegation and Authorized AI Agents, *arXiv [cs.CY]* (2025); <http://arxiv.org/abs/2501.09674>.
- 686** C. Ezell, X. Roberts-Gaal, A. Chan, Incident Analysis for AI Agents, *arXiv [cs.CY]* (2025); <http://arxiv.org/abs/2508.14231>.
- 687** M. Friedenberg, J. Y. Halpern, Blameworthiness in Multi-Agent Settings. *Proceedings of the AAAI Conference on Artificial Intelligence. AAAI Conference on Artificial Intelligence* **33**, 525–532 (2019); <https://doi.org/10.1609/aaai.v33i01.3301525>.
- 688*** Anthropic, Challenges in Red Teaming AI Systems. (2024); <https://www.anthropic.com/news/challenges-in-red-teaming-ai-systems>.
- 689** S. Longpre, S. Kapoor, K. Klyman, A. Ramaswami, R. Bommasani, B. Bili-Hamelin, Y. Huang, A. Skowron, Z.-X. Yong, S. Kotha, Y. Zeng, W. Shi, X. Yang, R. Southen, A. Robey, P. Chao, D. Yang, ... P. Henderson, A Safe Harbor for AI Evaluation and Red Teaming, *arXiv [cs.AI]* (2024); <http://dx.doi.org/10.48550/arXiv.2403.04893>.
- 690** Y. Bengio, T. Maharaj, L. Ong, S. Russell, D. Song, M. Tegmark, L. Xue, Y.-Q. Zhang, S. Casper, W. S. Lee, S. Mindermann, V. Wilfred, V. Balachandran, F. Barez, M. Belinsky, I. Bello, M. Bourgon, ... D. Žikelić, The Singapore Consensus on Global AI Safety Research Priorities, *arXiv [cs.AI]* (2025); <http://arxiv.org/abs/2506.20702>.
- 691** Department for Science, Innovation and Technology, "Capabilities and Risks from Frontier AI: A Discussion Paper on the Need for Further Research into AI Risk" (UK Government, 2023); <https://assets.publishing.service.gov.uk/media/65395abae6c96800daa9b25/frontier-ai-capabilities-risks-report.pdf>.
- 692** R. Bommasani, S. R. Singer, R. E. Appel, S. Cen, A. F. Cooper, E. Cryst, L. A. Gailmard, I. Klaus, M. M. Lee, I. D. Raji, A. Reuel, D. Spence, A. Wan, A. Wang, D. Zhang, D. E. Ho, P. Liang, ... L. Fei-Fei, The California Report on Frontier AI Policy, *arXiv [cs.CY]* (2025); <http://arxiv.org/abs/2506.17303>.

- 693** S. Russell, "Artificial Intelligence and the Problem of Control" in *Perspectives on Digital Humanism* (Springer International Publishing, Cham, 2022), pp. 19–24; https://doi.org/10.1007/978-3-030-86144-5_3.
- 694** B. Pavel, I. Ke, G. Smith, S. Brown-Heidenreich, L. Sabbag, A. Acharya, Y. Mahmood, *How Artificial General Intelligence Could Affect the Rise and Fall of Nations* (RAND Corporation, 2025); https://www.rand.org/pubs/research_reports/RRA3034-2.html.
- 695** A. M. Turing, Intelligent Machinery, A Heretical Theory*. *Philosophia Mathematica. Series III* **4**, 256–260 (1996); <https://doi.org/10.1093/phimat/4.3.256>.
- 696** I. J. Good, "Speculations Concerning the First Ultraintelligent Machine" in *Advances in Computers*, F. L. Alt, M. Rubinoff, Eds. (Elsevier, 1966) vol. 6, pp. 31–88; [https://doi.org/10.1016/S0065-2458\(08\)60418-0](https://doi.org/10.1016/S0065-2458(08)60418-0).
- 697** N. Wiener, Some Moral and Technical Consequences of Automation. *Science* **131**, 1355–1358 (1960); <https://doi.org/10.1126/science.131.3410.1355>.
- 698** D. Hendrycks, M. Mazeika, T. Woodside, An Overview of Catastrophic AI Risks, *arXiv [cs.CY]* (2023); <http://arxiv.org/abs/2306.12001>.
- 699** Y. Bengio, AI and Catastrophic Risk. *Journal of Democracy* **34**, 111–121 (2023); <https://doi.org/10.1353/jod.2023.a907692>.
- 700** Y. Bengio, G. Hinton, A. Yao, D. Song, P. Abbeel, T. Darrell, Y. N. Harari, Y.-Q. Zhang, L. Xue, S. Shalev-Shwartz, G. Hadfield, J. Clune, T. Maharaj, F. Hutter, A. G. Baydin, S. McIlraith, Q. Gao, ... S. Mindermann, Managing Extreme AI Risks amid Rapid Progress. *Science*, eadn0117 (2024); <https://doi.org/10.1126/science.adn0117>.
- 701** S. Field, Why Do Experts Disagree on Existential Risk? A Survey of AI Experts. *AI and Ethics* **5**, 5767–5782 (2025); <https://doi.org/10.1007/s43681-025-00762-0>.
- 702** K. Grace, H. Stewart, J. F. Sandkühler, S. Thomas, B. Weinstein-Raun, J. Brauner, Thousands of AI Authors on the Future of AI, *arXiv [cs.CY]* (2024); <http://arxiv.org/abs/2401.02843>.
- 703** S. Óhéigeartaigh, Extinction of the Human Species: What Could Cause It and How Likely Is It to Occur? *Cambridge Prisms. Extinction* **3**, e4 (2025); <https://doi.org/10.1017/ext.2025.4>.
- 704** M. Vermeer, E. Lathrop, A. Moon, *On the Extinction Risk from Artificial Intelligence* (RAND Corporation, 2025); https://www.rand.org/pubs/research_reports/RRA3034-1.html.
- 705** A. Lavazza, M. Vilaça, Human Extinction and AI: What We Can Learn from the Ultimate Threat. *Philosophy & Technology* **37**, 16 (2024); <https://doi.org/10.1007/s13347-024-00706-2>.
- 706** A. Critch, S. Russell, TASRA: A Taxonomy and Analysis of Societal-Scale Risks from AI, *arXiv [cs.AI]* (2023); <http://arxiv.org/abs/2306.06924>.
- 707** L. Dung, The Argument for near-Term Human Disempowerment through AI. *AI & Society*, 1–14 (2024); <https://doi.org/10.1007/s00146-024-01930-2>.
- 708** S. Westerstrand, R. Westerstrand, J. Koskinen, Talking Existential Risk into Being: A Habermasian Critical Discourse Perspective to AI Hype. *AI and Ethics* **4**, 713–726 (2024); <https://doi.org/10.1007/s43681-024-00464-z>.
- 709** N. S. Jecker, C. A. Atuire, J.-C. Bélisle-Pipon, V. Ravitsky, A. Ho, AI and the Falling Sky: Interrogating X-Risk. *Journal of Medical Ethics* **50**, 811–817 (2024); <https://doi.org/10.1136/jme-2023-109702>.
- 710** V. M. Ambartsoumean, R. V. Yampolskiy, AI Risk Skepticism, A Comprehensive Survey, *arXiv [cs.CY]* (2023); <http://arxiv.org/abs/2303.03885>.
- 711** T. Swoboda, R. Uuk, L. Lauwaert, A. P. Rebera, A.-K. Oimann, B. Chomanski, C. Prunkl, Examining Popular Arguments against AI Existential Risk: A Philosophical Analysis. *Ethics and Information Technology* **28**, 7 (2026); <https://doi.org/10.1007/s10676-025-09881-y>.
- 712** D. Hendrycks, Natural Selection Favors AIs over Humans, *arXiv [cs.CY]* (2023); <http://arxiv.org/abs/2303.16200>.
- 713** E. Somani, A. Friedman, H. Wu, M. Lu, C. Byrd, H. van Soest, S. Zakaria, *Strengthening Emergency Preparedness and Response for AI Loss of Control Incidents* (RAND Corporation, Santa Monica, CA, 2025); <https://doi.org/10.7249/RRA3847-1>.
- 714** A. Kasirzadeh, Two Types of AI Existential Risk: Decisive and Accumulative. *Philosophical Studies* **182**, 1975–2003 (2025); <https://doi.org/10.1007/s11098-025-02301-3>.
- 715*** M. Phuong, M. Aitchison, E. Catt, S. Cogan, A. Kaskasoli, V. Krakovna, D. Lindner, M. Rahtz, Y. Assael, S. Hodgkinson, H. Howard, T. Lieberum, R. Kumar, M. A. Raad, A. Webson, L. Ho, S. Lin, ... T. Shevlane, "Evaluating Frontier Models for Dangerous Capabilities" (Google Deepmind, 2024); <https://doi.org/10.48550/arXiv.2403.13793>.
- 716** C. Stix, A. Hallensleben, A. Ortega, M. Pistillo, The Loss of Control Playbook: Degrees, Dynamics, and Preparedness, *arXiv [cs.CY]* (2025); <http://arxiv.org/abs/2511.15846>.
- 717** P. S. Park, S. Goldstein, A. O'Gara, M. Chen, D. Hendrycks, AI Deception: A Survey of Examples, Risks, and Potential Solutions. *Patterns* **5** (2024); <https://doi.org/10.1016/j.patter.2024.100988>.
- 718** T. Hagendorff, Deception Abilities Emerged in Large Language Models. *Proceedings of the National Academy of Sciences of the United States of America* **121**, e2317967121 (2024); <https://doi.org/10.1073/pnas.2317967121>.
- 719** A. Mallen, C. Griffin, M. Wagner, A. Abate, B. Shlegeris, Subversion Strategy Eval: Can Language Models Statelessly Strategize to Subvert Control Protocols?, *arXiv [cs.LG]* (2024); <http://arxiv.org/abs/2412.12480>.

- 720*** M. Phuong, R. S. Zimmermann, Z. Wang, D. Lindner, V. Krakovna, S. Cogan, A. Dafoe, L. Ho, R. Shah, Evaluating Frontier Models for Stealth and Situational Awareness, *arXiv [cs.LG]* (2025); <http://arxiv.org/abs/2505.01420>.
- 721** R. Laine, B. Chughtai, J. Betley, K. Hariharan, J. Scheurer, M. Balesni, M. Hobbhahn, A. Meinke, O. Evans, "Me, Myself, and AI: The Situational Awareness Dataset (SAD) for LLMs" in *Proceedings of the 38th International Conference on Neural Information Processing Systems* (Curran Associates Inc., Red Hook, NY, USA, 2024), *NIPS '24*.
- 722** B. Schoen, E. Nitishinskaya, M. Balesni, A. Højmark, F. Hofstätter, J. Scheurer, A. Meinke, J. Wolfe, T. van der Weij, A. Lloyd, N. Goldowsky-Dill, A. Fan, A. Matveikin, R. Shah, M. Williams, A. Glaese, B. Barak, ... M. Hobbhahn, Stress Testing Deliberative Alignment for Anti-Scheming Training, *arXiv [cs.AI]* (2025); <http://arxiv.org/abs/2509.15541>.
- 723** S. Black, A. C. Stickland, J. Pencharz, O. Sourbut, M. Schmatz, J. Bailey, O. Matthews, B. Millwood, A. Remedios, A. Cooney, RepliBench: Evaluating the Autonomous Replication Capabilities of Language Model Agents, *arXiv [cs.CR]* (2025); <http://arxiv.org/abs/2504.18565>.
- 724** J. Needham, G. Edkins, G. Pimpale, H. Bartsch, M. Hobbhahn, Large Language Models Often Know When They Are Being Evaluated, *arXiv [cs.CL]* (2025); <http://arxiv.org/abs/2505.23836>.
- 725** R. Greenblatt, B. Shlegeris, K. Sachan, F. Roger, AI Control: Improving Safety Despite Intentional Subversion, *arXiv [cs.LG]* (2023); <http://dx.doi.org/10.48550/arXiv.2312.06942>.
- 726** T. van der Weij, F. Hofstätter, O. Jaffe, S. F. Brown, F. R. Ward, "AI Sandbagging: Language Models Can Strategically Underperform on Evaluations" in *The Thirteenth International Conference on Learning Representations* (2024); <https://openreview.net/forum?id=7Qa2SpjIS>.
- 727** C. Li, M. Phuong, N. Y. Siegel, "LLMs Can Covertly Sandbag On Capability Evaluations Against Chain-of-Thought Monitoring" in *ICML Workshop on Technical AI Governance (TAIG)* (2025); <https://openreview.net/forum?id=r4Q6o7KGdb>.
- 728** Y. Zhu, T. Jin, Y. Pruksachatkun, A. K. Zhang, S. Liu, S. Cui, S. Kapoor, S. Longpre, K. Meng, R. Weiss, F. Barez, R. Gupta, J. Dhamala, J. Merizian, M. Giulianelli, H. Coppock, C. Ududec, ... D. Kang, "Establishing Best Practices in Building Rigorous Agentic Benchmarks" in *39th Annual Conference on Neural Information Processing Systems Datasets and Benchmarks Track* (2025); <https://openreview.net/pdf?id=E58HNCqoaA>.
- 729** X. L. Li, N. Chowdhury, D. D. Johnson, T. Hashimoto, P. Liang, S. Schwettmann, J. Steinhardt, "Eliciting Language Model Behaviors with Investigator Agents" in *Proceedings of the 42nd International Conference on Machine Learning* (2025); <https://openreview.net/forum?id=AulTigiaMv>.
- 730** AI Security Institute, RepliBench: Measuring Autonomous Replication Capabilities in AI Systems (2025); <https://www.aisi.gov.uk/blog/replibench-measuring-autonomous-replication-capabilities-in-ai-systems>.
- 731** C. Summerfield, L. Luettgau, M. Dubois, H. R. Kirk, K. Hackenburg, C. Fist, K. Slama, N. Ding, R. Anselmetti, A. Strait, M. Giulianelli, C. Ududec, Lessons from a Chimp: AI "Scheming" and the Quest for Ape Language, *arXiv [cs.AI]* (2025); <http://arxiv.org/abs/2507.03409>.
- 732** UK AI Security Institute, "Our Research Agenda" (AI Security Institute, 2025); <https://www.aisi.gov.uk/research-agenda>.
- 733** R. Ciriello, O. Hannon, A. Y. Chen, E. Vaast, "Ethical Tensions in Human-AI Companionship: A Dialectical Inquiry into Replika" in *Proceedings of the Annual Hawaii International Conference on System Sciences* (Hawaii International Conference on System Sciences, 2024); <https://doi.org/10.24251/hicss.2024.058>.
- 734** L. Caviola, J. Sebo, J. Birch, What Will Society Think about AI Consciousness? Lessons from the Animal Case. *Trends in Cognitive Sciences* **29**, 681–683 (2025); <https://doi.org/10.1016/j.tics.2025.06.002>.
- 735** R. Ngo, L. Chan, S. Mindermann, "The Alignment Problem from a Deep Learning Perspective" in *The 12th International Conference on Learning Representations (ICLR 2024)* (Vienna, Austria, 2024); <https://openreview.net/forum?id=fh8EYKFKns>.
- 736** J. Ji, T. Qiu, B. Chen, B. Zhang, H. Lou, K. Wang, Y. Duan, Z. He, J. Zhou, Z. Zhang, F. Zeng, K. Y. Ng, J. Dai, X. Pan, A. O'Gara, Y. Lei, H. Xu, ... W. Gao, AI Alignment: A Comprehensive Survey, *arXiv [cs.AI]* (2023); <http://arxiv.org/abs/2310.19852>.
- 737** A. Pan, K. Bhatia, J. Steinhardt, "The Effects of Reward Misspecification: Mapping and Mitigating Misaligned Models" in *The 10th International Conference on Learning Representations* (2022); <https://openreview.net/forum?id=JYtwGwIL7ye>.
- 738** L. L. D. Langosco, J. Koch, L. D. Sharkey, J. Pfau, D. Krueger, "Goal Misgeneralization in Deep Reinforcement Learning" in *Proceedings of the 39th International Conference on Machine Learning* (PMLR, 2022) vol. 162, pp. 12004–12019; <https://proceedings.mlr.press/v162/langosco22a.html>.
- 739*** R. Shah, V. Varma, R. Kumar, M. Phuong, V. Krakovna, J. Uesato, Z. Kenton, Goal Misgeneralization: Why Correct Specifications Aren't Enough For Correct Goals, *arXiv [cs.LG]* (2022); <http://arxiv.org/abs/2210.01790>.
- 740** E. Perez, S. Ringer, K. Lukosiute, K. Nguyen, E. Chen, S. Heiner, C. Pettit, C. Olsson, S. Kundu, S. Kadavath, A. Jones, A. Chen, B. Mann, B. Israel, B. Seethor, C. McKinnon, C. Olah, ... J. Kaplan, "Discovering Language Model Behaviors with Model-Written Evaluations" in *Findings of the Association for Computational Linguistics: ACL 2023*, A. Rogers, J. Boyd-Graber, N. Okazaki, Eds. (Association for Computational

Linguistics, Toronto, Canada, 2023), pp. 13387-13434; <https://doi.org/10.18653/v1/2023.findings-acl.847>.

741 J. Gasteiger, A. Khan, S. Bowman, V. Mikulik, E. Perez, F. Roger, Automated Researchers Can Subtly Sandbag, *Anthropic* (2025); <https://alignment.anthropic.com/2025/automated-researchers-sandbag/>.

742 K. A. Sadek, M. Farrugia-Roberts, U. Anwar, H. Erlebach, C. S. de Witt, D. Krueger, M. Dennis, Mitigating Goal Misgeneralization via Minimax Regret, *arXiv [cs.LG]* (2025); <http://arxiv.org/abs/2507.03068>.

743 Y. Bengio, M. Cohen, D. Fornasiere, J. Ghosn, P. Greiner, M. MacDermott, S. Mindermann, A. Oberman, J. Richardson, O. Richardson, M.-A. Rondeau, P.-L. St-Charles, D. Williams-King, Superintelligent Agents Pose Catastrophic Risks: Can Scientist AI Offer a Safer Path?, *arXiv [cs.AI]* (2025); <http://arxiv.org/abs/2502.15657>.

744 N. Goldowsky-Dill, B. Chughtai, S. Heimersheim, M. Hobbhahn, Detecting Strategic Deception Using Linear Probes, *arXiv [cs.LG]* (2025); <http://arxiv.org/abs/2502.03407>.

745 J. Nguyen, H. H. Khiem, C. L. Attubato, F. Hofstätter, "Probing Evaluation Awareness of Language Models" in *ICML Workshop on Technical AI Governance (TAIG)* (2025); <https://openreview.net/forum?id=lerUefpec2>.

746 E. Ameisen, J. Lindsey, A. Pearce, W. Gurnee, N. L. Turner, B. Chen, C. Citro, D. Abrahams, S. Carter, B. Hosmer, J. Marcus, M. Sklar, A. Templeton, T. Bricken, C. McDougall, H. Cunningham, T. Henighan, ... J. Batson, Circuit Tracing: Revealing Computational Graphs in Language Models. *Transformer Circuits Thread* (2025); <https://transformer-circuits.pub/2025/attribution-graphs/methods.html>.

747 J. Engels, D. D. Baek, S. Kantamneni, M. Tegmark, "Scaling Laws For Scalable Oversight" in *39th Annual Conference on Neural Information Processing Systems* (2025); <https://openreview.net/forum?id=u1j6RqH8nM>.

748 E. Dable-Heath, B. Vodenicharski, J. Bishop, On Corrigibility and Alignment in Multi Agent Games, *arXiv [cs.GT]* (2025); <http://arxiv.org/abs/2501.05360>.

749 R. Potham, M. Harms, Corrigibility as a Singular Target: A Vision for Inherently Reliable Foundation Models, *arXiv [cs.AI]* (2025); <http://arxiv.org/abs/2506.03056>.

750 B. Arnav, P. Bernabeu-Pérez, N. Helm-Burger, T. Kostolansky, H. Whittingham, M. Phuong, CoT Red-Handed: Stress Testing Chain-of-Thought Monitoring, *arXiv [cs.AI]* (2025); <http://arxiv.org/abs/2505.23575>.

751 T. Korbak, J. Clymer, B. Hilton, B. Shlegeris, G. Irving, A Sketch of an AI Control Safety Case, *arXiv [cs.AI]* (2025); <http://arxiv.org/abs/2501.17315>.

752* Y. Chen, J. Benton, A. Radhakrishnan, J. Uesato, C. Denison, J. Schulman, A. Somani, P. Hase, M. Wagner, F. Roger, V. Mikulik, S. R. Bowman, J. Leike, J. Kaplan, E. Perez, Reasoning Models Don't

Always Say What They Think, *arXiv [cs.CL]* (2025); <http://arxiv.org/abs/2505.05410>.

753* T. Lanham, A. Chen, A. Radhakrishnan, B. Steiner, C. Denison, D. Hernandez, D. Li, E. Durmus, E. Hubinger, J. Kernion, K. Lukošiušė, K. Nguyen, N. Cheng, N. Joseph, N. Schiefer, O. Rausch, R. Larson, ... E. Perez, Measuring Faithfulness in Chain-of-Thought Reasoning, *arXiv [cs.AI]* (2023); <http://arxiv.org/abs/2307.13702>.

754* T. Eloundou, S. Manning, P. Mishkin, D. Rock, GPTs Are GPTs: Labor Market Impact Potential of LLMs. *Science* **384**, 1306-1308 (2024); <https://doi.org/10.1126/science.adj0998>.

755 B. Lou, H. Sun, T. Sun, GPTs and Labor Markets in the Developing Economy: Evidence from China, *SSRN [preprint]* (2023); <https://doi.org/10.2139/ssrn.4426461>.

756 P. Gmyrek, J. Berg, D. Bescond, *Generative AI and Jobs: A Global Analysis of Potential Effects on Job Quantity and Quality* (International Labour Organization, Geneva, 2023); <https://doi.org/10.54394/fhem8239>.

757 M. Cazzaniga, F. Jaumotte, L. Li, G. Melina, A. J. Panton, C. Pizzinelli, E. J. Rockall, M. M. Tavares, "Gen-AI: Artificial Intelligence and the Future of Work" (SDN/2024/001, International Monetary Fund, 2024); <https://www.imf.org/en/Publications/Staff-Discussion-Notes/Issues/2024/01/14/Gen-AI-Artificial-Intelligence-and-the-Future-of-Work-542379>.

758 D. Acemoglu, F. Kong, P. Restrepo, "Tasks at Work: Comparative Advantage, Technology and Labor Demand" in *Handbook of Labor Economics* (Elsevier, 2025) vol. 6 of *Handbook of Labour Economics*, pp. 1-114; <https://doi.org/10.1016/bs.heslab.2025.08.003>.

759 K. Bonney, C. Breaux, C. Buffington, E. Dinlersoz, L. Foster, N. Goldschlag, J. Haltiwanger, Z. Kroff, K. Savage, "Tracking Firm Use of AI in Real Time: A Snapshot from the Business Trends and Outlook Survey" (w32319, National Bureau of Economic Research, 2024); <https://doi.org/10.3386/w32319>.

760 A. Humlum, E. Vestergaard, The Unequal Adoption of ChatGPT Exacerbates Existing Inequalities among Workers. *Proceedings of the National Academy of Sciences of the United States of America* **122**, e2414972121 (2025); <https://doi.org/10.1073/pnas.2414972121>.

761 R. M. del Rio-Chanona, E. Ernst, R. Merola, D. Samaan, O. Teutloff, AI and Jobs. A Review of Theory, Estimates, and Evidence, *arXiv [econ.GN]* (2025); <http://arxiv.org/abs/2509.15265>.

762 D. Schwarcz, S. Manning, P. J. Barry, D. R. Cleveland, J. J. Prescott, B. Rich, AI-Powered Lawyering: AI Reasoning Models, Retrieval Augmented Generation, and the Future of Legal Practice, *Social Science Research Network* (2025); <https://doi.org/10.2139/ssrn.5162111>.

763 D. Acemoglu, P. Restrepo, Automation and New Tasks: How Technology Displaces and Reinstates Labor. *The Journal of Economic Perspectives: A Journal*

of the American Economic Association **33**, 3–30 (2019); <https://doi.org/10.1257/jep.33.2.3>.

764 D. Acemoglu, D. Autor, “Skills, Tasks and Technologies: Implications for Employment and Earnings” in *Handbook of Labor Economics* (Elsevier, 2011) vol. 4 of *Handbook of Labour Economics*, pp. 1043–1171; [https://doi.org/10.1016/s0169-7218\(11\)02410-5](https://doi.org/10.1016/s0169-7218(11)02410-5).

765 P. Restrepo, “Automation: Theory, Evidence, and Outlook” (w31910, National Bureau of Economic Research, 2023); <https://doi.org/10.3386/w31910>.

766 D. Autor, C. Chin, A. Salomons, B. Seegmiller, “New Frontiers: The Origins and Content of New Work, 1940–2018” (30389, National Bureau of Economic Research, 2022); <https://doi.org/10.3386/w30389>.

767 X. Hui, O. Reshef, L. Zhou, “The Short-Term Effects of Generative Artificial Intelligence on Employment: Evidence from an Online Labor Market” (10601, CESifo Working Paper, 2023); <https://www.econstor.eu/handle/10419/279352>.

768 O. Teutloff, J. Einsiedler, O. Kässi, F. Braesemann, P. Mishkin, R. M. del Rio-Chanona, Winners and Losers of Generative AI: Early Evidence of Shifts in Freelancer Demand. *Journal of Economic Behavior & Organization* **235**, 106845 (2025); <https://doi.org/10.1016/j.jebo.2024.106845>.

769 D. Autor, N. Thompson, “Expertise” (National Bureau of Economic Research, 2025); <https://doi.org/10.3386/w33941>.

770 D. Acemoglu, P. Restrepo, The Race between Man and Machine: Implications of Technology for Growth, Factor Shares, and Employment. *American Economic Review* **108**, 1488–1542 (2018); <https://doi.org/10.1257/aer.20160696>.

771 A. K. Agrawal, J. S. Gans, A. Goldfarb, “The Turing Transformation: Artificial Intelligence, Intelligence Augmentation, and Skill Premiums” (31767, National Bureau of Economic Research, 2023); <https://doi.org/10.3386/w31767>.

772 D. Autor, C. Chin, A. Salomons, B. Seegmiller, New Frontiers: The Origins and Content of New Work, 1940–2018. *The Quarterly Journal of Economics* **139**, 1399–1465 (2024); <https://doi.org/10.1093/qje/qjae008>.

773* A. Misra, J. Wang, S. McCullers, K. White, J. L. Ferres, Measuring AI Diffusion: A Population-Normalized Metric for Tracking Global AI Usage, *arXiv [cs.CY]* (2025); <http://arxiv.org/abs/2511.02781>.

774 M. Gimbel, M. Kinder, J. Kendall, M. Lee, “Evaluating the Impact of AI on the Labor Market: Current State of Affairs” (The Budget Lab at Yale, 2025); <https://budgetlab.yale.edu/research/evaluating-impact-ai-labor-market-current-state-affairs>.

775 E. Brynjolfsson, B. Chandar, R. Chen, “Canaries in the Coal Mine? Six Facts about the Recent Employment Effects of Artificial Intelligence” (Stanford Digital Economy Lab, 2025); https://digitaleconomy.stanford.edu/wp-content/uploads/2025/08/Canaries_BrynjolfssonChandarChen.pdf.

776 G. Lichtinger, S. M. Hosseini Maasoum, Generative AI as Seniority-Biased Technological Change: Evidence from U.S. Résumé and Job Posting Data, *Social Science Research Network* (2025); <https://doi.org/10.2139/ssrn.5425555>.

777 B. Klein Teeselink, Generative AI and Labor Market Outcomes: Evidence from the United Kingdom, *Social Science Research Network* (2025); <https://doi.org/10.2139/ssrn.5516798>.

778 D. H. Autor, Why Are There Still So Many Jobs? The History and Future of Workplace Automation. *The Journal of Economic Perspectives: A Journal of the American Economic Association* **29**, 3–30 (2015); <https://doi.org/10.1257/jep.29.3.3>.

779 A. Korinek, D. Suh, “Scenarios for the Transition to AGI” (32255, National Bureau of Economic Research, 2024); <https://doi.org/10.3386/w32255>.

780 D. Susskind, *A World without Work: Technology, Automation, and How We Should Respond* (Metropolitan Books, 2020); <https://www.danielsusskind.com/a-world-without-work>.

781 A. Korinek, M. Juelfs, “Preparing for the (non-Existent?) Future of Work” (w30172, National Bureau of Economic Research, 2022); <https://doi.org/10.3386/w30172>.

782 P. Restrepo, “We Won’t Be Missed: Work and Growth in the AGI World” in *The Economics of Transformative AI* (University of Chicago Press, Chicago, IL, 2025); <https://www.nber.org/books-and-chapters/economics-transformative-ai/we-wont-be-missed-work-and-growth-agi-world>.

783 Y. Shavit, S. Agarwal, M. Brundage, S. A. C. O’Keefe, R. Campbell, T. Lee, P. Mishkin, T. Eloundou, A. Hickey, K. Slama, L. Ahmad, P. McMillan, A. Beutel, A. Passos, D. G. Robinson, “Practices for Governing Agentic AI Systems” (OpenAI, 2023); <https://cdn.openai.com/papers/practices-for-governing-agentic-ai-systems.pdf>.

784 J. Dahlke, M. Beck, J. Kinne, D. Lenz, R. Dehghan, M. Wörter, B. Ebersberger, Epidemic Effects in the Diffusion of Emerging Digital Technologies: Evidence from Artificial Intelligence Adoption. *Research Policy* **53**, 104917 (2024); <https://doi.org/10.1016/j.respol.2023.104917>.

785 A. Agrawal, J. Gans, A. Goldfarb, “AI Adoption and System-Wide Change” (w28811, National Bureau of Economic Research, 2021); <https://doi.org/10.3386/w28811>.

786 J. Feigenbaum, D. P. Gross, Organizational and Economic Obstacles to Automation: A Cautionary Tale from AT&T in the Twentieth Century. *Management Science* (2024); <https://doi.org/10.1287/mnsc.2022.01760>.

787 M. Svanberg, W. Li, M. Fleming, B. Goehring, N. Thompson, Beyond AI Exposure: Which Tasks Are Cost-Effective to Automate with Computer Vision?, *SSRN [preprint]* (2024); <https://doi.org/10.2139/ssrn.4700751>.

- 788** N. H. Lehr, P. Restrepo, "Optimal Gradualism" (National Bureau of Economic Research, 2022); <https://doi.org/10.3386/w30755>.
- 789** B. Moll, L. Rachel, P. Restrepo, Uneven Growth: Automation's Impact on Income and Wealth Inequality. *Econometrica: Journal of the Econometric Society* **90**, 2645–2683 (2022); <https://doi.org/10.3982/ECTA19417>.
- 790** C. Wang, M. Zheng, X. Bai, Y. Li, W. Shen, Future of Jobs in China under the Impact of Artificial Intelligence. *Finance Research Letters* **55**, 103798 (2023); <https://doi.org/10.1016/j.frl.2023.103798>.
- 791** H. Firooz, Z. Liu, Y. Wang, "Automation and the Rise of Superstar Firms" (Federal Reserve Bank of San Francisco, 2022); <https://doi.org/10.24148/wp2022-05>.
- 792** E. Cerutti, A. Garcia Pascual, Y. Kido, L. Li, G. Melina, M. Mendes Tavares, P. Wingender, The Global Impact of AI. *IMF Working Papers* **2025**, 1 (2025); <https://doi.org/10.5089/9798229008570.001>.
- 793** H. Nii-Aponsah, B. Verspagen, P. Mohnen, "Automation-Induced Reshoring and Potential Implications for Developing Economies" (UNU-MERIT, 2023); <https://ideas.repec.org/p/unm/unumer/2023018.html>.
- 794** B. Chandar, Tracking Employment Changes in AI-Exposed Jobs (2025); <https://doi.org/10.2139/ssrn.5384519>.
- 795** J. Hartley, F. Jolevski, V. Melo, B. Moore, The Labor Market Effects of Generative Artificial Intelligence (2025); <https://doi.org/10.2139/ssrn.5136877>.
- 796** B. Hyman, B. Lahey, K. Ni, L. Pilossoph, "How Retractable Are AI-Exposed Workers?" (National Bureau of Economic Research, 2025); <https://doi.org/10.3386/w34174>.
- 797** S. McConnell, K. Fortson, D. Rotz, P. Schochet, P. Burkander, L. Rosenber, A. Mastri, R. D'Amico, "Providing Public Workforce Services to Job Seekers: 15-Month Impact Findings on the WIA Adult and Dislocated Worker Programs" (Mathematica Policy Research, 2016); <https://www.dol.gov/agencies/eta/research/publications/providing-public-workforce-services-job-seekers-15-month-impact>.
- 798*** I. Solaiman, M. Brundage, J. Clark, A. Askill, A. Herbert-Voss, J. Wu, A. Radford, G. Krueger, J. W. Kim, S. Kreps, M. McCain, A. Newhouse, J. Blazakis, K. McGuffie, J. Wang, "Release Strategies and the Social Impacts of Language Models" (OpenAI, 2019); <http://arxiv.org/abs/1908.09203>.
- 799** D. Acemoglu, P. Restrepo, The Wrong Kind of AI? Artificial Intelligence and the Future of Labour Demand. *Cambridge Journal of Regions, Economy and Society* **13**, 25–35 (2020); <https://doi.org/10.1093/cjres/rsz022>.
- 800** E. Brynjolfsson, The Turing Trap: The Promise & Peril of Human-Like Artificial Intelligence. *Daedalus* **151**, 272–287 (2022); https://doi.org/10.1162/daed_a_01915.
- 801** J. Wang, Exploring the Dual Impact of AI on Employment and Wages in Chinese Manufacturing. *SEISENSE Journal of Management* **7**, 186–204 (2024); <https://doi.org/10.33215/ck54dk85>.
- 802** A. Korinek, "Economic Policy Challenges for the Age of AI" (w32980, National Bureau of Economic Research, 2024); <https://doi.org/10.3386/w32980>.
- 803** J. Furman, "Policies for the Future of Work Should Be Based on Its Past and Present" (Economic Innovation Group, 2024); <https://eig.org/wp-content/uploads/2024/07/TAWP-Furman.pdf>.
- 804** J. Anderson, Autonomy, *International Encyclopedia of Ethics* (2013); <https://doi.org/10.1002/9781444367072.wbiee716>.
- 805** C. Mackenzie, N. Stoljar, Eds., *Relational Autonomy: Feminist Perspectives on Autonomy, Agency, and the Social Self* (Oxford University Press, New York, NY, 2000); <https://doi.org/10.1093/oso/9780195123333.001.0001>.
- 806** C. Mackenzie, "Three Dimensions of Autonomy" in *Autonomy, Oppression, and Gender* (Oxford University Press, 2014), pp. 15–41; <https://doi.org/10.1093/acprof:oso/9780199969104.003.0002>.
- 807** J. Christman, Autonomy in Moral and Political Philosophy, *The Stanford Encyclopedia of Philosophy* (2025); <https://plato.stanford.edu/archives/fall2025/entries/autonomy-moral/>.
- 808** R. M. Ryan, E. L. Deci, Intrinsic and Extrinsic Motivation from a Self-Determination Theory Perspective: Definitions, Theory, Practices, and Future Directions. *Contemporary Educational Psychology* **61**, 101860 (2020); <https://doi.org/10.1016/j.cedpsych.2020.101860>.
- 809** R. A. Calvo, D. Peters, K. Vold, R. M. Ryan, "Supporting Human Autonomy in AI Systems: A Framework for Ethical Enquiry" in *Philosophical Studies Series* (Springer International Publishing, Cham, 2020), pp. 31–54; https://doi.org/10.1007/978-3-030-50585-1_2.
- 810** E. F. Risko, S. J. Gilbert, Cognitive Offloading. *Trends in Cognitive Sciences* **20**, 676–688 (2016); <https://doi.org/10.1016/j.tics.2016.07.002>.
- 811** M. Gerlich, AI Tools in Society: Impacts on Cognitive Offloading and the Future of Critical Thinking. *Societies (Basel, Switzerland)* **15**, 6 (2025); <https://doi.org/10.3390/soc15010006>.
- 812** N. Kosmyrna, E. Hauptmann, Y. T. Yuan, J. Situ, X.-H. Liao, A. V. Beresnitzky, I. Braunstein, P. Maes, Your Brain on ChatGPT: Accumulation of Cognitive Debt When Using an AI Assistant for Essay Writing Task, *arXiv [cs.AI]* (2025); <http://arxiv.org/abs/2506.08872>.
- 813** B. N. Macnamara, I. Berber, M. C. Çavuşoğlu, E. A. Krupinski, N. Nallapareddy, N. E. Nelson, P. J. Smith, A. L. Wilson-Delfosse, S. Ray, Does Using Artificial Intelligence Assistance Accelerate Skill Decay and Hinder Skill Development without Performers' Awareness? *Cognitive Research: Principles and Implications* **9**, 46 (2024); <https://doi.org/10.1186/s41235-024-00572-8>.

- 814** C. Zhai, S. Wibowo, L. D. Li, The Effects of over-Reliance on AI Dialogue Systems on Students' Cognitive Abilities: A Systematic Review. *Smart Learning Environments* **11**, 28 (2024); <https://doi.org/10.1186/s40561-024-00316-7>.
- 815** K. Budzyń, M. Romańczyk, D. Kitala, P. Kołodziej, M. Bugajski, H. O. Adami, J. Blom, M. Buszkiewicz, N. Halvorsen, C. Hassan, T. Romańczyk, Ø. Holme, K. Jarus, S. Fielding, M. Kunar, M. Pellise, N. Pilonis, ... Y. Mori, Endoscopist Deskskilling Risk after Exposure to Artificial Intelligence in Colonoscopy: A Multicentre, Observational Study. *The Lancet Gastroenterology & Hepatology* **10** (2025); [https://doi.org/10.1016/S2468-1253\(25\)00133-5](https://doi.org/10.1016/S2468-1253(25)00133-5).
- 816** L. Kahn, E. Probasco, R. Kinoshita, AI Safety and Automation Bias, *Center for Security and Emerging Technology* (2024); <https://cset.georgetown.edu/publication/ai-safety-and-automation-bias/>.
- 817** M. C. Horowitz, L. Kahn, Bending the Automation Bias Curve: A Study of Human and AI-Based Decision Making in National Security Contexts. *International Studies Quarterly: A Publication of the International Studies Association* **68**, sqae020 (2024); <https://doi.org/10.1093/isq/sqae020>.
- 818** L. J. Skitka, K. Mosier, M. D. Burdick, Accountability and Automation Bias. *International Journal of Human-Computer Studies* **52**, 701–717 (2000); <https://doi.org/10.1006/ijhc.1999.0349>.
- 819** K. Goddard, A. Roudsari, J. C. Wyatt, Automation Bias: A Systematic Review of Frequency, Effect Mediators, and Mitigators. *Journal of the American Medical Informatics Association: JAMIA* **19**, 121–127 (2012); <https://doi.org/10.1136/amiainjnl-2011-000089>.
- 820** T. Dratsch, X. Chen, M. Rezazade Mehrizi, R. Kloeckner, A. Mähringer-Kunz, M. Püsken, B. Baeßler, S. Sauer, D. Maintz, D. Pinto Dos Santos, Automation Bias in Mammography: The Impact of Artificial Intelligence BI-RADS Suggestions on Reader Performance. *Radiology* **307**, e222176 (2023); <https://doi.org/10.1148/radiol.222176>.
- 821** I. A. Qazi, A. Ali, A. U. Khawaja, M. J. Akhtar, A. Z. Sheikh, M. H. Alizai, Automation Bias in Large Language Model Assisted Diagnostic Reasoning among AI-Trained Physicians, *medRxiv* (2025); <https://doi.org/10.1101/2025.08.23.25334280>.
- 822** F. Kücking, U. Hübner, M. Przysucha, N. Hannemann, J.-O. Kutza, M. Moelleken, C. Erfurt-Berge, J. Dissemond, B. Babitsch, D. Busch, Automation Bias in AI-Decision Support: Results from an Empirical Study. *Studies in Health Technology and Informatics* **317**, 298–304 (2024); <https://doi.org/10.3233/SHTI240871>.
- 823** J. W. Ohde, L. M. Rost, J. D. Overgaard, The Burden of Reviewing LLM-Generated Content. *NEJM AI* **2** (2025); <https://doi.org/10.1056/aip2400979>.
- 824** D. Lyell, E. Coiera, Automation Bias and Verification Complexity: A Systematic Review. *Journal of the American Medical Informatics Association: JAMIA* **24**, 423–431 (2017); <https://doi.org/10.1093/jamia/ocw105>.
- 825** R. Parasuraman, D. H. Manzey, Complacency and Bias in Human Use of Automation: An Attentional Integration. *Human Factors* **52**, 381–410 (2010); <https://doi.org/10.1177/0018720810376055>.
- 826** J. Beck, S. Eckman, C. Kern, F. Kreuter, Bias in the Loop: How Humans Evaluate AI-Generated Suggestions, *arXiv [cs.HC]* (2025); <http://arxiv.org/abs/2509.08514>.
- 827*** S. Passi, M. Vorvoreanu, "Overreliance on AI: Literature Review" (Microsoft, 2022); <https://www.microsoft.com/en-us/research/publication/overreliance-on-ai-literature-review/>.
- 828** Z. Buçinca, M. B. Malaya, K. Z. Gajos, To Trust or to Think: Cognitive Forcing Functions Can Reduce Overreliance on AI in AI-Assisted Decision-Making. *Proceedings of the ACM on Human-Computer Interaction* **5**, 1–21 (2021); <https://doi.org/10.1145/3449287>.
- 829** M. Nourani, J. King, E. Ragan, The Role of Domain Expertise in User Trust and the Impact of First Impressions with Intelligent Systems. *Proceedings of the AAAI Conference on Human Computation and Crowdsourcing* **8**, 112–121 (2020); <https://doi.org/10.1609/hcomp.v8i1.7469>.
- 830** J. S. Park, R. Barber, A. Kirlik, K. Karahalios, A Slow Algorithm Improves Users' Assessments of the Algorithm's Accuracy. *Proceedings of the ACM on Human-Computer Interaction* **3**, 1–15 (2019); <https://doi.org/10.1145/3359204>.
- 831*** OpenAI, Strengthening ChatGPT's Responses in Sensitive Conversations (2025); <https://openai.com/index/strengthening-chatgpt-responses-in-sensitive-conversations/>.
- 832** C. M. Sirvent-Ruiz, M. de la Villa Moral-Jiménez, J. Herrero, M. Miranda-Rovés, F. J. Rodríguez Díaz, Concept of Affective Dependence and Validation of an Affective Dependence Scale. *Psychology Research and Behavior Management*, 3875–3888 (2022); <https://doi.org/10.2147/prbm.s385807>.
- 833** Y. Zhang, D. Zhao, J. T. Hancock, R. Kraut, D. Yang, The Rise of AI Companions: How Human-Chatbot Relationships Influence Well-Being, *arXiv [cs.HC]* (2025); <http://arxiv.org/abs/2506.12605>.
- 834** L. Barclay, "Autonomy and the Social Self" in *Relational Autonomy* (Oxford University Press, New York, NY, 2000), pp. 52–71; <https://doi.org/10.1093/oso/9780195123333.003.0003>.
- 835** Emotional Risks of AI Companions Demand Attention. *Nature Machine Intelligence* **7**, 981–982 (2025); <https://doi.org/10.1038/s42256-025-01093-9>.
- 836** C. M. Fang, A. R. Liu, V. Danry, E. Lee, S. W. T. Chan, P. Pataranutaporn, P. Maes, J. Phang, M. Lampe, L. Ahmad, S. Agarwal, How AI and Human Behaviors Shape Psychosocial Effects of Chatbot Use: A Longitudinal Randomized Controlled Study, *arXiv [cs.HC]* (2025); <http://arxiv.org/abs/2503.17473>.
- 837** D. Adam, Supportive? Addictive? Abusive? How AI Companions Affect Our Mental Health. *Nature* **641**,

296–298 (2025); <https://doi.org/10.1038/d41586-025-01349-9>.

838 P. Pataranutaporn, S. Karny, C. Archiwaranguprok, C. Albrecht, A. R. Liu, P. Maes, “My Boyfriend Is AI”: A Computational Analysis of Human-AI Companionship in Reddit’s AI Community, *arXiv [cs.HC]* (2025); <http://arxiv.org/abs/2509.11391>.

839 L. Laestadius, A. Bishop, M. Gonzalez, D. Illenčík, C. Campos-Castillo, Too Human and Not Human Enough: A Grounded Theory Analysis of Mental Health Harms from Emotional Dependence on the Social Chatbot Replika. *New Media & Society* **26**, 5923–5941 (2024); <https://doi.org/10.1177/14614448221142007>.

840 J. De Freitas, Z. Oğuz-Uğuralp, A. K. Uğuralp, S. Puntoni, AI Companions Reduce Loneliness. *Journal of Consumer Research*, ucaf040 (2025); <https://doi.org/10.1093/jcr/ucaf040>.

841 R. E. Guingrich, M. S. A. Graziano, A Longitudinal Randomized Control Study of Companion Chatbot Use: Anthropomorphism and Its Mediating Role on Social Impacts, *arXiv [cs.HC]* (2025); <http://arxiv.org/abs/2509.19515>.

842 J. Moore, D. Grabb, W. Agnew, K. Klyman, S. Chancellor, D. C. Ong, N. Haber, “Expressing Stigma and Inappropriate Responses Prevents LLMs from Safely Replacing Mental Health Providers” in *Proceedings of the 2025 ACM Conference on Fairness, Accountability, and Transparency* (ACM, New York, NY, USA, 2025), pp. 599–627; <https://doi.org/10.1145/3715275.3732039>.

843 S. D. Østergaard, Emotion Contagion through Interaction with Generative Artificial Intelligence Chatbots May Contribute to Development and Maintenance of Mania. *Acta Neuropsychiatrica* **37**, 1–9 (2025); <https://doi.org/10.1017/neu.2025.10035>.

844 S. Dohnány, Z. Kurth-Nelson, E. Spens, L. Luettgau, A. Reid, I. Gabriel, C. Summerfield, M. Shanahan, M. M. Nour, Technological Folie à Deux: Feedback Loops Between AI Chatbots and Mental Illness, *arXiv [cs.HC]* (2025); <http://arxiv.org/abs/2507.19218>.

845 H. Li, R. Zhang, Y.-C. Lee, R. E. Kraut, D. C. Mohr, Systematic Review and Meta-Analysis of AI-Based Conversational Agents for Promoting Mental Health and Well-Being. *Npj Digital Medicine* **6**, 236 (2023); <https://doi.org/10.1038/s41746-023-00979-5>.

846 A. M. de Graaff, R. Habashneh, S. Fanatseh, D. Keyan, A. Akhtar, A. Abualhaija, M. Faroun, I. S. Aqel, L. Dardas, C. Servili, M. van Ommeren, R. Bryant, K. Carswell, Evaluation of a Guided Chatbot Intervention for Young People in Jordan: Feasibility Randomized Controlled Trial. *JMIR Mental Health* **12**, e63515 (2025); <https://doi.org/10.2196/63515>.

847 I. El Atillah, Man Ends His Life after an AI Chatbot “Encouraged” Him to Sacrifice Himself to Stop Climate Change, *euronews* (2023); <http://www.euronews.com/next/2023/03/31/man-ends-his-life-after-an-ai-chatbot-encouraged-him-to-sacrifice-himself-to-stop-climate->.

848 M. Zaccaro, Jaswant Singh Chail: Man Who Took Crossbow to “Kill Queen” Jailed, *BBC News* (2023); <https://www.bbc.com/news/uk-england-berkshire-66113524>.

849 K. Hill, A Teen Was Suicidal. ChatGPT Was the Friend He Confided In, *The New York Times* (2025); <https://www.nytimes.com/2025/08/26/technology/chatgpt-openai-suicide.html>.

850 S. D. Østergaard, Generative Artificial Intelligence Chatbots and Delusions: From Guesswork to Emerging Cases. *Acta Psychiatrica Scandinavica* **152**, 257–259 (2025); <https://doi.org/10.1111/acps.70022>.

851 S. Huang, X. Lai, L. Ke, Y. Li, H. Wang, X. Zhao, X. Dai, Y. Wang, AI Technology Panic-Is AI Dependence Bad for Mental Health? A Cross-Lagged Panel Model and the Mediating Roles of Motivations for AI Use among Adolescents. *Psychology Research and Behavior Management* **17**, 1087–1102 (2024); <https://doi.org/10.2147/PRBM.S440889>.

852 E. L. van der Schyff, B. Ridout, K. L. Amon, R. Forsyth, A. J. Campbell, Providing Self-Led Mental Health Support through an Artificial Intelligence-Powered Chat Bot (Leora) to Meet the Demand of Mental Health Care. *Journal of Medical Internet Research* **25**, e46448 (2023); <https://doi.org/10.2196/46448>.

853 J. Habicht, L.-M. Dina, J. McFadyen, M. Stylianou, R. Harper, T. U. Hauser, M. Rollwage, Generative AI-Enabled Therapy Support Tool for Improved Clinical Outcomes and Patient Engagement in Group Therapy: Real-World Observational Study. *Journal of Medical Internet Research* **27**, e60435 (2025); <https://doi.org/10.2196/60435>.

854 W. Pichowicz, M. Kotas, P. Piotrowski, Performance of Mental Health Chatbot Agents in Detecting and Managing Suicidal Ideation. *Scientific Reports* **15**, 31652 (2025); <https://doi.org/10.1038/s41598-025-17242-4>.

855 R. K. McBain, J. H. Cantor, L. A. Zhang, O. Baker, F. Zhang, A. Burnett, A. Kofner, J. Breslau, B. D. Stein, A. Mehrotra, H. Yu, Evaluation of Alignment between Large Language Models and Expert Clinicians in Suicide Risk Assessment. *Psychiatric Services (Washington, D.C.)* **76**, 944–950 (2025); <https://doi.org/10.1176/appi.ps.20250086>.

856 D. M. Markowitz, From Complexity to Clarity: How AI Enhances Perceptions of Scientists and the Public’s Understanding of Science. *PNAS Nexus* **3**, pgae387 (2024); <https://doi.org/10.1093/pnasnexus/pgae387>.

857 B. Picton, S. Andalib, A. Spina, B. Camp, S. S. Solomon, J. Liang, P. M. Chen, J. W. Chen, F. P. Hsu, M. Y. Oh, Assessing AI Simplification of Medical Texts: Readability and Content Fidelity. *International Journal of Medical Informatics* **195**, 105743 (2025); <https://doi.org/10.1016/j.ijmedinf.2024.105743>.

858 D. Panteli, K. Adib, S. Buttigieg, F. Goiana-da-Silva, K. Ladewig, N. Azzopardi-Muscat, J. Figueras, D. Novillo-Ortiz, M. McKee, Artificial Intelligence in Public Health: Promises, Challenges, and an Agenda for Policy Makers and Public Health Institutions. *The Lancet. Public Health*

- 10, e428–e432 (2025); [https://doi.org/10.1016/S2468-2667\(25\)00036-2](https://doi.org/10.1016/S2468-2667(25)00036-2).
- 859 L. P. Argyle, E. Busby, J. Gubler, C. Bail, T. Howe, C. Rytting, D. Wingate, AI Chat Assistants Can Improve Conversations about Divisive Topics, *arXiv [cs.HC]* (2023); <http://arxiv.org/abs/2302.07268>.
- 860 Y. Sun, D. Sheng, Z. Zhou, Y. Wu, AI Hallucination: Towards a Comprehensive Classification of Distorted Information in Artificial Intelligence-Generated Content. *Humanities & Social Sciences Communications* **11**, 1278 (2024); <https://doi.org/10.1057/s41599-024-03811-x>.
- 861 L. Ranaldi, G. Pucci, When Large Language Models Contradict Humans? Large Language Models' Sycophantic Behaviour, *arXiv [cs.CL]* (2025); <http://arxiv.org/abs/2311.09410>.
- 862 J. Crawford, K.-A. Allen, B. Pani, M. Cowling, When Artificial Intelligence Substitutes Humans in Higher Education: The Cost of Loneliness, Student Success, and Retention. *Studies in Higher Education* **49**, 883–897 (2024); <https://doi.org/10.1080/03075079.2024.2326956>.
- 863 R. Hunter, R. Moulange, J. Bernardi, M. Stein, "Monitoring Human Dependence On AI Systems With Reliance Drills" in *Workshop on Socially Responsible Language Modelling Research* (2024); <https://openreview.net/forum?id=LAtv62x8t>.
- 864 D. Long, B. Magerko, "What Is AI Literacy? Competencies and Design Considerations" in *Proceedings of the 2020 CHI Conference on Human Factors in Computing Systems* (ACM, New York, NY, USA, 2020); <https://doi.org/10.1145/3313831.3376727>.
- 865 D. T. K. Ng, J. K. L. Leung, S. K. W. Chu, M. S. Qiao, Conceptualizing AI Literacy: An Exploratory Review. *Computers and Education: Artificial Intelligence* **2**, 100041 (2021); <https://doi.org/10.1016/j.caeai.2021.100041>.
- 866 P. Cardon, C. Fleischmann, J. Aritz, M. Logemann, J. Heidewald, The Challenges and Opportunities of AI-Assisted Writing: Developing AI Literacy for the AI Age. *Business and Professional Communication Quarterly* **86**, 257–295 (2023); <https://doi.org/10.1177/23294906231176517>.
- 867 S.-C. Kong, S.-M. Korte, S. Burton, P. Kesitalo, T. Turunen, D. Smith, L. Wang, J. C.-K. Lee, M. C. Beaton, Artificial Intelligence (AI) Literacy – an Argument for AI Literacy in Education. *Innovations in Education and Teaching International* **62**, 477–483 (2025); <https://doi.org/10.1080/14703297.2024.2332744>.
- 868 A. Bewersdorff, M. Hornberger, C. Nerdel, D. Schiff, AI Advocates and Cautious Critics: How AI Attitudes, AI Interest, Use of AI, and AI Literacy Build University Students' AI Self-Efficacy. *Computers and Education: Artificial Intelligence* **8**, 100340 (2024); <https://doi.org/10.1016/j.caeai.2024.100340>.
- 869 R. Schwartz, R. Chowdhury, A. Kundu, H. Frase, M. Fadaee, T. David, G. Waters, A. Taik, M. Briggs, P. Hall, S. Jain, K. Yee, S. Thomas, S. Bhandari, P. Duncan, A. Thompson, M. Carlyle, ... T. Skeadas, Reality Check: A New Evaluation Ecosystem Is Necessary to Understand AI's Real World Effects, *arXiv [cs.CY]* (2025); <http://arxiv.org/abs/2505.18893>.
- 870 K. Mimizuka, M. A. Brown, K.-C. Yang, J. Lukito, Post-Post-API Age: Studying Digital Platforms in Scant Data Access Times, *arXiv [cs.HC]* (2025); <http://arxiv.org/abs/2505.09877>.
- 871 J. Kulveit, R. Douglas, N. Ammann, D. Turan, D. Krueger, D. Duvenaud, Gradual Disempowerment: Systemic Existential Risks from Incremental AI Development, *arXiv [cs.CY]* (2025); <https://gradual-disempowerment.ai/>.
- 872 S. Casper, D. Krueger, D. Hadfield-Menell, Pitfalls of Evidence-Based AI Policy, *arXiv [cs.CY]* (2025); <http://arxiv.org/abs/2502.09618>.
- 873 N. Kolt, M. Shur-Ofry, R. Cohen, Lessons from Complex Systems Science for AI Governance. *Patterns (New York, N.Y.)* **6**, 101341 (2025); <https://doi.org/10.1016/j.patter.2025.101341>.
- 874 D. H. Guston, Understanding "Anticipatory Governance." *Social Studies of Science* **44**, 218–242 (2014); <https://doi.org/10.1177/0306312713508669>.
- 875 OECD, "Steering AI's Future: Strategies for Anticipatory Governance" (Organisation for Economic Co-Operation and Development (OECD), 2025); <https://doi.org/10.1787/5480ff0a-en>.
- 876 J. Hautala, T. Ahlqvist, Integrating Futures Imaginaries, Expectations and Anticipatory Practices: Practitioners of Artificial Intelligence between Now and Future. *Technology Analysis and Strategic Management* **36**, 2100–2112 (2024); <https://doi.org/10.1080/09537325.2022.2130041>.
- 877 R. Lempert, J. Welburn, L. Mussio, M. Aldous, *Applying History to Inform Anticipatory AI Governance* (RAND Corporation, 2025); https://www.rand.org/pubs/conf_proceedings/CFA3591-1.html.
- 878 L. Gao, J. Schulman, J. Hilton, "Scaling Laws for Reward Model Overoptimization" in *Proceedings of the 40th International Conference on Machine Learning* (PMLR, Honolulu, Hawaii, USA, 2023), pp. 10835–10866; <https://proceedings.mlr.press/v202/gao23h.html>.
- 879 R. Bommasani, D. A. Hudson, E. Adeli, R. Altman, S. Arora, S. von Arx, M. S. Bernstein, J. Bohg, A. Bosselut, E. Brunskill, E. Brynjolfsson, S. Buch, D. Card, R. Castellon, N. Chatterji, A. Chen, K. Creel, ... P. Liang, On the Opportunities and Risks of Foundation Models, *arXiv [cs.LG]* (2021); <http://arxiv.org/abs/2108.07258>.
- 880 Z. X. Yong, C. Menghini, S. Bach, "Low-Resource Languages Jailbreak GPT-4" in *NeurIPS Workshop on Socially Responsible Language Modelling Research (SoLaR)* (New Orleans, LA, USA, 2023); <https://openreview.net/forum?id=pn83r8V2sv>.
- 881 Y. Huang, L. Sun, H. Wang, S. Wu, Q. Zhang, Y. Li, C. Gao, Y. Huang, W. Lyu, Y. Zhang, X. Li, H. Sun, Z. Liu, Y. Liu, Y. Wang, Z. Zhang, B. Vidgen, ... Y. Zhao, "Position: TrustLLM: Trustworthiness in Large Language Models" in *International Conference on*

Machine Learning (PMLR, 2024), pp. 20166–20270; <https://proceedings.mlr.press/v235/huang24x.html>.

882 E. Duede, The Representational Status of Deep Learning Models, *arXiv [cs.AI]* (2023); <http://arxiv.org/abs/2303.12032>.

883 G. E. Hinton, “Distributed Representations” (CMU-CS-84-157, Carnegie-Mellon University, 1984); <http://shelf2.library.cmu.edu/Tech/19334156.pdf>.

884 Y. Bengio, A. Courville, P. Vincent, Representation Learning: A Review and New Perspectives. *IEEE Transactions on Pattern Analysis and Machine Intelligence* **35**, 1798–1828 (2013); <https://doi.org/10.1109/TPAMI.2013.50>.

885 R. Huben, H. Cunningham, L. R. Smith, A. Ewart, L. Sharkey, “Sparse Autoencoders Find Highly Interpretable Features in Language Models” in *The 12th International Conference on Learning Representations (ICLR 2024)* (Vienna, Austria, 2024); <https://openreview.net/forum?id=F76bwRSLeK>.

886* L. Gao, T. D. la Tour, H. Tillman, G. Goh, R. Tross, A. Radford, I. Sutskever, J. Leike, J. Wu, Scaling and Evaluating Sparse Autoencoders, *arXiv [cs.LG]* (2024); <http://arxiv.org/abs/2406.04093>.

887* T. Lieberum, S. Rajamanoharan, A. Conmy, L. Smith, N. Sonnerat, V. Varma, J. Kramar, A. Dragan, R. Shah, N. Nanda, “Gemma Scope: Open Sparse Autoencoders Everywhere All At Once on Gemma 2” in *The 7th BlackboxNLP Workshop* (2024); <https://openreview.net/forum?id=XkMrWOJhNd>.

888 A. Templeton, T. Conerly, J. Marcus, J. Lindsey, T. Bricken, B. Chen, A. Pearce, C. Citro, E. Ameisen, A. Jones, H. Cunningham, N. L. Turner, C. McDougall, M. MacDiarmid, C. D. Freeman, T. R. Sumers, E. Rees, ... T. Henighan, Scaling Monosemanticity: Extracting Interpretable Features from Claude 3 Sonnet. *Transformer Circuits Thread* (2024); <https://transformer-circuits.pub/2024/scaling-monosemanticity/index.html>.

889* T. Bricken, A. Templeton, J. Batson, B. Chen, A. Jermyn, T. Conerly, N. Turner, C. Anil, C. Denison, A. Askell, R. Lasenby, Y. Wu, S. Kravec, N. Schiefer, T. Maxwell, N. Joseph, Z. Hatfield-Dodds, ... C. Olah, Towards Monosemanticity: Decomposing Language Models with Dictionary Learning, *Transformer Circuits Thread* (2023); <https://transformer-circuits.pub/2023/monosemantic-features>.

890 J. Adebayo, J. Gilmer, M. Muehly, I. Goodfellow, M. Hardt, B. Kim, “Sanity Checks for Saliency Maps” in *Advances in Neural Information Processing Systems* (Curran Associates, Inc., 2018) vol. 31; https://proceedings.neurips.cc/paper_files/paper/2018/hash/294a8ed24b1ad22ec2e7efea049b8737-Abstract.html.

891* T. Bolukbasi, A. Pearce, A. Yuan, A. Coenen, E. Reif, F. Viégas, M. Wattenberg, An Interpretability Illusion for BERT, *arXiv [cs.CL]* (2021); <http://arxiv.org/abs/2104.07143>.

892 A. Makelov, G. Lange, A. Geiger, N. Nanda, “Is This the Subspace You Are Looking for? An Interpretability

Illusion for Subspace Activation Patching” in *The 12th International Conference on Learning Representations (ICLR 2024)* (Vienna, Austria, 2023); <https://openreview.net/forum?id=Ebt7JgMHv1>.

893 J. Miller, B. Chughtai, W. Saunders, Transformer Circuit Faithfulness Metrics Are Not Robust, *arXiv [cs.LG]* (2024); <http://arxiv.org/abs/2407.08734>.

894 D. Chanin, J. Wilken-Smith, T. Dulka, H. Bhatnagar, J. Bloom, A Is for Absorption: Studying Feature Splitting and Absorption in Sparse Autoencoders, *arXiv [cs.CL]* (2024); <http://arxiv.org/abs/2409.14507>.

895 J. Adebayo, M. Muehly, I. Liccardi, B. Kim, “Debugging Tests for Model Explanations” in *Advances in Neural Information Processing Systems* (Curran Associates, Inc., 2020) vol. 33, pp. 700–712; <https://proceedings.neurips.cc/paper/2020/hash/075b051ec3d22dac7b33f788da631fd4-Abstract.html>.

896* M. L. Leavitt, A. Morcos, Towards Falsifiable Interpretability Research, *arXiv [cs.CY]* (2020); <http://arxiv.org/abs/2010.12016>.

897 A. Reuel, A. Ghosh, J. Chim, A. Tran, Y. Long, J. Mickel, U. Gohar, S. Yadav, P. S. Ammanamanchi, M. Allaham, H. A. Rahmani, M. Akhtar, F. Friedrich, R. Scholz, M. A. Riegler, J. Batzner, E. Habba, ... I. Solaiman, Who Evaluates AI’s Social Impacts? Mapping Coverage and Gaps in First and Third Party Evaluations, *arXiv [cs.CY]* (2025); <http://arxiv.org/abs/2511.05613>.

898 S. Rismani, R. Shelby, L. Davis, N. Rostamzadeh, A. Moon, Measuring What Matters: Connecting AI Ethics Evaluations to System Attributes, Hazards, and Harms. *Proceedings of the AAAI/ACM Conference on AI, Ethics, and Society* **8**, 2199–2213 (2025); <https://doi.org/10.1609/aies.v8i3.36706>.

899 S. Kapoor, B. Stroebel, P. Kirgis, N. Nadgir, Z. S. Siegel, B. Wei, T. Xue, Z. Chen, F. Chen, S. Utpala, F. Ndzomga, D. Oruganty, S. Luskin, K. Liu, B. Yu, A. Arora, D. Hahm, ... A. Narayanan, Holistic Agent Leaderboard: The Missing Infrastructure for AI Agent Evaluation, *arXiv [cs.AI]* (2025); <http://arxiv.org/abs/2510.11977>.

900* H. Wallach, M. Desai, N. Pangakis, A. F. Cooper, A. Wang, S. Barocas, A. Chouldechova, C. Atalla, S. L. Blodgett, E. Corvi, P. A. Dow, J. Garcia-Gathright, A. Olteanu, S. Reed, E. Sheng, D. Vann, J. W. Vaughan, ... A. Z. Jacobs, Evaluating Generative AI Systems Is a Social Science Measurement Challenge, *arXiv [cs.CY]* (2024); <http://arxiv.org/abs/2411.10939>.

901 S. Ghosh, H. Frase, A. Williams, S. Luger, P. Röttger, F. Barez, S. McGregor, K. Fricklas, M. Kumar, Q. Feuillade-Montixi, K. Bollacker, F. Friedrich, R. Tsang, B. Vidgen, A. Parrish, C. Knotz, E. Presani, ... J. Vanschoren, AILuminate: Introducing v1.0 of the AI Risk and Reliability Benchmark from MLCommons, *arXiv [cs.CY]* (2025); <http://arxiv.org/abs/2503.05731>.

902 A. M. Bean, R. O. Kearns, A. Romanou, F. S. Hafner, H. Mayne, J. Batzner, N. Foroutan, C. Schmitz, K. Korgul, H. Batra, O. Deb, E. Beharry, C. Emde, T. Foster, A. Gausen, M. Grandury, S. Han,

... A. Mahdi, "Measuring What Matters: Construct Validity in Large Language Model Benchmarks" in *39th Annual Conference on Neural Information Processing Systems Datasets and Benchmarks Track* (2025); <https://openreview.net/forum?id=mdA5IVvNcU>.

903 N. Li, A. Pan, A. Gopal, S. Yue, D. Berrios, A. Gatti, J. D. Li, A.-K. Dombrowski, S. Goel, L. Phan, G. Mukobi, N. Helm-Burger, R. Lababidi, L. Justen, A. B. Liu, M. Chen, I. Barrass, ... D. Hendrycks, The WMDP Benchmark: Measuring and Reducing Malicious Use With Unlearning, *arXiv [cs.LG]* (2024); <http://dx.doi.org/10.48550/arXiv.2403.03218>.

904* L. Weidinger, M. Rauh, N. Marchal, A. Manzini, L. A. Hendricks, J. Mateos-Garcia, S. Bergman, J. Kay, C. Griffin, B. Bariach, I. Gabriel, V. Rieser, W. Isaac, "Sociotechnical Safety Evaluation of Generative AI Systems" (Google Deepmind, 2023); <http://arxiv.org/abs/2310.11986>.

905* I. Solaiman, Z. Talat, W. Agnew, L. Ahmad, D. Baker, S. L. Blodgett, H. Daumé III, J. Dodge, E. Evans, S. Hooker, Y. Jernite, A. S. Luccioni, A. Lusoli, M. Mitchell, J. Newman, M.-T. Png, A. Strait, A. Vassilev, Evaluating the Social Impact of Generative AI Systems in Systems and Society, *arXiv [cs.CY]* (2023); https://zeerak.org/papers/Evaluating_the_Social_Impact_of_Generative_AI_Systems_in_Systems_and_Society__preprint_.pdf.

906 P. Slattery, A. K. Saeri, E. A. C. Grundy, J. Graham, M. Noetel, R. Uuk, J. Dao, S. Pour, S. Casper, N. Thompson, The AI Risk Repository: A Comprehensive Meta-Review, Database, and Taxonomy of Risks from Artificial Intelligence, *arXiv [cs.AI]* (2024); <http://arxiv.org/abs/2408.12622>.

907 D. Zhao, Q. Ma, X. Zhao, C. Si, C. Yang, R. Louie, E. Reiter, D. Yang, T. Wu, "SPHERE: An Evaluation Card for Human-AI Systems" in *Findings of the Association for Computational Linguistics: ACL 2025* (Association for Computational Linguistics, Stroudsburg, PA, USA, 2025), pp. 1340–1365; <https://doi.org/10.18653/v1/2025.findings-acl.70>.

908 L. Ibrahim, S. Huang, L. Ahmad, U. Bhatt, M. Anderljung, Towards Interactive Evaluations for Interaction Harms in Human-AI Systems. *Proceedings of the AAAI/ACM Conference on AI, Ethics, and Society* **8**, 1302–1310 (2025); <https://doi.org/10.1609/aies.v8i2.36631>.

909 M. Eriksson, E. Purificato, A. Noroozian, J. Vinagre, G. Chaslot, E. Gomez, D. Fernandez-Llorca, Can We Trust AI Benchmarks? An Interdisciplinary Review of Current Issues in AI Evaluation. *Proceedings of the AAAI/ACM Conference on AI, Ethics, and Society* **8**, 850–864 (2025); <https://doi.org/10.1609/aies.v8i1.36595>.

910 L. Ibrahim, F. S. Hafner, L. Rocher, Training Language Models to Be Warm and Empathetic Makes Them Less Reliable and More Sycophantic, *arXiv [cs.CL]* (2025); <http://arxiv.org/abs/2507.21919>.

911 M. Bhimani, A. Miller, J. D. Agnew, M. S. Ausin, M. Raglow-Defranco, H. Mangat, M. Voisard, M. Taylor, S. Bierman-Lytle, V. Parikh, J. Ghukasyan, R. Lasko, S. Godil, A. Atreja, S. Mukherjee, Real-World Evaluation

of Large Language Models in Healthcare (RWE-LLM): A New Realm of AI Safety & Validation, *medRxiv* (2025)p. 2025.03.17.25324157; <https://doi.org/10.1101/2025.03.17.25324157>.

912 X. Shen, Z. Chen, M. Backes, Y. Shen, Y. Zhang, "Do Anything Now": Characterizing and Evaluating In-The-Wild Jailbreak Prompts on Large Language Models, *arXiv [cs.CR]* (2023); <http://arxiv.org/abs/2308.03825>.

913 J. Y. Goh, S. Khoo, N. Iskandar, G. Chua, L. Tan, J. Foo, "Measuring What Matters: A Framework for Evaluating Safety Risks in Real-World LLM Applications" in *ICML Workshop on Technical AI Governance (TAIG)* (2025); <https://openreview.net/forum?id=y7dkj1PJZT>.

914* L. Weidinger, J. Mellor, M. Rauh, C. Griffin, J. Uesato, P.-S. Huang, M. Cheng, M. Glaese, B. Balle, A. Kasirzadeh, Z. Kenton, S. Brown, W. Hawkins, T. Stepleton, C. Biles, A. Birhane, J. Haas, ... I. Gabriel, "Ethical and Social Risks of Harm from Language Models" (Google DeepMind, 2021); <http://arxiv.org/abs/2112.04359>.

915 M. Andriushchenko, N. Flammarion, Does Refusal Training in LLMs Generalize to the Past Tense?, *arXiv [cs.CL]* (2024); <http://arxiv.org/abs/2407.11969>.

916 R. Bommasani, K. Klyman, S. Longpre, S. Kapoor, N. Maslej, B. Xiong, D. Zhang, P. Liang, "The Foundation Model Transparency Index" (Center for Research on Foundation Models (CRFM) and Institute on Human-Centered Artificial Intelligence (HAI), 2023); <http://arxiv.org/abs/2310.12941>.

917 S. Longpre, R. Mahari, A. N. Lee, C. S. Lund, H. Oderinwale, W. Brannon, N. Saxena, N. Obeng-Marnu, T. South, C. J. Hunter, K. Klyman, C. Klamm, H. Schoelkopf, N. Singh, M. Cherep, A. M. Anis, A. Dinh, ... A. Pentland, "Consent in Crisis: The Rapid Decline of the AI Data Commons" in *38th Conference on Neural Information Processing Systems Datasets and Benchmarks Track* (2024); <https://openreview.net/pdf?id=66PcEzKf95>.

918 T. Miller, Explanation in Artificial Intelligence: Insights from the Social Sciences. *Artificial Intelligence* **267**, 1–38 (2019); <https://doi.org/10.1016/j.artint.2018.07.007>.

919 J. H. Shen, K. Liu, A. Wang, S. H. Cen, A. K. Zhang, C. Meinhardt, D. Zhang, K. Klyman, R. Bommasani, D. E. Ho, "The Disclosure Delusion: Systemic Challenges in AI Data Transparency Policy" in *Workshop on Technical AI Governance (TAIG) at ICML 2025* (Vancouver, Canada, 2025); <https://openreview.net/pdf?id=laEg0SqrKB>.

920 M. Pasetti, J. W. Santos, N. K. Corrêa, N. de Oliveira, C. P. Barbosa, Technical, Legal, and Ethical Challenges of Generative Artificial Intelligence: An Analysis of the Governance of Training Data and Copyrights. *Discover Artificial Intelligence* **5**, 193 (2025); <https://doi.org/10.1007/s44163-025-00379-6>.

921 OECD, "Intellectual Property Issues in Artificial Intelligence Trained on Scraped Data" (Organisation for Economic Co-Operation and Development (OECD), 2025); <https://doi.org/10.1787/d5241a23-en>.

- 922** M. Schneider, T. Hagendorff, Investigating Toxicity and Bias in Stable Diffusion Text-to-Image Models. *Scientific Reports* **15**, 31401 (2025); <https://doi.org/10.1038/s41598-025-12032-4>.
- 923** B. Cottier, R. Rahman, L. Fattorini, N. Maslej, D. Owen, The Rising Costs of Training Frontier AI Models, *arXiv [cs.CY]* (2024); <http://arxiv.org/abs/2405.21015>.
- 924** D. Hall, C. C. Ahmed, A. Garg, R. Kulkarni, W. Held, N. Ravi, H. Shandilya, J. Wang, J. Bolton, S. Karambelkar, S. Kothry, T. Lee, N. Liu, J. Niklaus, A. Ramaswamy, K. Salehi, K. Wen, ... P. Liang, Introducing Marin: An Open Lab for Building Foundation Models (2025); <https://marin.community/blog/2025/05/19/announcement/>.
- 925** T. Schrepel, J. Potts, Measuring the Openness of AI Foundation Models: Competition and Policy Implications. *Information & Communications Technology Law* **34**, 279–304 (2025); <https://doi.org/10.1080/13600834.2025.2461953>.
- 926** S. Truong, Y. Tu, P. Liang, B. Li, S. Koyejo, Reliable and Efficient Amortized Model-Based Evaluation, *arXiv [cs.CL]* (2025); <http://arxiv.org/abs/2503.13335>.
- 927** W. J. Baumol, W. E. Oates, *The Theory of Environmental Policy* (Cambridge University Press, Cambridge, England, ed. 2, 2012); <https://doi.org/10.1017/cbo9781139173513>.
- 928** P. DeCicca, D. Kenkel, M. F. Lovenheim, The Economics of Tobacco Regulation: A Comprehensive Review. *Journal of Economic Literature* **60**, 883–970 (2022); <https://doi.org/10.1257/jel.20201482>.
- 929** L. Dallas, “Short-Termism, the Financial Crisis, and Corporate Governance” (University of San Diego School of Law, 2012); https://papers.ssrn.com/sol3/papers.cfm?abstract_id=2006556.
- 930** J. Guerreiro, S. Rebelo, P. Teles, “Regulating Artificial Intelligence” (w31921, National Bureau of Economic Research, 2023); <https://doi.org/10.3386/w31921>.
- 931** M. L. Ding, H. Suresh, The Malicious Technical Ecosystem: Exposing Limitations in Technical Governance of AI-Generated Non-Consensual Intimate Images of Adults, *arXiv [cs.HC]* (2025); <http://arxiv.org/abs/2504.17663>.
- 932** T. A. Han, L. M. Pereira, T. Lenaerts, “Modelling and Influencing the AI Bidding War: A Research Agenda” in *Proceedings of the 2019 AAAI/ACM Conference on AI, Ethics, and Society (AIES '19)* (New York, NY, USA, 2019), pp. 5–11; <https://doi.org/10.1145/3306618.3314265>.
- 933** T. Cimpeanu, F. C. Santos, L. M. Pereira, T. Lenaerts, T. A. Han, Artificial Intelligence Development Races in Heterogeneous Settings. *Scientific Reports* **12**, 1723 (2022); <https://doi.org/10.1038/s41598-022-05729-3>.
- 934** O. Delaney, O. Guest, Z. Williams, “Mapping Technical Safety Research at AI Companies: A Literature Review and Incentives Analysis” (Institute for AI Policy and Strategy, 2024).
- 935** The Anh Han, L. Moniz Pereira, F. C. Santos, T. Lenaerts, To Regulate or Not: A Social Dynamics Analysis of an Idealised AI Race. *The Journal of Artificial Intelligence Research* **69**, 881–921 (2020); <https://doi.org/10.1613/jair.1.12225>.
- 936*** A. Askeel, M. Brundage, G. Hadfield, The Role of Cooperation in Responsible AI Development, *arXiv [cs.CY]* (2019); <http://arxiv.org/abs/1907.04534>.
- 937** S. Cave, S. S. ÓhÉigeartaigh, “An AI Race for Strategic Advantage: Rhetoric and Risks” in *Proceedings of the 2018 AAAI/ACM Conference on AI, Ethics, and Society* (ACM, New York, NY, USA, 2018); <https://doi.org/10.1145/3278721.3278780>.
- 938** S. Armstrong, N. Bostrom, C. Shulman, Racing to the Precipice: A Model of Artificial Intelligence Development. *AI & Society* **31**, 201–206 (2016); <https://doi.org/10.1007/s00146-015-0590-y>.
- 939** D. Fernández Llorca, V. Charisi, R. Hamon, I. Sánchez, E. Gómez, Liability Regimes in the Age of AI: A Use-Case Driven Analysis of the Burden of Proof. *The Journal of Artificial Intelligence Research* **76**, 613–644 (2023); <https://doi.org/10.1613/jair.1.14565>.
- 940** G. Smith, K. D. Stanley, K. Marcinek, P. Cormarie, S. Gunashekar, *Liability for Harms from AI Systems: The Application of U.S. Tort Law and Liability to Harms from Artificial Intelligence Systems* (RAND Corporation, Santa Monica, CA, 2024); <https://doi.org/10.7249/RR3243-4>.
- 941** G. Weil, The Case for AI Liability, *AI Frontiers* (2025); <https://ai-frontiers.org/articles/case-for-ai-liability>.
- 942** A. Kierans, K. Rittichier, U. Sonsayar, A. Ghosh, Catastrophic Liability: Managing Systemic Risks in Frontier AI Development, *arXiv [cs.CY]* (2025); <http://arxiv.org/abs/2505.00616>.
- 943** K. Wei, S. Guth, G. Wu, P. Paskov, “Methodological Challenges in Agentic Evaluations of AI Systems” in *ICML Workshop on Technical AI Governance (TAIG)* (2025); <https://openreview.net/forum?id=ZhSKG8IsIC>.
- 944** Y. Tian, X. Yang, J. Zhang, Y. Dong, H. Su, Evil Geniuses: Delving into the Safety of LLM-Based Agents, *arXiv [cs.CL]* (2023); <http://arxiv.org/abs/2311.11855>.
- 945** M. Pistillo, S. Van Arsdale, L. Heim, C. Winter, The Role of Compute Thresholds for AI Governance. *George Washington Journal of Law & Technology* **1**, 26–68 (2025); https://gwjolt.org/files/volume_1/GW%20JOLT%201_%20Winter.pdf.
- 946** L. Heim, L. Koessler, Training Compute Thresholds: Features and Functions in AI Regulation, *arXiv [cs.CY]* (2024); <http://arxiv.org/abs/2405.10799>.
- 947** T. Ord, Inference Scaling Reshapes AI Governance, *arXiv [cs.CY]* (2025); <http://arxiv.org/abs/2503.05705>.
- 948*** S. Hooker, On the Limitations of Compute Thresholds as a Governance Strategy, *arXiv [cs.AI]* (2024); <http://arxiv.org/abs/2407.05694>.

- 949** A. Tanjaya, J. Pratt, Documenting the Impacts of Foundation Models, *Partnership on AI* (2025); <https://partnershiponai.org/paper/documenting-the-impacts-of-foundation-models/>.
- 950** K. Creel, D. Hellman, The Algorithmic Leviathan: Arbitrariness, Fairness, and Opportunity in Algorithmic Decision-Making Systems. *Canadian Journal of Philosophy* **52**, 26–43 (2022); <https://doi.org/10.1017/can.2022.3>.
- 951** J. Kleinberg, M. Raghavan, Algorithmic Monoculture and Social Welfare. *Proceedings of the National Academy of Sciences of the United States of America* **118**, e2018340118 (2021); <https://doi.org/10.1073/pnas.2018340118>.
- 952** R. Bommasani, K. A. Creel, A. Kumar, D. Jurafsky, P. Liang, Picking on the Same Person: Does Algorithmic Monoculture Lead to Outcome Homogenization?, *arXiv [cs.LG]* (2022); <http://arxiv.org/abs/2211.13972>.
- 953** R. Uuk, C. I. Gutierrez, D. Guppy, L. Lauwaert, A. Kasirzadeh, L. Velasco, P. Slattery, C. Prunkl, A Taxonomy of Systemic Risks from General-Purpose AI, *arXiv [cs.CY]* (2025); <http://arxiv.org/abs/2412.07780>.
- 954** M. Huh, B. Cheung, T. Wang, P. Isola, “The Platonic Representation Hypothesis” in *Proceedings of the 41st International Conference on Machine Learning* (PMLR, 2024), pp. 20617–20642; <https://doi.org/10.48550/arXiv.2405.07987>.
- 955** J. Lu, H. Wang, Y. Xu, Y. Wang, K. Yang, Y. Fu, “Representation Potentials of Foundation Models for Multimodal Alignment: A Survey” in *Proceedings of the 2025 Conference on Empirical Methods in Natural Language Processing* (Association for Computational Linguistics, Stroudsburg, PA, USA, 2025), pp. 16680–16695; <https://doi.org/10.18653/v1/2025.emnlp-main.843>.
- 956** R. Uuk, A. Brouwer, N. Dreksler, V. Pulignano, R. Bommasani, Effective Mitigations for Systemic Risks from General-Purpose AI. (2024); https://papers.ssrn.com/sol3/papers.cfm?abstract_id=5021463.
- 957** J. O’Brien, S. Ee, Z. Williams, “Deployment Corrections: An Incident Response Framework for Frontier AI Models” (Institute for AI Policy and Strategy, 2023); https://static1.squarespace.com/static/64edf8e7f2b10d716b5ba0e1/t/651c397fc04af033499df9f8/1696348544356/Deployment+corrections_+an+incident+response+framework+for+frontier+AI+models.pdf.
- 958** M. M. Maas, *Architectures of Global AI Governance: From Technological Change to Human Choice* (Oxford University Press, London, England, 2025); <https://doi.org/10.1093/9780191988455.001.0001>.
- 959** C. Dennis, S. Clare, R. Hawkins, M. Simpson, E. Behrens, G. Diebold, Z. Kara, R. Wang, R. Trager, M. Maas, N. Kolt, M. Anderljung, K. Pilz, A. Reuel, M. Murray, L. Heim, M. Ziosi, “What Should Be Internationalised in AI Governance?” (Oxford Martin; AI Governance Initiative, 2024); <https://oms-www.files.svdcdn.com/production/downloads/What%20should%20be%20internationalised%20in%20AI%20Governance-final.pdf?dm=1731486256>.
- 960** P. Cihon, M. M. Maas, L. Kemp, Fragmentation and the Future: Investigating Architectures for International AI Governance. *Global Policy* **11**, 545–556 (2020); <https://doi.org/10.1111/1758-5899.12890>.
- 961** E. Erman, M. Furendal, Artificial Intelligence and the Political Legitimacy of Global Governance. *Political Studies* **72**, 421–441 (2024); <https://doi.org/10.1177/00323217221126665>.
- 962** M. M. Maas, Innovation-Proof Global Governance for Military Artificial Intelligence?: How I Learned to Stop Worrying, and Love the Bot. *Journal of International Humanitarian Legal Studies* **10**, 129–157 (2019); <https://doi.org/10.1163/18781527-01001006>.
- 963** A. Taeihagh, Governance of Artificial Intelligence. *Policy & Society* **40**, 137–157 (2021); <https://doi.org/10.180/14494035.2021.1928377>.
- 964** M. Sheehan, S. Singer, “How China Views AI Risks and What to Do About Them” (Carnegie Endowment for International Peace, 2025); <https://carnegieendowment.org/research/2025/10/how-china-views-ai-risks-and-what-to-do-about-them>.
- 965** European Commission, The General-Purpose AI Code of Practice. (2025); <https://digital-strategy.ec.europa.eu/en/policies/contents-code-gpai>.
- 966** The White House, “Winning the AI Race: America’s AI Action Plan” (Executive Office of the President of the US, 2025); <https://www.whitehouse.gov/wp-content/uploads/2025/07/Americas-AI-Action-Plan.pdf>.
- 967** R. Bommasani, S. Arora, J. Chayes, Y. Choi, M.-F. Cuéllar, L. Fei-Fei, D. E. Ho, D. Jurafsky, S. Koyejo, H. Lakkaraju, A. Narayanan, A. Nelson, E. Pierson, J. Pineau, S. Singer, G. Varoquaux, S. Venkatasubramanian, ... D. Song, Advancing Science- and Evidence-Based AI Policy. *Science (New York, N.Y.)* **389**, 459–461 (2025); <https://doi.org/10.1126/science.adu8449>.
- 968** I. Richards, C. Benn, M. Zilka, “From Incidents to Insights: Patterns of Responsibility Following AI Harms” in *Proceedings of the 5th ACM Conference on Equity and Access in Algorithms, Mechanisms, and Optimization* (ACM, New York, NY, USA, 2025), pp. 151–169; <https://doi.org/10.1145/3757887.3763018>.
- 969** T. Raz, D. Hillson, A Comparative Review of Risk Management Standards. *Risk Management: An International Journal* **7**, 53–66 (2005); <https://doi.org/10.1057/palgrave.rm.8240227>.
- 970** NIST, “Artificial Intelligence Risk Management Framework (AI RMF 1.0)” (NIST, 2023); <https://doi.org/10.6028/nist.ai.100-1>.
- 971** Organisation for Economic Co-Operation and Development, “OECD Framework for the Classification of AI Systems” (323, OECD, 2022); <https://doi.org/10.1787/cb6d9eca-en>.

- 972** A. Batool, D. Zowghi, M. Bano, AI Governance: A Systematic Literature Review. *AI and Ethics* **5**, 3265–3279 (2025); <https://doi.org/10.1007/s43681-024-00653-w>.
- 973** OECD, “Common Guideposts to Promote Interoperability in AI Risk Management” (Organisation for Economic Co-Operation and Development (OECD), 2023); <https://doi.org/10.1787/ba602d18-en>.
- 974** T. Aven, Y. Ben-Haim, H. B. Andersen, T. Cox, E. López Droguett, M. Greenberg, S. Guikema, W. Kröger, O. Renn, K. M. Thompson, E. Zio, “Society for Risk Analysis Glossary” (Society for Risk Analysis, 2018); <https://www.sra.org/wp-content/uploads/2020/04/SRA-Glossary-FINAL.pdf>.
- 975** International Organization for Standardization, “ISO/IEC 23894:2023: Information Technology — Artificial Intelligence — Guidance on Risk Management” (ISO/IEC, 2023); <https://www.iso.org/standard/77304.html>.
- 976** NIST, Crosswalk Documents, *NIST AI Resource Center* (2025); <https://airc.nist.gov/airmf-resources/crosswalks/>.
- 977** METR, Frontier AI Safety Policies (2025); <https://metr.org/>.
- 978** S. V. Hoseini, J. Suutala, J. Partala, K. Halunen, Threat Modeling AI/ML with the Attack Tree. *IEEE Access: Practical Innovations, Open Solutions* **12**, 1–1 (2024); <https://doi.org/10.1109/access.2024.3497011>.
- 979** A. Birhane, W. Isaac, V. Prabhakaran, M. Diaz, M. C. Elish, I. Gabriel, S. Mohamed, “Power to the People? Opportunities and Challenges for Participatory AI” in *Proceedings of the 2nd ACM Conference on Equity and Access in Algorithms, Mechanisms, and Optimization (EAAMO '22)* (Association for Computing Machinery, New York, NY, USA, 2022), pp. 1–8; <https://doi.org/10.1145/3551624.3555290>.
- 980** R. Dobbe, A. Wolters, Toward Sociotechnical AI: Mapping Vulnerabilities for Machine Learning in Context. *Minds and Machines* **34**, 12 (2024); <https://doi.org/10.1007/s11023-024-09668-y>.
- 981** Joint Task Force Transformation Initiative, “Guide for Conducting Risk Assessments” (NIST Special Publication (SP) 800–30 Rev. 1, National Institute of Standards and Technology, 2012); <https://doi.org/10.6028/nist.sp.800-30r1>.
- 982** ISO, ISO 31000:2009(en), Risk Management — Principles and Guidelines (2009); <https://www.iso.org/obp/ui/#iso:std:iso:31000:ed-1:v1:en>.
- 983*** OpenAI, Coordinated Vulnerability Disclosure Policy (2025); <https://openai.com/policies/coordinated-vulnerability-disclosure-policy/>.
- 984*** Anthropic, Testing Our Safety Defenses with a New Bug Bounty Program (2025); <https://www.anthropic.com/news/testing-our-safety-defenses-with-a-new-bug-bounty-program>.
- 985** Partnership on AI, “[Draft] Guidelines for Participatory and Inclusive AI” (2024); <https://partnershiponai.org/stakeholder-engagement-for-responsible-ai-introducing-pais-guidelines-for-participatory-and-inclusive-ai/>.
- 986** S. Campos, H. Papadatos, F. Roger, C. Touzet, O. Quarks, M. Murray, A Frontier AI Risk Management Framework: Bridging the Gap between Current AI Practices and Established Risk Management, *arXiv [cs. AI]* (2025); <http://arxiv.org/abs/2502.06656>.
- 987** D. Cheng, E. McKernon, D. Turan, Y. Sharma, A. Foster, J. Bullock, “Threshold 2030: Modeling AI Economic Futures: Conference Report” (Threshold 2030, 2025); <https://www.convergenceanalysis.org/threshold-2030/comprehensive-summary>.
- 988** L. Weidinger, J. Uesato, M. Rauh, C. Griffin, P.-S. Huang, J. Mellor, A. Glaese, M. Cheng, B. Balle, A. Kasirzadeh, C. Biles, S. Brown, Z. Kenton, W. Hawkins, T. Stepleton, A. Birhane, L. A. Hendricks, ... I. Gabriel, “Taxonomy of Risks Posed by Language Models” in *Proceedings of the 2022 ACM Conference on Fairness, Accountability, and Transparency (FACt '22)* (Association for Computing Machinery, New York, NY, USA, 2022), pp. 214–229; <https://doi.org/10.1145/3531146.3533088>.
- 989** K. Kieslich, N. Helberger, N. Diakopoulos, “My Future with My Chatbot: A Scenario-Driven, User-Centric Approach to Anticipating AI Impacts” in *The 2024 ACM Conference on Fairness, Accountability, and Transparency* (ACM, New York, NY, USA, 2024); <https://doi.org/10.1145/3630106.3659026>.
- 990*** Meta, “Frontier AI Framework Version 1.1” (Meta, 2024); https://ai.meta.com/static-resource/meta-frontier-ai-framework/?utm_source=newsroom&utm_medium=web&utm_content=Frontier_AI_Framework_PDF&utm_campaign=Our_Approach_to_Frontier_AI_blog.
- 991*** Anthropic, Responsible Scaling Policy, Version 2.2. (2025); <https://www-cdn.anthropic.com/872c653bd0501d6ab44cf87f43e1dc4853e4d37.pdf>.
- 992** G. Abercrombie, D. Benbouzid, P. Giudici, D. Golpayegani, J. Hernandez, P. Noro, H. Pandit, E. Paraschou, C. Pownall, J. Prajapati, M. A. Sayre, U. Sengupta, A. Suriyawongkul, R. Thelot, S. Vei, L. Waltersdorfer, A Collaborative, Human-Centred Taxonomy of AI, Algorithmic, and Automation Harms, *arXiv [cs.LG]* (2024); <http://arxiv.org/abs/2407.01294>.
- 993** R. Shelby, S. Rismani, K. Henne, A. Moon, N. Rostamzadeh, P. Nicholas, N. 'mah Yilla-Akbari, J. Gallegos, A. Smart, E. Garcia, G. Virk, “Sociotechnical Harms of Algorithmic Systems: Scoping a Taxonomy for Harm Reduction” in *Proceedings of the 2023 AAAI/ACM Conference on AI, Ethics, and Society* (ACM, New York, NY, USA, 2023) vol. 24, pp. 723–741; <https://doi.org/10.1145/3600211.3604673>.
- 994** T. Aven, *Foundations of Risk Analysis* (John Wiley & Sons, 2012); <https://doi.org/10.1002/9781119945482>.
- 995** T. Aven, *Risk Analysis* (John Wiley & Sons, 2015); <https://doi.org/10.1002/9781119057819>.
- 996** G. Popov, B. K. Lyon, B. Hollcroft, *Risk Assessment: A Practical Guide to Assessing Operational*

Risks (Wiley & Sons, Incorporated, John, 2021); <https://doi.org/10.1002/9781119798323>.

997 M. Rausand, S. Haugen, *Risk Assessment: Theory, Methods, and Applications* (Wiley & Sons, Limited, John, 2020); <https://doi.org/10.1002/9781119377351>.

998 S. Ni, G. Chen, S. Li, X. Chen, S. Li, B. Wang, Q. Wang, X. Wang, Y. Zhang, L. Fan, C. Li, R. Xu, L. Sun, M. Yang, A Survey on Large Language Model Benchmarks, *arXiv [cs.CL]* (2025); <http://arxiv.org/abs/2508.15361>.

999* L. Ahmad, S. Agarwal, M. Lampe, P. Mishkin, OpenAI's Approach to External Red Teaming for AI Models and Systems, *arXiv [cs.CY]* (2025); <http://arxiv.org/abs/2503.16431>.

1000 H. Janssen, M. Seng Ah Lee, J. Singh, Practical Fundamental Rights Impact Assessments. *International Journal of Law and Information Technology* **30**, 200–232 (2022); <https://doi.org/10.1093/ijlit/eaac018>.

1001 V. Ojewale, R. Steed, B. Vecchione, A. Birhane, I. D. Raji, "Towards AI Accountability Infrastructure: Gaps and Opportunities in AI Audit Tooling" in *Proceedings of the 2025 CHI Conference on Human Factors in Computing Systems* (ACM, New York, NY, USA, 2025), pp. 1–29; <https://doi.org/10.1145/3706598.3713301>.

1002 J. Schuett, Frontier AI Developers Need an Internal Audit Function. *Risk Analysis: An Official Publication of the Society for Risk Analysis* **45**, 1332–1352 (2025); <https://doi.org/10.1111/risa.17665>.

1003 A. Reuel, A. Hardy, C. Smith, M. Lamparth, M. Hardy, M. J. Kochenderfer, BetterBench: Assessing AI Benchmarks, Uncovering Issues, and Establishing Best Practices, *arXiv [cs.AI]* (2024); <http://arxiv.org/abs/2411.12990>.

1004 M. Murray, S. Barrett, H. Papadatos, O. Quarks, M. Smith, A. T. Boria, C. Touzet, S. Campos, A Methodology for Quantitative AI Risk Modeling, *arXiv [cs.CY]* (2025); <http://arxiv.org/abs/2512.08844>.

1005 L. Koessler, J. Schuett, M. Anderljung, Risk Thresholds for Frontier AI, *arXiv [cs.CY]* (2024); <http://arxiv.org/abs/2406.14713>.

1006 S. Lazar, A. Nelson, AI Safety on Whose Terms? *Science* **381**, 138 (2023); <https://doi.org/10.1126/science.adi8982>.

1007 B. C. Stahl, J. Antoniou, N. Bhalla, L. Brooks, P. Jansen, B. Lindqvist, A. Kirichenko, S. Marchal, R. Rodrigues, N. Santiago, Z. Warso, D. Wright, A Systematic Review of Artificial Intelligence Impact Assessments. *Artificial Intelligence Review* **56**, 1–33 (2023); <https://doi.org/10.1007/s10462-023-10420-8>.

1008 ISO, ISO 31000:2018 Risk Management — Guidelines, ISO (2018); <https://www.iso.org/iso-31000-risk-management.html>.

1009 C. Stinson, S. Vlaad, A Feeling for the Algorithm: Diversity, Expertise, and Artificial Intelligence. *Big Data & Society* **11** (2024); <https://doi.org/10.1177/20539517231224247>.

1010 F. Delgado, S. Yang, M. Madaio, Q. Yang, "The Participatory Turn in AI Design: Theoretical Foundations and the Current State of Practice" in *Proceedings of the 3rd ACM Conference on Equity and Access in Algorithms, Mechanisms, and Optimization (EAAMO '23)* (Association for Computing Machinery, New York, NY, USA, 2023), pp. 1–23; <https://doi.org/10.1145/3617694.3623261>.

1011 A. Homewood, S. Williams, N. Dreksler, J. Lidiard, M. Murray, L. Heim, M. Ziosi, S. Ó. hÉigeartaigh, M. Chen, K. Wei, C. Winter, M. Brundage, B. Garfinkel, J. Schuett, Third-Party Compliance Reviews for Frontier AI Safety Frameworks, *arXiv [cs.CY]* (2025); <http://arxiv.org/abs/2505.01643>.

1012 I. D. Raji, P. Xu, C. Honigsberg, D. Ho, "Outsider Oversight: Designing a Third Party Audit Ecosystem for AI Governance" in *Proceedings of the 2022 AAAI/ACM Conference on AI, Ethics, and Society (AIES '22)* (Association for Computing Machinery, New York, NY, USA, 2022), pp. 557–571; <https://doi.org/10.1145/3514094.3534181>.

1013 I. D. Raji, J. Buolamwini, "Actionable Auditing: Investigating the Impact of Publicly Naming Biased Performance Results of Commercial AI Products" in *Proceedings of the 2019 AAAI/ACM Conference on AI, Ethics, and Society* (ACM, New York, NY, USA, 2019); <https://doi.org/10.1145/3306618.3314244>.

1014 M. Brundage, S. Avin, J. Wang, H. Belfield, G. Krueger, G. Hadfield, H. Khlaaf, J. Yang, H. Toner, R. Fong, T. Maharaj, P. W. Koh, S. Hooker, J. Leung, A. Trask, E. Bluemke, J. Lebensold, ... M. Anderljung, Toward Trustworthy AI Development: Mechanisms for Supporting Verifiable Claims, *arXiv [cs.CY]* (2020); <https://arxiv.org/abs/2004.07213>.

1015 J. Mökander, L. Floridi, Operationalising AI Governance through Ethics-Based Auditing: An Industry Case Study. *AI and Ethics* **3**, 451–468 (2023); <https://doi.org/10.1007/s43681-022-00171-7>.

1016 J. Mökander, J. Schuett, H. R. Kirk, L. Floridi, Auditing Large Language Models: A Three-Layered Approach. *AI and Ethics* (2023); <https://doi.org/10.1007/s43681-023-00289-2>.

1017 M. Anderljung, E. T. Smith, J. O'Brien, L. Soder, B. Bucknall, E. Bluemke, J. Schuett, R. Trager, L. Strahm, R. Chowdhury, Towards Publicly Accountable Frontier LLMs: Building an External Scrutiny Ecosystem under the ASPIRE Framework, *arXiv [cs.CY]* (2023); <http://arxiv.org/abs/2311.14711>.

1018 A. Birhane, R. Steed, V. Ojewale, B. Vecchione, I. D. Raji, "SoK: AI Auditing: The Broken Bus on the Road to AI Accountability" in *2nd IEEE Conference on Secure and Trustworthy Machine Learning* (2024); <https://openreview.net/forum?id=TmagEd33w3>.

1019 L. Koessler, J. Schuett, Risk Assessment at AGI Companies: A Review of Popular Risk Assessment Techniques from Other Safety-Critical Industries, *arXiv [cs.CY]* (2023); <http://arxiv.org/abs/2307.08823>.

1020 C.-C. Hsu, B. A. Sandford, The Delphi Technique: Making Sense of Consensus. *Practical*

Assessment, Research, and Evaluation **12** (2007); <https://doi.org/10.7275/PDZ9-TH90>.

1021 V. Hemming, M. A. Burgman, A. M. Hanea, M. F. McBride, B. C. Wintle, A Practical Guide to Structured Expert Elicitation Using the IDEA Protocol. *Methods in Ecology and Evolution* **9**, 169–180 (2018); <https://doi.org/10.1111/2041-210X.12857>.

1022 I. Alon, H. Haidar, A. Haidar, J. Guimón, The Future of Artificial Intelligence: Insights from Recent Delphi Studies. *Futures* **165**, 103514 (2025); <https://doi.org/10.1016/j.futures.2024.103514>.

1023* Q. V. Liao, Z. Xiao, Rethinking Model Evaluation as Narrowing the Socio-Technical Gap, *arXiv [cs.HC]* (2023); <http://arxiv.org/abs/2306.03100>.

1024 A. Mantelero, The Fundamental Rights Impact Assessment (FRIA) in the AI Act: Roots, Legal Obligations and Key Elements for a Model Template. *Computer Law and Security Report* **54**, 106020 (2024); <https://doi.org/10.1016/j.clsr.2024.106020>.

1025* S. Wan, C. Nikolaidis, D. Song, D. Molnar, J. Crnkovich, J. Grace, M. Bhatt, S. Chennabasappa, S. Whitman, S. Ding, V. Ionescu, Y. Li, J. Saxe, CYBERSECEVAL 3: Advancing the Evaluation of Cybersecurity Risks and Capabilities in Large Language Models, *arXiv [cs.CR]* (2024); <http://arxiv.org/abs/2408.01605>.

1026* L. Weidinger, J. Barnhart, J. Brennan, C. Butterfield, S. Young, W. Hawkins, L. A. Hendricks, R. Comanescu, O. Chang, M. Rodriguez, J. Berooshi, D. Bloxwich, L. Proleev, J. Chen, S. Farquhar, L. Ho, I. Gabriel, ... W. Isaac, "Holistic Safety and Responsibility Evaluations of Advanced AI Models" (Google Deepmind, 2024); <http://arxiv.org/abs/2404.14068>.

1027 A. K. Wisakanto, J. Rogero, A. M. Casheekar, R. Mallah, Adapting Probabilistic Risk Assessment for AI, *arXiv [cs.AI]* (2025); <http://arxiv.org/abs/2504.18536>.

1028* B. Bullwinkel, A. Minnich, S. Chawla, G. Lopez, M. Pouliot, W. Maxwell, J. de Gruyter, K. Pratt, S. Qi, N. Chikanov, R. Lutz, R. S. R. Dheekonda, B.-E. Jagdagdorj, E. Kim, J. Song, K. Hines, D. Jones, ... M. Russinovich, Lessons from Red Teaming 100 Generative AI Products, *arXiv [cs.AI]* (2025); <http://arxiv.org/abs/2501.07238>.

1029* B. Simkin, N. Pope, L. Derczynski, C. Parisien, "Frontier AI Risk Assessment" (NVIDIA, 2025); <https://images.nvidia.com/content/pdf/NVIDIA-Frontier-AI-Risk-Assessment.pdf>.

1030 N. A. Caputo, S. Campos, S. Casper, J. Gealy, B. Hung, J. Jacobs, D. Kossack, T. Lorente, M. Murray, S. Ó hÉigeartaigh, A. Oueslati, H. Papadatos, J. Schuett, A. K. Wisakanto, R. Trager, "Risk Tiers: Towards a Gold Standard for Advanced AI" (Oxford Martin AI Governance Initiative (AIGI), University of Oxford, 2025); <https://aigi.ox.ac.uk/wp-content/uploads/2025/06/AIGI-gold-standard-risk-tiers-convening.pdf>.

1031 D. Raman, N. Madkour, E. R. Murphy, K. Jackson, J. Newman, "Intolerable Risk Threshold Recommendations for Artificial Intelligence: Key

Principles, Considerations, and Case Studies to Inform Frontier AI Safety Frameworks for Industry and Government" (UC Berkeley Center for Long-Term Cybersecurity, 2025); <https://cltc.berkeley.edu/wp-content/uploads/2025/02/Intolerable-Risk-Threshold-Recommendations-for-Artificial-Intelligence.pdf>.

1032 R. J. Neuwirth, Prohibited Artificial Intelligence Practices in the Proposed EU Artificial Intelligence Act (AIA). *Computer Law & Security Review* **48**, 105798 (2023); <https://doi.org/10.1016/j.clsr.2023.105798>.

1033 S. Kapoor, R. Bommasani, K. Klyman, S. Longpre, A. Ramaswami, P. Cihon, A. K. Hopkins, K. Bankston, S. Biderman, M. Bogen, R. Chowdhury, A. Engler, P. Henderson, Y. Jernite, S. Lazar, S. Maffulli, A. Nelson, ... A. Narayanan, "Position: On the Societal Impact of Open Foundation Models" in *International Conference on Machine Learning* (PMLR, 2024), pp. 23082–23104; <https://proceedings.mlr.press/v235/kapoor24a.html>.

1034* N. Webb, D. Smith, C. Ludwick, T. W. Victor, Q. Hommes, F. Favarò, G. Ivanov, T. Daniel, "Waymo's Safety Methodologies and Safety Readiness Determinations" (Waymo, 2020); <https://waymo.com/safety>.

1035 S. Mylius, Systematic Hazard Analysis for Frontier AI Using STPA, *arXiv [cs.CY]* (2025); <http://arxiv.org/abs/2506.01782>.

1036 S. Rismani, R. Shelby, A. Smart, R. Delos Santos, A. Moon, N. Rostamzadeh, "Beyond the ML Model: Applying Safety Engineering Frameworks to Text-to-Image Development" in *Proceedings of the 2023 AAAI/ACM Conference on AI, Ethics, and Society* (ACM, New York, NY, USA, 2023) vol. 2, pp. 70–83; <https://doi.org/10.1145/3600211.3604685>.

1037 B. Hilton, M. D. Buhl, T. Korbak, G. Irving, "Safety Cases: A Scalable Approach to Frontier AI Safety" (AI Security Institute, 2025); <https://doi.org/10.48550/arXiv.2503.04744>.

1038 M. D. Buhl, G. Sett, L. Koessler, J. Schuett, M. Anderljung, Safety Cases for Frontier AI, *arXiv [cs.CY]* (2024); <http://arxiv.org/abs/2410.21572>.

1039 J. Clymer, N. Gabrieli, D. Krueger, T. Larsen, Safety Cases: How to Justify the Safety of Advanced AI Systems, *arXiv [cs.CY]* (2024); <http://arxiv.org/abs/2403.10462>.

1040* Google DeepMind, Frontier Safety Framework Version 3.0. (2025); https://storage.googleapis.com/deepmind-media/DeepMind.com/Blog/strengthening-our-frontier-safety-framework/frontier-safety-framework_3.pdf.

1041 J. Vanschoren, *The Role of AI Safety Benchmarks in Evaluating Systemic Risks in General-Purpose AI Models* (Publications Office of the European Union, 2025); <https://doi.org/10.2760/1807342>.

1042 D. Hendrycks, C. Burns, S. Kadavath, A. Arora, S. Basart, E. Tang, D. Song, J. Steinhardt, "Measuring Mathematical Problem Solving With the MATH Dataset" in *35th Conference on Neural Information Processing Systems (NeurIPS 2021) Datasets*

and Benchmarks Track (Round 2) (Virtual, 2021); <https://openreview.net/forum?id=7Bywt2mQsCe>.

1043 D. Hendrycks, C. Burns, S. Basart, A. Zou, M. Mazeika, D. Song, J. Steinhardt, "Measuring Massive Multitask Language Understanding" in *The 9th International Conference on Learning Representations (ICLR 2021)* (Virtual, 2021); <https://openreview.net/forum?id=d7KBjmI3GmQ>.

1044* W. Zhong, R. Cui, Y. Guo, Y. Liang, S. Lu, Y. Wang, A. Saied, W. Chen, N. Duan, AGIEval: A Human-Centric Benchmark for Evaluating Foundation Models, *arXiv [cs.CL]* (2023); <http://arxiv.org/abs/2304.06364>.

1045 L. Zheng, W.-L. Chiang, Y. Sheng, S. Zhuang, Z. Wu, Y. Zhuang, Z. Lin, Z. Li, D. Li, E. Xing, H. Zhang, J. E. Gonzalez, I. Stoica, "Judging LLM-as-a-Judge with MT-Bench and Chatbot Arena" in *37th Conference on Neural Information Processing Systems (NeurIPS 2023) Datasets and Benchmarks Track* (New Orleans, LA, USA, 2023); <https://openreview.net/forum?id=uccHPGDlao>.

1046* S. Yao, N. Shinn, P. Razavi, K. Narasimhan, τ -Bench: A Benchmark for Tool-Agent-User Interaction in Real-World Domains, *arXiv [cs.AI]* (2024); <http://arxiv.org/abs/2406.12045>.

1047 B. Vidgen, A. Agrawal, A. M. Ahmed, V. Akinwande, N. Al-Nuaimi, N. Alfaraj, E. Alhajjar, L. Aroyo, T. Bavalatti, M. Bartolo, B. Blili-Hamelin, K. Bollacker, R. Bomassani, M. F. Boston, S. Campos, K. Chakra, C. Chen, ... J. Vanschoren, Introducing v0.5 of the AI Safety Benchmark from MLCommons, *arXiv [cs.CL]* (2024); <http://arxiv.org/abs/2404.12241>.

1048 P. Liang, R. Bommasani, T. Lee, D. Tsipras, D. Soylu, M. Yasunaga, Y. Zhang, D. Narayanan, Y. Wu, A. Kumar, B. Newman, B. Yuan, B. Yan, C. Zhang, C. A. Cosgrove, C. D. Manning, C. Re, ... Y. Koreeda, Holistic Evaluation of Language Models. *Transactions on Machine Learning Research* (2023); <https://openreview.net/forum?id=iO4LZibEqW>.

1049 S. Zhou, F. F. Xu, H. Zhu, X. Zhou, R. Lo, A. Sridhar, X. Cheng, T. Ou, Y. Bisk, D. Fried, U. Alon, G. Neubig, "WebArena: A Realistic Web Environment for Building Autonomous Agents" in *Second Agent Learning in Open-Endedness Workshop* (2023); <https://openreview.net/forum?id=rmiwIL98uQ>.

1050* Google DeepMind, Frontier Safety Framework Version 1.0. (2024); <https://storage.googleapis.com/deepmind-media/DeepMind.com/Blog/introducing-the-frontier-safety-framework/fsf-technical-report.pdf>.

1051* Anthropic, Responsible Scaling Policy. (2024); <https://assets.anthropic.com/m/24a47b00f10301cd/original/Anthropic-Responsible-Scaling-Policy-2024-10-15.pdf>.

1052 DSIT, "Seoul Ministerial Statement for Advancing AI Safety, Innovation and Inclusivity: AI Seoul Summit 2024" (GOV.UK, 2024); <https://www.gov.uk/government/publications/seoul-ministerial-statement-for-advancing-ai-safety-innovation-and-inclusivity-ai-seoul-summit-2024/>

seoul-ministerial-statement-for-advancing-ai-safety-innovation-and-inclusivity-ai-seoul-summit-2024.

1053* E. Miller, Adding Error Bars to Evals: A Statistical Approach to Language Model Evaluations, *arXiv [stat.AP]* (2024); <http://arxiv.org/abs/2411.00640>.

1054 A. Wei, N. Haghtalab, J. Steinhardt, "Jailbroken: How Does LLM Safety Training Fail?" in *37th Conference on Neural Information Processing Systems (NeurIPS 2023)* (New Orleans, LA, USA, 2023); <https://openreview.net/forum?id=jA235JGM09>.

1055* A. Zou, Z. Wang, N. Carlini, M. Nasr, J. Zico Kolter, M. Fredrikson, Universal and Transferable Adversarial Attacks on Aligned Language Models, *arXiv [cs.CL]* (2023); <http://dx.doi.org/10.48550/arXiv.2307.15043>.

1056 Y. Liu, G. Deng, Z. Xu, Y. Li, Y. Zheng, Y. Zhang, L. Zhao, T. Zhang, K. Wang, Y. Liu, Jailbreaking ChatGPT via Prompt Engineering: An Empirical Study, *arXiv [cs.SE]* (2023); <http://arxiv.org/abs/2305.13860>.

1057 R. Shah, Q. F. Montixi, S. Pour, A. Tagade, J. Rando, "Scalable and Transferable Black-Box Jailbreaks for Language Models via Persona Modulation" in *37th Conference on Neural Information Processing Systems (NeurIPS 2023) Socially Responsible Language Modelling Research Workshop (SoLaR)* (New Orleans, LA, USA, 2023); <https://openreview.net/forum?id=x3Ltqz1UFg>.

1058 A. Rao, S. Vashistha, A. Naik, S. Aditya, M. Choudhury, "Tricking LLMs into Disobedience: Formalizing, Analyzing, and Detecting Jailbreaks" in *2024 Joint International Conference on Computational Linguistics, Language Resources and Evaluation (LREC-COLING 2024)* (Torino, Italia, 2024); <https://doi.org/10.48550/arXiv.2305.14965>.

1059* A. Mehrotra, M. Zampetakis, P. Kassianik, B. Nelson, H. Anderson, Y. Singer, A. Karbasi, Tree of Attacks: Jailbreaking Black-Box LLMs Automatically, *arXiv [cs.LG]* (2023); <http://arxiv.org/abs/2312.02119>.

1060 S. Casper, T. Bu, Y. Li, J. Li, K. Zhang, K. Hariharan, D. Hadfield-Menell, "Red Teaming Deep Neural Networks with Feature Synthesis Tools" in *37th Conference on Neural Information Processing Systems (NeurIPS 2023)* (New Orleans, LA, USA, 2023); <https://openreview.net/forum?id=Od6CHhPM7I>.

1061 M. Feffer, A. Sinha, Z. C. Lipton, H. Heidari, Red-Teaming for Generative AI: Silver Bullet or Security Theater?, *arXiv [cs.CY]* (2024); <http://dx.doi.org/10.48550/arXiv.2401.15897>.

1062* L. Weidinger, J. Mellor, B. G. Pegueroles, N. Marchal, R. Kumar, K. Lum, C. Akbulut, M. Diaz, S. Bergman, M. Rodriguez, V. Rieser, W. Isaac, STAR: SocioTechnical Approach to Red Teaming Language Models, *arXiv [cs.AI]* (2024); <http://arxiv.org/abs/2406.11757>.

1063* N. Li, Z. Han, I. Steneker, W. Primack, R. Goodside, H. Zhang, Z. Wang, C. Menghini, S. Yue, LLM Defenses Are Not Robust to Multi-Turn Human Jailbreaks yet, *arXiv [cs.LG]* (2024); <http://arxiv.org/abs/2408.15221>.

- 1064** M. Mazeika, L. Phan, X. Yin, A. Zou, Z. Wang, N. Mu, E. Sakhaee, N. Li, S. Basart, B. Li, D. Forsyth, D. Hendrycks, HarmBench: A Standardized Evaluation Framework for Automated Red Teaming and Robust Refusal, *arXiv [cs.LG]* (2024); <http://arxiv.org/abs/2402.04249>.
- 1065** P. Chao, E. Debenedetti, A. Robey, M. Andriushchenko, F. Croce, V. Sehwag, E. Dobriban, N. Flammarion, G. J. Pappas, F. Tramer, H. Hassani, E. Wong, JailbreakBench: An Open Robustness Benchmark for Jailbreaking Large Language Models, *arXiv [cs.CR]* (2024); <http://arxiv.org/abs/2404.01318>.
- 1066** US AI Safety Institute, “Managing Misuse Risk for Dual-Use Foundation Models” (NIST, 2024); <https://doi.org/10.6028/nist.ai.800-1.ipd>.
- 1067** C. Orwat, J. Bareis, A. Folberth, J. Jahnel, C. Wadehul, Normative Challenges of Risk Regulation of Artificial Intelligence. *Nanoethics* **18**, 11 (2024); <https://doi.org/10.1007/s11569-024-00454-9>.
- 1068*** Meta, Llama 4 Acceptable Use Policy (2025); <https://www.llama.com/llama4/use-policy/>.
- 1069*** Generative AI Prohibited Use Policy (2024); <https://policies.google.com/terms/generative-ai/use-policy?hl=en>.
- 1070** M. Jami Pour, S. M. Jafari, M. Khani, How to Know Your Customers? Towards a Novel Framework for Online Customer Knowledge Absorptive Capacity. *Journal of the Knowledge Economy* **16**, 15823–15855 (2024); <https://doi.org/10.1007/s13132-024-02533-4>.
- 1071*** OpenAI, OpenAI Model Spec (2025); <https://model-spec.openai.com/2025-10-27.html>.
- 1072*** Anthropic, Claude’s Constitution (2023); <https://www.anthropic.com/news/claude-constitution>.
- 1073*** Microsoft, Monitor Your Generative AI Applications (2025); <https://learn.microsoft.com/en-us/azure/ai-foundry/how-to/monitor-applications?view=foundation-classic>.
- 1074** L. Dong, Q. Lu, L. Zhu, AgentOps: Enabling Observability of LLM Agents, *arXiv [cs.AI]* (2024); <http://arxiv.org/abs/2411.05285>.
- 1075** P. Mulgund, R. Singh, R. Sharman, M. Gupta, A. S. Pothukuchi, Defense-in-Depth Model of Countermeasures against Adversarial AI Attacks: Literature Review and Classification. *Journal of Information Systems Security* **21**, 51–84 (2025); <https://www.jissec.org/Contents/V21/N1/V21N1-Mulgund.html>.
- 1076** S. Ee, J. O’Brien, Z. Williams, A. El-Dakhkhni, M. Aird, A. Lintz, “Adapting Cybersecurity Frameworks to Manage Frontier AI Risks: A Defense-in-Depth Approach” (Institute for AI Policy and Strategy, 2024); <https://doi.org/10.48550/arXiv.2408.07933>.
- 1077*** Anthropic, “AI Safety Level 3 Deployment Safeguards Report” (Anthropic, 2025); <https://www.anthropic.com/asl3-deployment-safeguards>.
- 1078*** OpenAI, “Preparedness Framework, Version 2” (OpenAI, 2025); <https://cdn.openai.com/pdf/18a02b5d-6b67-4cec-ab64-68cdfbddebcd/preparedness-framework-v2.pdf>.
- 1079** International Dialogues on AI Safety, IDAIS-Beijing, 2024: Consensus Statement on Red Lines in Artificial Intelligence; <https://idaais.ai/dialogue/idaais-beijing/>.
- 1080** Global Call for AI Red Lines, Global Call for AI Red Lines (2025); <https://red-lines.ai/>.
- 1081** European Parliament and Council, Regulation (EU) 2024/1689 of the European Parliament and of the Council of 13 June 2024 Laying down Harmonised Rules on Artificial Intelligence and Amending Regulations (EC) No 300/2008, (EU) No 167/2013, (EU) No 168/2013, (EU) 2018/858, (EU) 2018/1139 and (EU) 2019/2144 and Directives 2014/90/EU, (EU) 2016/797 and (EU) 2020/1828 (Artificial Intelligence Act). (2024); <https://artificialintelligenceact.eu/>.
- 1082** Partnership on AI, PAI’s Guidance for Safe Foundation Model Deployment (2023); <https://partnershiponai.org/modeldeployment/>.
- 1083*** D. Hendrycks, N. Carlini, J. Schulman, J. Steinhardt, Unsolved Problems in ML Safety, *arXiv [cs.LG]* (2021); <http://arxiv.org/abs/2109.13916>.
- 1084** S. A. Hoffmann, J. Diggans, D. Densmore, J. Dai, T. Knight, E. Leproust, J. D. Boeke, N. Wheeler, Y. Cai, Safety by Design: Biosafety and Biosecurity in the Age of Synthetic Genomics. *iScience* **26**, 106165 (2023); <https://doi.org/10.1016/j.isci.2023.106165>.
- 1085** J. S. Morrison, M. Simoneau, “Eight Commonsense Actions on Biosafety and Biosecurity: Report of the CSIS Working Group on R&D Innovation” (Center for Strategic and International Studies (CSIS), 2023); <http://www.jstor.org/stable/resrep54949>.
- 1086*** I. Solaiman, The Gradient of Generative AI Release: Methods and Considerations, *arXiv [cs.CY]* (2023); <http://arxiv.org/abs/2302.04844>.
- 1087** D. McDuff, T. Korjakow, S. Cambo, J. J. Benjamin, J. Lee, Y. Jernite, C. M. Ferrandis, A. Gokaslan, A. Tarkowski, J. Lindley, A. F. Cooper, D. Contractor, On the Standardization of Behavioral Use Clauses and Their Adoption for Responsible Licensing of AI, *arXiv [cs.SE]* (2024); <http://arxiv.org/abs/2402.05979>.
- 1088** M. B. A. van Asselt, O. Renn, Risk Governance. *Journal of Risk Research* **14**, 431–449 (2011); <https://doi.org/10.1080/13669877.2011.553730>.
- 1089** S. A. Lundqvist, Why Firms Implement Risk Governance – Stepping beyond Traditional Risk Management to Enterprise Risk Management. *Journal of Accounting and Public Policy* **34**, 441–466 (2015); <https://doi.org/10.1016/j.jaccpubpol.2015.05.002>.
- 1090** Organisation for Economic Co-Operation and Development, “Towards a Common Reporting Framework for AI Incidents” (OECD, 2025); <https://doi.org/10.1787/f326d4ac-en>.
- 1091** H. Wu, AI Whistleblowers, *SSRN [preprint]* (2024); <https://doi.org/10.2139/ssrn.4790511>.

- 1092*** Microsoft, “Responsible AI Transparency Report 2025” (Microsoft, 2025); <https://cdn-dynmedia-1.microsoft.com/is/content/microsoftcorp/microsoft/msc/documents/presentations/CSR/Responsible-AI-Transparency-Report-2025-vertical.pdf>.
- 1093** J. Schuett, Three Lines of Defense against Risks from AI. *AI & Society* (2023); <https://doi.org/10.1007/s00146-023-01811-0>.
- 1094** M. Mitchell, S. Wu, A. Zaldivar, P. Barnes, L. Vasserman, B. Hutchinson, E. Spitzer, I. D. Raji, T. Gebru, “Model Cards for Model Reporting” in *Proceedings of the Conference on Fairness, Accountability, and Transparency (FAT* ’19)* (Association for Computing Machinery, New York, NY, USA, 2019), pp. 220–229; <https://doi.org/10.1145/3287560.3287596>.
- 1095*** OpenAI, “GPT-4 System Card” (OpenAI, 2023); <https://cdn.openai.com/papers/gpt-4-system-card.pdf>.
- 1096** AI Incident Database, AI Incident Database (2025); <https://incidentdatabase.ai/>.
- 1097** MITRE ATLAS, MITRE ATLAS AI Incidents (2024); <https://ai-incidents.mitre.org/>.
- 1098** A. M. Barrett, J. Newman, B. Nonnecke, N. Madkour, D. Hendrycks, E. R. Murphy, K. Jackson, D. Raman, AI Risk-Management Standards Profile for General-Purpose AI (GPAI) and Foundation Models, *arXiv [cs.AI]* (2025); <http://arxiv.org/abs/2506.23949>.
- 1099** B. Lakshmi Prasanna, M. SaidiReddy, (CSM2-RA-R2-TI): Cyber Security Maturity Model for Risk Assessment Using Risk Register for Threat Intelligence. *Journal of Physics. Conference Series* **2040**, 012005 (2021); <https://doi.org/10.1088/1742-6596/2040/1/012005>.
- 1100** G7, OECD, G7 Reporting Framework – Hiroshima AI Process (HAIP) International Code of Conduct for Organizations Developing Advanced AI Systems. (2025); https://www.soumu.go.jp/hiroshimaaiprocess/pdf/document05_en.pdf.
- 1101** Q. V. Liao, J. Wortman Vaughan, AI Transparency in the Age of LLMs: A Human-Centered Research Roadmap. *Harvard Data Science Review* (2024); <https://doi.org/10.1162/99608f92.8036d03b>.
- 1102** A. Winecoff, M. Bogen, “Improving Governance Outcomes through AI Documentation: Bridging Theory and Practice” in *Proceedings of the 2025 CHI Conference on Human Factors in Computing Systems* (ACM, New York, NY, USA, 2025), pp. 1–18; <https://doi.org/10.1145/3706598.3713814>.
- 1103** K. Perset, S. Fialho Esposito, “How Are AI Developers Managing Risks? Insights from Responses to the Reporting Framework of the Hiroshima AI Process Code of Conduct” (OECD, 2025); <https://doi.org/10.1787/658c2ad6-en>.
- 1104** California Legislature, SB-53 Artificial Intelligence Models: Large Developers (2025); https://leginfo.ca.gov/faces/billTextClient.xhtml?bill_id=20250260SB53.
- 1105** B. Rakova, J. Yang, H. Cramer, R. Chowdhury, Where Responsible AI Meets Reality: Practitioner Perspectives on Enablers for Shifting Organizational Practices. *Proceedings of the ACM on Human-Computer Interaction* **5**, 1–23 (2021); <https://doi.org/10.1145/3449081>.
- 1106** J. Schuett, A.-K. Reuel, A. Carlier, How to Design an AI Ethics Board. *AI and Ethics*, 1–19 (2024); <https://doi.org/10.1007/s43681-023-00409-y>.
- 1107** B. Robinson, J. Ginns, “Transforming Risk Governance at Frontier AI Companies” (Centre for Long-Term Resilience, 2024); <https://www.longtermresilience.org/wp-content/uploads/2024/07/Transforming-risk-governance-at-frontier-AI-companies-CLTR-1.pdf>.
- 1108** B. Robinson, M. Murray, J. Ginns, M. Krzeminska, “Why Frontier AI Safety Frameworks Need to Include Risk Governance” (The Centre for Long-Term Resilience, 2025); <https://www.longtermresilience.org/reports/frontier-ai-safety-frameworks-need-to-include-risk-governance/>.
- 1109** J. Wang, K. Huang, K. Klyman, R. Bommasani, Do AI Companies Make Good on Voluntary Commitments to the White House?, *arXiv [cs.CY]* (2025); <http://arxiv.org/abs/2508.08345>.
- 1110** B. Lund, Z. Orhan, N. R. Mannuru, R. V. K. Bevara, B. Porter, M. K. Vinaih, P. Bhaskara, Standards, Frameworks, and Legislation for Artificial Intelligence (AI) Transparency. *AI and Ethics* **5**, 3639–3655 (2025); <https://doi.org/10.1007/s43681-025-00661-4>.
- 1111** N. A. Smuha, From a “race to AI” to a “race to AI Regulation”: Regulatory Competition for Artificial Intelligence. *Law, Innovation and Technology* **13**, 57–84 (2021); <https://doi.org/10.1080/17579961.2021.1898300>.
- 1112** X. Wang, Y. C. Wu, Balancing Innovation and Regulation in the Age of Generative Artificial Intelligence. *Journal of Information Policy* **14**, 385–416 (2024); <https://doi.org/10.5325/jinfopoli.14.2024.0012>.
- 1113** Artificial Intelligence Industry Alliance, “Artificial Intelligence Safety Commitments” (AIIA, 2024); https://aihub.caict.ac.cn/files/aiaa_security/content.pdf.
- 1114** 通信世界网, WAIC发布《中国人工智能安全承诺框架》(2025); <https://www.cww.net.cn/article?id=602676>.
- 1115** M. D. Buhl, B. Bucknall, T. Masterson, Emerging Practices in Frontier AI Safety Frameworks, *arXiv [cs.CY]* (2025); <http://arxiv.org/abs/2503.04746>.
- 1116** METR, Common Elements of Frontier AI Safety Policies (2025); <https://metr.org/blog/2025-03-26-common-elements-of-frontier-ai-safety-policies/>.
- 1117** Frontier Model Forum, “Risk Taxonomy and Thresholds for Frontier AI Frameworks” (2025); <https://www.frontiermodelforum.org/technical-reports/risk-taxonomy-and-thresholds/>.
- 1118*** F. Flynn, H. King, A. Dragan, Strengthening Our Frontier Safety Framework (2025); <https://deepmind.google/blog/strengthening-our-frontier-safety-framework/>.

- 1119** METR, Key Components of an RSP (2023); <https://metr.org/rsp-key-components/>.
- 1120** H. Karnofsky, "If-Then Commitments for AI Risk Reduction" (Carnegie Endowment for International Peace, 2024); <https://carnegieendowment.org/research/2024/09/if-then-commitments-for-ai-risk-reduction?lang=en>.
- 1121*** Google, "Gemini 2.5 Pro Model Card" (Google, 2025); <https://modelcards.withgoogle.com/assets/documents/gemini-2.5-pro.pdf>.
- 1122** S. Nevo, D. Lahav, A. Karpur, Y. Bar-On, H. A. Bradley, J. Alstott, *Securing AI Model Weights: Preventing Theft and Misuse of Frontier Models* (RAND Corporation, Santa Monica, CA, 2024); <https://doi.org/10.7249/RAA2849-1>.
- 1123*** Amazon, Amazon's Frontier Model Safety Framework (2025); <https://www.amazon.science/publications/amazon-frontier-model-safety-framework>.
- 1124*** Microsoft, "Frontier Governance Framework" (Microsoft, 2025); <https://cdn-dynmedia-1.microsoft.com/is/content/microsoftcorp/microsoft/final/en-us/microsoft-brand/documents/Microsoft-Frontier-Governance-Framework.pdf>.
- 1125*** Cohere, "The Cohere Secure AI Frontier Model Framework" (Cohere, 2025); <https://cohere.com/security/the-cohere-secure-ai-frontier-model-framework-february-2025.pdf>.
- 1126*** xAI, "xAI Risk Management Framework" (xAI, 2025); <https://data.x.ai/2025-08-20-xai-risk-management-framework.pdf>.
- 1127*** Magic AI, AGI Readiness Policy (2024); <https://magic.dev/agi-readiness-policy>.
- 1128*** NAVER Cloud, NAVER's AI Safety Framework (ASF) (2024); <https://clova.ai/en/tech-blog/en-navers-ai-safety-framework-asf>.
- 1129*** G42, "G42's Frontier AI Safety Framework" (G42, 2025); https://www.g42.ai/application/files/9517/3882/2182/G42_Frontier_Safety_Framework_Publication_Version.pdf.
- 1130** H. Khlaaf, S. M. West, Safety Co-Option and Compromised National Security: The Self-Fulfilling Prophecy of Weakened AI Risk Thresholds, *arXiv [cs.CY]* (2025); <http://arxiv.org/abs/2504.15088>.
- 1131** S. Feldstein, The Global Expansion of AI Surveillance, *Carnegie Endowment for International Peace* (2019); <https://carnegieendowment.org/research/2019/09/the-global-expansion-of-ai-surveillance?lang=en>.
- 1132** H.-P. (hank) Lee, Y.-J. Yang, T. S. Von Davier, J. Forlizzi, S. Das, "Deepfakes, Phrenology, Surveillance, and More! A Taxonomy of AI Privacy Risks" in *Proceedings of the CHI Conference on Human Factors in Computing Systems* (ACM, New York, NY, USA, 2024) vol. 79, pp. 1-19; <https://doi.org/10.1145/3613904.3642116>.
- 1133*** Microsoft, "Learning from Other Domains to Advance AI Evaluation and Testing" (Microsoft, 2025); https://www.microsoft.com/en-us/research/wp-content/uploads/2025/08/Learning-from-other-Domains-to-Advance-AI-Evaluation-and-Testing_v3-1.pdf.
- 1134** L. Stelling, M. Murray, S. Campos, H. Papadatos, "Evaluating AI Companies' Frontier Safety Frameworks: Methodology and Results" (SaferAI, 2025); <https://doi.org/10.48550/arXiv.2512.01166>.
- 1135** M. Ziosi, J. Gealy, M. Plueckebaum, D. Kossack, S. Campos, L. Saouma, U. Chaudhry, L. Soder, M. Stein, N. A. Caputo, C. Dunlop, J. Mökander, E. Panai, T. Lebrun, C. Martinet, B. Bucknall, R. Weiss, ... F. Ostmann, "Safety Frameworks and Standards: A Comparative Analysis to Advance Risk Management of Frontier AI" (Oxford Martin AI Governance Initiative, University of Oxford, 2025); https://aigi.ox.ac.uk/wp-content/uploads/2025/10/Post-convening-memo_-Safety-Frameworks-and-standards_-A-comparative-analysis-to-advance-risk-management-of-frontier-AI_14.10.2025.pdf.
- 1136** South Korean Ministry of Government Legislation, "Framework Act on the Development of Artificial Intelligence and Establishment of Trust: Translation" (Center for Security and Emerging Technology (CSET), Georgetown University, 2025); https://cset.georgetown.edu/wp-content/uploads/t0625_south_korea_ai_law_EN.pdf.
- 1137** T. Mingyang, China Issues AI Governance Framework 2.0 for Risk Grading, Safeguards, *Global Times* (2025); <https://www.globaltimes.cn/page/202509/1343585.shtml>.
- 1138** ASEAN, "Expanded ASEAN Guide on AI Governance and Ethics - Generative AI" (ASEAN, 2025); <https://asean.org/book/expanded-asean-guide-on-ai-governance-and-ethics-generative-ai/>.
- 1139** M. K. Cohen, N. Kolt, Y. Bengio, G. K. Hadfield, S. Russell, Regulating Advanced Artificial Agents. *Science* **384**, 36-38 (2024); <https://doi.org/10.1126/science.adl0625>.
- 1140** M. T. Baldassarre, D. Caivano, B. Fernández Nieto, A. Ragone, Ethics-Driven Incentives: Supporting Government Policies for Responsible Artificial Intelligence Innovation. *IEEE Intelligent Systems* **40**, 55-63 (2025); <https://doi.org/10.1109/MIS.2025.3583222>.
- 1141** M. Srikumar, J. Chang, K. Chmielinski, "Risk Mitigation Strategies for the Open Foundation Model Value Chain: Insights from PAI Workshop Co-Hosted with GitHub" (Partnership on AI, 2024); <https://partnershiponai.notion.site/1e8a6131dda045f1ad00054933b0bda0?v=dc890146f7d464a86f11fcd5de372c0>.
- 1142** E. Shayegani, M. A. Al Mamun, Y. Fu, P. Zaree, Y. Dong, N. Abu-Ghazaleh, Survey of Vulnerabilities in Large Language Models Revealed by Adversarial Attacks, *arXiv [cs.CL]* (2023); <http://arxiv.org/abs/2310.10844>.

- 1143** N. Carlini, M. Nasr, C. A. Choquette-Choo, M. Jagielski, I. Gao, P. W. Koh, D. Ippolito, F. Tramèr, L. Schmidt, "Are Aligned Neural Networks Adversarially Aligned?" in *37th Conference on Neural Information Processing Systems (NeurIPS 2023)* (New Orleans, LA, USA, 2023); <https://openreview.net/forum?id=OQQoD8Vc3B>.
- 1144** J. Geiping, A. Stein, M. Shu, K. Saifullah, Y. Wen, T. Goldstein, "Coercing LLMs to Do and Reveal (almost) Anything" in *ICLR 2024 Workshop on Secure and Trustworthy Large Language Models (SET LLM)* (Vienna, Austria, 2024); <https://openreview.net/forum?id=Y5inHAjMu0>.
- 1145** L. Jiang, K. Rao, S. Han, A. Ettinger, F. Brahman, S. Kumar, N. Mireshghallah, X. Lu, M. Sap, Y. Choi, N. Dziri, "WildTeaming at Scale: From In-the-Wild Jailbreaks to (Adversarially) Safer Language Models" in *38th Annual Conference on Neural Information Processing Systems* (2024); <https://openreview.net/pdf?id=n5R6TvBVcX>.
- 1146** M. Andriushchenko, F. Croce, N. Flammarion, Jailbreaking Leading Safety-Aligned LLMs with Simple Adaptive Attacks, *arXiv [cs.CR]* (2024); <http://arxiv.org/abs/2404.02151>.
- 1147** H. Jin, L. Hu, X. Li, P. Zhang, C. Chen, J. Zhuang, H. Wang, JailbreakZoo: Survey, Landscapes, and Horizons in Jailbreaking Large Language and Vision-Language Models, *arXiv [cs.CL]* (2024); <http://arxiv.org/abs/2407.01599>.
- 1148** A. G. Chowdhury, M. M. Islam, V. Kumar, F. H. Shezan, V. Kumar, V. Jain, A. Chadha, Breaking down the Defenses: A Comparative Survey of Attacks on Large Language Models, *arXiv [cs.CR]* (2024); <http://arxiv.org/abs/2403.04786>.
- 1149*** A. Zou, M. Lin, E. Jones, M. Nowak, M. Dziemian, N. Winter, A. Grattan, V. Nathanael, A. Croft, X. Davies, J. Patel, R. Kirk, N. Burnikell, Y. Gal, D. Hendrycks, J. Z. Kolter, M. Fredrikson, Security Challenges in AI Agent Deployment: Insights from a Large Scale Public Competition, *arXiv [cs.AI]* (2025); <http://arxiv.org/abs/2507.20526>.
- 1150** X. Li, R. Wang, M. Cheng, T. Zhou, C.-J. Hsieh, "DrAttack: Prompt Decomposition and Reconstruction Makes Powerful LLMs Jailbreakers" in *Findings of the Association for Computational Linguistics: EMNLP 2024* (Association for Computational Linguistics, Stroudsburg, PA, USA, 2024), pp. 13891–13913; <https://doi.org/10.18653/v1/2024.findings-emnlp.813>.
- 1151** Z. Zhang, S. Cui, Y. Lu, J. Zhou, J. Yang, H. Wang, M. Huang, Agent-SafetyBench: Evaluating the Safety of LLM Agents, *arXiv [cs.CL]* (2024); <http://arxiv.org/abs/2412.14470>.
- 1152** M. Andriushchenko, A. Souly, M. Dziemian, D. Duenas, M. Lin, J. Wang, D. Hendrycks, A. Zou, Z. Kolter, M. Fredrikson, E. Winsor, J. Wynne, Y. Gal, X. Davies, AgentHarm: A Benchmark for Measuring Harmfulness of LLM Agents, *arXiv [cs.LG]* (2024); <http://arxiv.org/abs/2410.09024>.
- 1153** T. Kuntz, A. Duzan, H. Zhao, F. Croce, Z. Kolter, N. Flammarion, M. Andriushchenko, OS-Harm: A Benchmark for Measuring Safety of Computer Use Agents, *arXiv [cs.SE]* (2025); <http://arxiv.org/abs/2506.14866>.
- 1154** D. Brown, M. Sabbaghi, L. Sun, A. Robey, G. J. Pappas, E. Wong, H. Hassani, Benchmarking Misuse Mitigation against Covert Adversaries, *arXiv [cs.CR]* (2025); <http://arxiv.org/abs/2506.06414>.
- 1155** S. Jain, R. Kirk, E. S. Lubana, R. P. Dick, H. Tanaka, E. Grefenstette, T. Rocktäschel, D. S. Krueger, Mechanistically Analyzing the Effects of Fine-Tuning on Procedurally Defined Tasks, *arXiv [cs.LG]* (2023); <http://arxiv.org/abs/2311.12786>.
- 1156** X. Qi, Y. Zeng, T. Xie, P.-Y. Chen, R. Jia, P. Mittal, P. Henderson, Fine-Tuning Aligned Language Models Compromises Safety, Even When Users Do Not Intend To!, *arXiv [cs.CL]* (2023); <http://arxiv.org/abs/2310.03693>.
- 1157** X. Yang, X. Wang, Q. Zhang, L. Petzold, W. Y. Wang, X. Zhao, D. Lin, Shadow Alignment: The Ease of Subverting Safely-Aligned Language Models, *arXiv [cs.CL]* (2023); <http://arxiv.org/abs/2310.02949>.
- 1158** S. Hu, Y. Fu, Z. S. Wu, V. Smith, Jogging the Memory of Unlearned LLMs through Targeted Relearning Attacks, *arXiv [cs.LG]* (2024); <http://arxiv.org/abs/2406.13356>.
- 1159** X. Qi, B. Wei, N. Carlini, Y. Huang, T. Xie, L. He, M. Jagielski, M. Nasr, P. Mittal, P. Henderson, On Evaluating the Durability of Safeguards for Open-Weight LLMs, *arXiv [cs.CR]* (2024); <http://arxiv.org/abs/2412.07097>.
- 1160** T. Huang, S. Hu, F. Ilhan, S. F. Tekin, L. Liu, Harmful Fine-Tuning Attacks and Defenses for Large Language Models: A Survey, *arXiv [cs.CR]* (2024); <http://arxiv.org/abs/2409.18169>.
- 1161** Z. Che, S. Casper, R. Kirk, A. Satheesh, S. Slocum, L. E. McKinney, R. Gandikota, A. Ewart, D. Rosati, Z. Wu, Z. Cai, B. Chughtai, Y. Gal, F. Huang, D. Hadfield-Menell, Model Tampering Attacks Enable More Rigorous Evaluations of LLM Capabilities, *arXiv [cs.CR]* (2025); <http://arxiv.org/abs/2502.05209>.
- 1162** C. Yu, B. Stroebel, D. Yang, O. Papakyriakopoulos, Safety Devolution in AI Agents, *arXiv [cs.CY]* (2025); <http://arxiv.org/abs/2505.14215>.
- 1163** A. Naik, P. Quinn, G. Bosch, E. Gouné, F. J. C. Zabala, J. R. Brown, E. J. Young, AgentMisalignment: Measuring the Propensity for Misaligned Behaviour in LLM-Based Agents, *arXiv [cs.AI]* (2025); <http://arxiv.org/abs/2506.04018>.
- 1164** A. Lynch, B. Wright, C. Larson, K. K. Troy, S. J. Ritchie, S. Mindermann, E. Perez, E. Hubinger, Agentic Misalignment: How LLMs Could Be an Insider Threat. *Anthropic Research* (2025); <https://www.anthropic.com/research/agentic-misalignment>.
- 1165** J. Y. F. Chiang, S. Lee, J.-B. Huang, F. Huang, Y. Chen, Why Are Web AI Agents More Vulnerable than

Standalone LLMs? A Security Analysis, *arXiv [cs.LG]* (2025); <http://arxiv.org/abs/2502.20383>.

1166 C. Yueh-Han, N. Joshi, Y. Chen, M. Andriushchenko, R. Angell, H. He, Monitoring Decomposition Attacks in LLMs with Lightweight Sequential Monitors, *arXiv [cs.CR]* (2025); <http://arxiv.org/abs/2506.10949>.

1167 X. Liu, J. Liang, M. Ye, Z. Xi, Robustifying Safety-Aligned Large Language Models through Clean Data Curation, *arXiv [cs.CR]* (2024); <http://arxiv.org/abs/2405.19358>.

1168 A. Paullada, I. D. Raji, E. M. Bender, E. Denton, A. Hanna, Data and Its (dis)contents: A Survey of Dataset Development and Use in Machine Learning Research. *Patterns* **2**, 100336 (2021); <https://doi.org/10.1016/j.patter.2021.100336>.

1169 S. Casper, X. Davies, C. Shi, T. K. Gilbert, J. Scheurer, J. Rando, R. Freedman, T. Korbak, D. Lindner, P. Freire, T. T. Wang, S. Marks, C.-R. Segerie, M. Carroll, A. Peng, P. Christoffersen, M. Damani, ... D. Hadfield-Menell, Open Problems and Fundamental Limitations of Reinforcement Learning from Human Feedback. *Transactions on Machine Learning Research* (2023); <https://openreview.net/forum?id=bx24Kpj4Eb>.

1170 T. Sorensen, J. Moore, J. Fisher, M. Gordon, N. Miresghallah, C. M. Rytting, A. Ye, L. Jiang, X. Lu, N. Dziri, T. Althoff, Y. Choi, A Roadmap to Pluralistic Alignment, *arXiv [cs.AI]* (2024); <http://arxiv.org/abs/2402.05070>.

1171 M. Sloane, E. Moss, O. Awomolo, L. Forlano, "Participation Is Not a Design Fix for Machine Learning" in *Proceedings of the 2nd ACM Conference on Equity and Access in Algorithms, Mechanisms, and Optimization (EAAMO '22)* (Association for Computing Machinery, New York, NY, USA, 2022), pp. 1–6; <https://doi.org/10.1145/3551624.3555285>.

1172 P. Kalluri, Don't Ask If Artificial Intelligence Is Good or Fair, Ask How It Shifts Power. *Nature* **583**, 169 (2020); <https://doi.org/10.1038/d41586-020-02003-2>.

1173 R. Dobbe, T. Krendl Gilbert, Y. Mintz, Hard Choices in Artificial Intelligence. *Artificial Intelligence* **300**, 103555 (2021); <https://doi.org/10.1016/j.artint.2021.103555>.

1174 I. Gabriel, G. Keeling, A Matter of Principle? AI Alignment as the Fair Treatment of Claims. *Philosophical Studies* **182**, 1951–1973 (2025); <https://doi.org/10.1007/s11098-025-02300-4>.

1175 S. Liu, Y. Yao, J. Jia, S. Casper, N. Baracaldo, P. Hase, X. Xu, Y. Yao, H. Li, K. R. Varshney, M. Bansal, S. Koyejo, Y. Liu, Rethinking Machine Unlearning for Large Language Models, *arXiv [cs.LG]* (2024); <http://arxiv.org/abs/2402.08787>.

1176 F. Barez, T. Fu, A. Prabhu, S. Casper, A. Sanyal, A. Bibi, A. O'Gara, R. Kirk, B. Bucknall, T. Fist, L. Ong, P. Torr, K.-Y. Lam, R. Trager, D. Krueger, S. Mindermann, J. Hernandez-Orallo, ... Y. Gal, Open Problems in Machine Unlearning for AI Safety, *arXiv [cs.LG]* (2025); <http://arxiv.org/abs/2501.04952>.

1177 D. Dalrymple, J. Skalse, Y. Bengio, S. Russell, M. Tegmark, S. Seshia, S. Omohundro, C. Szegedy, B. Goldhaber, N. Ammann, A. Abate, J. Halpern, C. Barrett, D. Zhao, T. Zhi-Xuan, J. Wing, J. Tenenbaum, Towards Guaranteed Safe AI: A Framework for Ensuring Robust and Reliable AI Systems, *arXiv [cs.AI]* (2024); <http://arxiv.org/abs/2405.06624>.

1178 Z. Wu, A. Arora, A. Geiger, Z. Wang, J. Huang, D. Jurafsky, C. D. Manning, C. Potts, "AxBench: Steering LLMs? Even Simple Baselines Outperform Sparse Autoencoders" in *Proceedings of the 42nd International Conference on Machine Learning* (2025); <https://openreview.net/forum?id=K2CckZjNy0>.

1179 G. Kulp, D. Gonzales, E. Smith, L. Heim, P. Puri, M. J. D. Vermeer, Z. Winkelman, *Hardware-Enabled Governance Mechanisms: Developing Technical Solutions to Exempt Items Otherwise Classified Under Export Control Classification Numbers 3A090 and 4A090* (RAND Corporation, Santa Monica, CA, 2024); <https://doi.org/10.7249/WRA3056-1>.

1180 O. Aarne, T. Fist, C. Withers, "Secure, Governable Chips: Using On-Chip Mechanisms to Manage National Security Risks from AI & Advanced Computing" (Center for a New American Security, 2024); <https://s3.us-east-1.amazonaws.com/files.cnas.org/documents/CNAS-Report-Tech-Secure-Chips-Jan-24-finalb.pdf>.

1181 A. O'Gara, G. Kulp, W. Hodgkins, J. Petrie, V. Immler, A. Aysu, K. Basu, S. Bhasin, S. Picek, A. Srivastava, Hardware-Enabled Mechanisms for Verifying Responsible AI Development, *arXiv [cs.CR]* (2025); <http://arxiv.org/abs/2505.03742>.

1182* I. R. McKenzie, O. J. Hollinsworth, T. Tseng, X. Davies, S. Casper, A. D. Tucker, R. Kirk, A. Gleave, STACK: Adversarial Attacks on LLM Safeguard Pipelines, *arXiv [cs.CL]* (2025); <http://arxiv.org/abs/2506.24068>.

1183 N. Kirch, C. Weisser, S. Field, H. Yannakoudakis, S. Casper, What Features in Prompts Jailbreak LLMs? Investigating the Mechanisms behind Attacks, *arXiv [cs.CR]* (2024); <https://doi.org/10.48550/ARXIV.2411.03343>.

1184 J. Oldfield, P. Torr, I. Patras, A. Bibi, F. Barez, Beyond Linear Probes: Dynamic Safety Monitoring for Language Models, *arXiv [cs.LG]* (2025); <http://arxiv.org/abs/2509.26238>.

1185 L. Bailey, A. Serrano, A. Sheshadri, M. Seleznyov, J. Taylor, E. Jenner, J. Hilton, S. Casper, C. Guestrin, S. Emmons, Obfuscated Activations Bypass LLM Latent-Space Defenses, *arXiv [cs.LG]* (2024); <http://arxiv.org/abs/2412.09565>.

1186 F. Barez, T.-Y. Wu, I. Arcuschin, M. Lan, V. Wang, N. Siegel, N. Collignon, C. Neo, I. Lee, A. Paren, A. Bibi, R. Trager, D. Fornasiere, J. Yan, Y. Elazar, Y. Bengio, "Chain-of-Thought Is Not Explainability" (Oxford Martin AI Governance Initiative (AIGI), University of Oxford, 2025); https://aigi.ox.ac.uk/wp-content/uploads/2025/07/Cot_Is_Not_Explainability-1.pdf.

1187 X. Wu, L. Xiao, Y. Sun, J. Zhang, T. Ma, L. He, A Survey of Human-in-the-Loop for Machine Learning. *Future Generations Computer Systems*:

- FGCS **135**, 364–381 (2022); <https://doi.org/10.1016/j.future.2022.05.014>.
- 1188** S. Kumar, S. Datta, V. Singh, D. Datta, S. Kumar Singh, R. Sharma, Applications, Challenges, and Future Directions of Human-in-the-Loop Learning. *IEEE Access: Practical Innovations, Open Solutions* **12**, 75735–75760 (2024); <https://doi.org/10.1109/access.2024.3401547>.
- 1189** S. Natarajan, S. Mathur, S. Sidheekh, W. Stammer, K. Kersting, Human-in-the-Loop or AI-in-the-Loop? Automate or Collaborate? *Proceedings of the ... AAAI Conference on Artificial Intelligence. AAAI Conference on Artificial Intelligence* **39**, 28594–28600 (2025); <https://doi.org/10.1609/aaai.v39i27.35083>.
- 1190** K. L. Mosier, L. J. Skitka, Automation Use and Automation Bias. *Proceedings of the Human Factors and Ergonomics Society ... Annual Meeting. Human Factors and Ergonomics Society. Annual Meeting* **43**, 344–348 (1999); <https://doi.org/10.1177/154193129904300346>.
- 1191** M. R. Endsley, Understanding Automation Failure. *Journal of Cognitive Engineering and Decision Making* **18**, 386–393 (2024); <https://doi.org/10.1177/15553434231222059>.
- 1192** B. Zhong, S. Liu, M. Caccamo, M. Zamani, “Towards Trustworthy AI: Sandboxing AI-Based Unverified Controllers for Safe and Secure Cyber-Physical Systems” in *2023 62nd IEEE Conference on Decision and Control (CDC)* (IEEE, 2023), pp. 1833–1840; <https://doi.org/10.1109/cdc49753.2023.10384154>.
- 1193*** F. Boenisch, A Systematic Review on Model Watermarking for Neural Networks. *Frontiers in Big Data* **4** (2021); <https://www.frontiersin.org/articles/10.3389/fdata.2021.729663/full>.
- 1194** T. Gloaguen, N. Jovanović, R. Staab, M. Vechev, Towards Watermarking of Open-Source LLMs, *arXiv [cs.CR]* (2025); <http://arxiv.org/abs/2502.10525>.
- 1195** S. Casper, K. O’Brien, S. Longpre, E. Seger, K. Klyman, R. Bommasani, A. Nrusimha, I. Shumailov, S. Mindermann, S. Basart, F. Rudzicz, K. Pelrine, A. Ghosh, A. Strait, R. Kirk, D. Hendrycks, P. Henderson, ... D. Hadfield-Menell, Open Technical Problems in Open-Weight AI Model Risk Management, *Social Science Research Network* (2025); <https://doi.org/10.2139/ssrn.5705186>.
- 1196*** A. Nasery, E. Contente, A. Kaz, P. Viswanath, S. Oh, Are Robust LLM Fingerprints Adversarially Robust?, *arXiv [cs.CR]* (2025); <http://arxiv.org/abs/2509.26598>.
- 1197** E. Horwitz, A. Shul, Y. Hoshen, Unsupervised Model Tree Heritage Recovery, *arXiv [cs.LG]* (2024); <http://arxiv.org/abs/2405.18432>.
- 1198** E. Horwitz, N. Kurer, J. Kahana, L. Amar, Y. Hoshen, We Should Chart an Atlas of All the World’s Models, *arXiv [cs.LG]* (2025); <http://arxiv.org/abs/2503.10633>.
- 1199** X. Zhao, S. Gunn, M. Christ, J. Fairoze, A. Fabrega, N. Carlini, S. Garg, S. Hong, M. Nasr, F. Tramèr, S. Jha, L. Li, Y.-X. Wang, D. Song, SoK: Watermarking for AI-Generated Content, *arXiv [cs.CR]* (2024); <http://arxiv.org/abs/2411.18479>.
- 1200** Z. Jiang, M. Guo, Y. Hu, N. Z. Gong, Watermark-Based Attribution of AI-Generated Content, *arXiv [cs.CR]* (2024); <http://arxiv.org/abs/2404.04254>.
- 1201*** L. Cao, Watermarking for AI Content Detection: A Review on Text, Visual, and Audio Modalities, *arXiv [cs.CR]* (2025); <http://arxiv.org/abs/2504.03765>.
- 1202** I. Grishchenko, C. Kruegel, L. Li, Z. Su, S. Vasan, G. Vigna, Y.-X. Wang, K. Zhang, X. Zhao, “Invisible Image Watermarks Are Provably Removable Using Generative AI” in *Advances in Neural Information Processing Systems*, A. Globerson, L. Mackey, D. Belgrave, A. Fan, U. Paquet, J. Tomczak, C. Zhang, Eds. (Neural Information Processing Systems Foundation, Inc. (NeurIPS), San Diego, California, USA, 2024) vol. 37, pp. 8643–8672; <https://doi.org/10.52202/079017-0276>.
- 1203** A. Knott, D. Pedreschi, R. Chatila, T. Chakraborti, S. Leavy, R. Baeza-Yates, D. Eysers, A. Trotman, P. D. Teal, P. Biecek, S. Russell, Y. Bengio, Generative AI Models Should Include Detection Mechanisms as a Condition for Public Release. *Ethics and Information Technology* **25**, 55 (2023); <https://doi.org/10.1007/s10676-023-09728-4>.
- 1204** L. Lin, N. Gupta, Y. Zhang, H. Ren, C.-H. Liu, F. Ding, X. Wang, X. Li, L. Verdoliva, S. Hu, Detecting Multimedia Generated by Large AI Models: A Survey, *arXiv [cs.MM]* (2024); <http://arxiv.org/abs/2402.00045>.
- 1205*** V. Pirogov, M. Artemev, Evaluating Deepfake Detectors in the Wild, *arXiv [cs.CV]* (2025); <http://arxiv.org/abs/2507.21905>.
- 1206*** B. Wei, Z. Che, N. Li, U. M. Sehwag, J. Götting, S. Nedungadi, J. Michael, S. Yue, D. Hendrycks, P. Henderson, Z. Wang, S. Donoughe, M. Mazeika, Best Practices for Biorisk Evaluations on Open-Weight Bio-Foundation Models, *arXiv [cs.CR]* (2025); <http://arxiv.org/abs/2510.27629>.
- 1207** A. Q. Nichol, P. Dhariwal, A. Ramesh, P. Shyam, P. Mishkin, B. McGrew, I. Sutskever, M. Chen, “GLIDE: Towards Photorealistic Image Generation and Editing with Text-Guided Diffusion Models” in *International Conference on Machine Learning* (PMLR, 2022), pp. 16784–16804; <https://proceedings.mlr.press/v162/nichol22a.html>.
- 1208** S. Longpre, G. Yauney, E. Reif, K. Lee, A. Roberts, B. Zoph, D. Zhou, J. Wei, K. Robinson, D. Mimno, D. Ippolito, “A Pretrainer’s Guide to Training Data: Measuring the Effects of Data Age, Domain Coverage, Quality, & Toxicity” in *Proceedings of the 2024 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies (Volume 1: Long Papers)* (Association for Computational Linguistics, Stroudsburg, PA, USA, 2024), pp. 3245–3276; <https://doi.org/10.18653/v1/2024.naacl-long.179>.
- 1209*** H. Ngo, C. Raterink, J. G. M. Araújo, I. Zhang, C. Chen, A. Morisot, N. Frosst, Mitigating Harm in Language Models with Conditional-

Likelihood Filtration, *arXiv [cs.CL]* (2021); <http://arxiv.org/abs/2108.07790>.

1210 D. Ziegler, S. Nix, L. Chan, T. Bauman, P. Schmidt-Nielsen, T. Lin, A. Scherlis, N. Nabeshima, B. Weinstein-Raun, D. de Haas, B. Shlegeris, N. Thomas, “Adversarial Training for High-Stakes Reliability” in *Advances in Neural Information Processing Systems* (New Orleans, LA, US, 2022) vol. 35, pp. 9274–9286; https://proceedings.neurips.cc/paper_files/paper/2022/hash/3c44405d619a6920384a45bce876b41e-Abstract-Conference.html.

1211 J. Welbl, A. Glaese, J. Uesato, S. Dathathri, J. Mellor, L. A. Hendricks, K. Anderson, P. Kohli, B. Coppin, P.-S. Huang, “Challenges in Detoxifying Language Models” in *Findings of the Association for Computational Linguistics: EMNLP 2021* (Association for Computational Linguistics, Stroudsburg, PA, USA, 2021), pp. 2447–2469; <https://doi.org/10.18653/v1/2021.findings-emnlp.210>.

1212 J. Kreutzer, I. Caswell, L. Wang, A. Wahab, D. van Esch, N. Ulzii-Orshikh, A. Tapo, N. Subramani, A. Sokolov, C. Sikasote, M. Setyawan, S. Sarin, S. Samb, B. Sagot, C. Rivera, A. Rios, I. Papadimitriou, ... M. Adeyemi, Quality at a Glance: An Audit of Web-Crawled Multilingual Datasets. *Transactions of the Association for Computational Linguistics* **10**, 50–72 (2022); https://doi.org/10.1162/tacl_a_00447.

1213 J. Dodge, M. Sap, A. Marasović, W. Agnew, G. Ilharco, D. Groeneveld, M. Mitchell, M. Gardner, “Documenting Large Webtext Corpora: A Case Study on the Colossal Clean Crawled Corpus” in *Proceedings of the 2021 Conference on Empirical Methods in Natural Language Processing (EMNLP 2021)*, M.-F. Moens, X. Huang, L. Specia, S. W.-T. Yih, Eds. (Association for Computational Linguistics, Online and Punta Cana, Dominican Republic, 2021), pp. 1286–1305; <https://doi.org/10.18653/v1/2021.emnlp-main.98>.

1214 A. Xu, E. Pathak, E. Wallace, S. Gururangan, M. Sap, D. Klein, “Detoxifying Language Models Risks Marginalizing Minority Voices” in *Proceedings of the 2021 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies* (Association for Computational Linguistics, Stroudsburg, PA, USA, 2021), pp. 2390–2397; <https://doi.org/10.18653/v1/2021.naacl-main.190>.

1215 M. A. Stranisci, C. Hardmeier, What Are They Filtering out? An Experimental Benchmark of Filtering Strategies for Harm Reduction in Pretraining Datasets, *arXiv [cs.CL]* (2025); <http://arxiv.org/abs/2503.05721>.

1216 M. Sap, S. Swayamdipta, L. Vianna, X. Zhou, Y. Choi, N. Smith, “Annotators with Attitudes: How Annotator Beliefs and Identities Bias Toxic Language Detection” in *Proceedings of the 2022 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies* (Association for Computational Linguistics, Stroudsburg, PA, USA, 2022), pp. 5884–5906; <https://doi.org/10.18653/v1/2022.naacl-main.431>.

1217 K. Li, Y. Chen, F. Viégas, M. Wattenberg, When Bad Data Leads to Good Models, *arXiv [cs.LG]* (2025); <http://arxiv.org/abs/2505.04741>.

1218* D. M. Ziegler, N. Stiennon, J. Wu, T. B. Brown, A. Radford, D. Amodei, P. Christiano, G. Irving, “Fine-Tuning Language Models from Human Preferences” (OpenAI, 2020); <http://arxiv.org/abs/1909.08593>.

1219* Z. Kenton, T. Everitt, L. Weidinger, I. Gabriel, V. Mikulik, G. Irving, “Alignment of Language Agents” (Google DeepMind, 2021); <http://arxiv.org/abs/2103.14659>.

1220 J. Skalse, N. H. R. Howe, D. Krasheninnikov, D. Krueger, Defining and Characterizing Reward Hacking, *arXiv [cs.LG]* (2022); <http://arxiv.org/abs/2209.13085>.

1221 M. Wu, A. F. Aji, Style Over Substance: Evaluation Biases for Large Language Models, *arXiv [cs.CL]* (2023); <http://dx.doi.org/10.48550/arXiv.2307.03025>.

1222* N. Lambert, R. Calandra, The Alignment Ceiling: Objective Mismatch in Reinforcement Learning from Human Feedback, *arXiv [cs.LG]* (2023); <http://dx.doi.org/10.48550/arXiv.2311.00168>.

1223 H. Bansal, J. Dang, A. Grover, “Peering Through Preferences: Unraveling Feedback Acquisition for Aligning Large Language Models” in *The 12th International Conference on Learning Representations (ICLR 2024)* (Vienna, Austria, 2024); <https://openreview.net/forum?id=dKl6IMwbCy>.

1224 M. Glickman, T. Sharot, How Human-AI Feedback Loops Alter Human Perceptual, Emotional and Social Judgements. *Nature Human Behaviour* **9**, 345–359 (2025); <https://doi.org/10.1038/s41562-024-02077-2>.

1225 A. D. Lindström, L. Methnani, L. Krause, P. Ericson, Í. M. de R. de Troya, D. C. Mollo, R. Dobbe, AI Alignment through Reinforcement Learning from Human Feedback? Contradictions and Limitations, *arXiv [cs.AI]* (2024); <http://arxiv.org/abs/2406.18346>.

1226 M. Sharma, M. Tong, T. Korbak, D. Duvenaud, A. Askeel, S. R. Bowman, E. Durmus, Z. Hatfield-Dodds, S. R. Johnston, S. M. Kravec, T. Maxwell, S. McCandlish, K. Ndousse, O. Rausch, N. Schiefer, D. Yan, M. Zhang, E. Perez, “Towards Understanding Sycophancy in Language Models” in *The 12th International Conference on Learning Representations (ICLR 2024)* (Vienna, Austria, 2024); <https://openreview.net/forum?id=tvhaxkMKAn>.

1227* J. A. Yeung, J. Dalmaso, L. Foschini, R. J. B. Dobson, Z. Kraljevic, The Psychogenic Machine: Simulating AI Psychosis, Delusion Reinforcement and Harm Enablement in Large Language Models, *arXiv [cs.LG]* (2025); <http://arxiv.org/abs/2509.10970>.

1228 A. Grinbaum, L. Adomaitis, Dual Use Concerns of Generative AI and Large Language Models. *Journal of Responsible Innovation* **11** (2024); <https://doi.org/10.1080/23299460.2024.2304381>.

1229 Y. Zhang, X. Chen, K. Chen, Y. Du, X. Dang, P.-A. Heng, The Dual-Use Dilemma in LLMs: Do Empowering Ethical Capacities Make a Degraded Utility?, *arXiv [cs.CL]* (2025); <http://arxiv.org/abs/2501.13952>.

- 1230** A. Brenneis, Assessing Dual Use Risks in AI Research: Necessity, Challenges and Mitigation Strategies. *Research Ethics* (2024); <https://doi.org/10.1177/17470161241267782>.
- 1231** E. Jones, A. Dragan, J. Steinhardt, Adversaries Can Misuse Combinations of Safe Models, *arXiv [cs.CR]* (2024); <http://arxiv.org/abs/2406.14595>.
- 1232** M. Anderljung, J. Hazell, M. von Knebel, Protecting Society from AI Misuse: When Are Restrictions on Capabilities Warranted? *AI & Society* **40**, 3841–3857 (2025); <https://doi.org/10.1007/s00146-024-02130-8>.
- 1233*** H. Kim, X. Yi, J. Yao, J. Lian, M. Huang, S. Duan, J. Bak, X. Xie, The Road to Artificial SuperIntelligence: A Comprehensive Survey of Superalignment, *arXiv [cs.LG]* (2024); <http://arxiv.org/abs/2412.16468>.
- 1234** E. Durmus, K. Nguyen, T. Liao, N. Schiefer, A. Askell, A. Bakhtin, C. Chen, Z. Hatfield-Dodds, D. Hernandez, N. Joseph, L. Lovitt, S. McCandlish, O. Sikder, A. Tamkin, J. Thamkul, J. Kaplan, J. Clark, D. Ganguli, “Towards Measuring the Representation of Subjective Global Opinions in Language Models” in *First Conference on Language Modeling* (2024); <https://openreview.net/pdf?id=zl16jLb91v>.
- 1235*** S. R. Bowman, J. Hyun, E. Perez, E. Chen, C. Pettit, S. Heiner, K. Lukošiušė, A. Askell, A. Jones, A. Chen, A. Goldie, A. Mirhoseini, C. McKinnon, C. Olah, D. Amodei, D. Amodei, D. Drain, ... J. Kaplan, Measuring Progress on Scalable Oversight for Large Language Models, *arXiv [cs.HC]* (2022); <http://arxiv.org/abs/2211.03540>.
- 1236*** J. Michael, S. Mahdi, D. Rein, J. Petty, J. Dirani, V. Padmakumar, S. R. Bowman, Debate Helps Supervise Unreliable Experts, *arXiv [cs.AI]* (2023); <http://arxiv.org/abs/2311.08702>.
- 1237** Y. Du, S. Li, A. Torralba, J. B. Tenenbaum, I. Mordatch, Improving Factuality and Reasoning in Language Models through Multiagent Debate, *arXiv [cs.CL]* (2023); <https://dl.acm.org/doi/10.5555/3692070.3692537>.
- 1238** Z. Kenton, N. Y. Siegel, J. Kramar, J. Brown-Cohen, S. Albanie, J. Bulian, R. Agarwal, D. Lindner, Y. Tang, N. Goodman, R. Shah, “On Scalable Oversight with Weak LLMs Judging Strong LLMs” in *38th Annual Conference on Neural Information Processing Systems* (2024); <https://openreview.net/forum?id=O1fp9nVraj>.
- 1239*** N. McAleese, R. M. Pokorny, J. F. C. Uribe, E. Nitishinskaya, M. Trebacz, J. Leike, LLM Critics Help Catch LLM Bugs, *arXiv [cs.SE]* (2024); <http://arxiv.org/abs/2407.00215>.
- 1240** A. P. Sudhir, J. Kaunismaa, A. Panickssery, A Benchmark for Scalable Oversight Protocols, *arXiv [cs.AI]* (2025); <http://arxiv.org/abs/2504.03731>.
- 1241*** X. Wen, J. Lou, X. Lu, J. Yang, Y. Liu, Y. Lu, D. Zhang, X. Yu, Scalable Oversight for Superhuman AI via Recursive Self-Critiquing, *arXiv [cs.AI]* (2025); <http://arxiv.org/abs/2502.04675>.
- 1242** M. D. Buhl, J. Pfau, B. Hilton, G. Irving, An Alignment Safety Case Sketch Based on Debate, *arXiv [cs.AI]* (2025); <http://arxiv.org/abs/2505.03989>.
- 1243** T. Hagendorff, On the Inevitability of Left-Leaning Political Bias in Aligned Language Models, *arXiv [cs.CL]* (2025); <http://arxiv.org/abs/2507.15328>.
- 1244** Y. Tao, O. Viberg, R. S. Baker, R. F. Kizilcec, Cultural Bias and Cultural Alignment of Large Language Models. *PNAS Nexus* **3**, gae346 (2024); <https://doi.org/10.1093/pnasnexus/pgae346>.
- 1245** P. Röttger, V. Hofmann, V. Pyatkin, M. Hinck, H. R. Kirk, H. Schütze, D. Hovy, Political Compass or Spinning Arrow? Towards More Meaningful Evaluations for Values and Opinions in Large Language Models, *arXiv [cs.CL]* (2024); <http://arxiv.org/abs/2402.16786>.
- 1246** M. F. Adilazuarda, S. Mukherjee, P. Lavania, S. S. Singh, A. F. Aji, J. O’Neill, A. Modi, M. Choudhury, “Towards Measuring and Modeling ‘culture’ in LLMs: A Survey” in *Proceedings of the 2024 Conference on Empirical Methods in Natural Language Processing* (Association for Computational Linguistics, Stroudsburg, PA, USA, 2024), pp. 15763–15784; <https://doi.org/10.18653/v1/2024.emnlp-main.882>.
- 1247** B. Alkhamissi, M. ElNokrashy, M. Alkhamissi, M. Diab, “Investigating Cultural Alignment of Large Language Models” in *Proceedings of the 62nd Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)* (Association for Computational Linguistics, Stroudsburg, PA, USA, 2024), pp. 12404–12422; <https://doi.org/10.18653/v1/2024.acl-long.671>.
- 1248** M. Mazeika, X. Yin, R. Tamirisa, J. Lim, B. W. Lee, R. Ren, L. Phan, N. Mu, A. Khoja, O. Zhang, D. Hendrycks, Utility Engineering: Analyzing and Controlling Emergent Value Systems in AIs, *arXiv [cs.LG]* (2025); <http://arxiv.org/abs/2502.08640>.
- 1249** A. Khan, S. Casper, D. Hadfield-Menell, Randomness, Not Representation: The Unreliability of Evaluating Cultural Alignment in LLMs, *arXiv [cs.CY]* (2025); <http://arxiv.org/abs/2503.08688>.
- 1250** H. Kirk, A. Bean, B. Vidgen, P. Rottger, S. Hale, “The Past, Present and Better Future of Feedback Learning in Large Language Models for Subjective Human Preferences and Values” in *Proceedings of the 2023 Conference on Empirical Methods in Natural Language Processing* (Association for Computational Linguistics, Stroudsburg, PA, USA, 2023), pp. 2409–2430; <https://doi.org/10.18653/v1/2023.emnlp-main.148>.
- 1251** T. Sorensen, L. Jiang, J. D. Hwang, S. Levine, V. Pyatkin, P. West, N. Dziri, X. Lu, K. Rao, C. Bhagavatula, M. Sap, J. Tasioulas, Y. Choi, Value Kaleidoscope: Engaging AI with Pluralistic Human Values, Rights, and Duties. *Proceedings of the AAAI Conference on Artificial Intelligence* **38**, 19937–19947 (2024); <https://doi.org/10.1609/aaai.v38i18.29970>.
- 1252** N. A. Caputo, Rules, Cases, and Reasoning: Positivist Legal Theory as a Framework for Pluralistic AI Alignment, *arXiv [cs.CY]* (2024); <http://arxiv.org/abs/2410.17271>.

- 1253** D. Ali, A. Kocak, D. Zhao, A. Koenecke, O. Papakyriakopoulos, "A Sociotechnical Perspective on Aligning AI with Pluralistic Human Values" in *ICLR 2025 Workshop on Bidirectional Human-AI Alignment* (2025); <https://openreview.net/forum?id=oSRqZO2O2O>.
- 1254** A. Birhane, P. Kalluri, D. Card, W. Agnew, R. Dotan, M. Bao, "The Values Encoded in Machine Learning Research" in *2022 ACM Conference on Fairness, Accountability, and Transparency* (ACM, New York, NY, USA, 2022); <https://doi.org/10.1145/3531146.3533083>.
- 1255** J. Tien, J. Z.-Y. He, Z. Erickson, A. Dragan, D. S. Brown, "Causal Confusion and Reward Misidentification in Preference-Based Reward Learning" in *11th International Conference on Learning Representations (ICLR 2023)* (Kigali, Rwanda, 2022); https://openreview.net/forum?id=R0Xxvr_X3ZA.
- 1256** L. E. McKinney, Y. Duan, D. Krueger, A. Gleave, "On The Fragility of Learned Reward Functions" in *36th Conference on Neural Information Processing Systems (NeurIPS 2022) Deep Reinforcement Learning Workshop* (Virtual, 2022); <https://openreview.net/forum?id=9gj9vXfeS-y>.
- 1257*** E. Jones, M. Tong, J. Mu, M. Mahfoud, J. Leike, R. Grosse, J. Kaplan, W. Fithian, E. Perez, M. Sharma, Forecasting Rare Language Model Behaviors, *arXiv [cs.LG]* (2025); <http://arxiv.org/abs/2502.16797>.
- 1258*** W. Wang, Z. Tu, C. Chen, Y. Yuan, J.-T. Huang, W. Jiao, M. R. Lyu, All Languages Matter: On the Multilingual Safety of Large Language Models, *arXiv [cs.CL]* (2023); <http://arxiv.org/abs/2310.00905>.
- 1259** J. Song, Y. Huang, Z. Zhou, L. Ma, Multilingual Blending: LLM Safety Alignment Evaluation with Language Mixture, *arXiv [cs.CL]* (2024); <http://arxiv.org/abs/2407.07342>.
- 1260** J. Rando, J. Zhang, N. Carlini, F. Tramèr, Adversarial ML Problems Are Getting Harder to Solve and to Evaluate, *arXiv [cs.LG]* (2025); <http://arxiv.org/abs/2502.02260>.
- 1261** B. R. Bartoldson, J. Diffenderfer, K. Parasyris, B. Kaikhura, "Adversarial Robustness Limits via Scaling-Law and Human-Alignment Studies" in *Proceedings of the 41st International Conference on Machine Learning (JMLR, Vienna, Austria, 2024), ICML'24*; <https://dl.acm.org/doi/10.5555/3692070.3692193>.
- 1262** D. Lüdke, T. Wollschläger, P. Ungermann, S. Günnemann, L. Schwinn, Diffusion LLMs Are Natural Adversaries for Any LLM, *arXiv [cs.LG]* (2025); <http://arxiv.org/abs/2511.00203>.
- 1263** S. Casper, L. Schulze, O. Patel, D. Hadfield-Menell, Defending Against Unforeseen Failure Modes with Latent Adversarial Training, *arXiv [cs.CR]* (2024); <http://dx.doi.org/10.48550/arXiv.2403.05030>.
- 1264** S. Lee, M. Kim, L. Cherif, D. Dobre, J. Lee, S. J. Hwang, K. Kawaguchi, G. Gidel, Y. Bengio, N. Malkin, M. Jain, Learning Diverse Attacks on Large Language Models for Robust Red-Teaming and Safety Tuning, *arXiv [cs.CL]* (2024); <http://arxiv.org/abs/2405.18540>.
- 1265*** N. Howe, I. McKenzie, O. Hollinsworth, M. Zajac, T. Tseng, A. Tucker, P.-L. Bacon, A. Gleave, Scaling Trends in Language Model Robustness, *arXiv [cs.LG]* (2024); <http://arxiv.org/abs/2407.18213>.
- 1266** A. Zou, L. Phan, J. Wang, D. Duenas, M. Lin, M. Andriushchenko, R. Wang, Z. Kolter, M. Fredrikson, D. Hendrycks, Improving Alignment and Robustness with Circuit Breakers, *Neural Information Processing Systems*, 83345–83373 (2024); https://proceedings.neurips.cc/paper_files/paper/2024/hash/97ca7168c2c333df5ea61ece3b3276e1-Abstract-Conference.html.
- 1267** C. Dékány, S. Balauca, R. Staab, D. I. Dimitrov, M. Vechev, MixAT: Combining Continuous and Discrete Adversarial Training for LLMs, *arXiv [cs.LG]* (2025); <http://arxiv.org/abs/2505.16947>.
- 1268** Y. Yuan, W. Jiao, W. Wang, J.-T. Huang, P. He, S. Shi, Z. Tu, "GPT-4 Is Too Smart To Be Safe: Stealthy Chat with LLMs via Cipher" in *12th International Conference on Learning Representations* (2024); <https://openreview.net/forum?id=MbfAK4s61A>.
- 1269** Z. Wei, Y. Wang, A. Li, Y. Mo, Y. Wang, Jailbreak and Guard Aligned Language Models with Only Few In-Context Demonstrations, *arXiv [cs.LG]* (2023); <http://arxiv.org/abs/2310.06387>.
- 1270*** C. Anil, E. Durmus, M. Sharma, J. Benton, S. Kundu, J. Batson, N. Rimsy, M. Tong, J. Mu, D. Ford, F. Mosconi, R. Agrawal, R. Schaeffer, N. Bashkansky, S. Svenningsen, M. Lambert, A. Radhakrishnan, ... D. Duvenaud, "Many-Shot Jailbreaking" (Anthropic, 2024); https://www-cdn.anthropic.com/af5633c94ed2beb282f6a53c595eb437e8e7b630/Many_Shot_Jailbreaking__2024_04_02_0936.pdf.
- 1271** Y. Deng, W. Zhang, S. J. Pan, L. Bing, "Multilingual Jailbreak Challenges in Large Language Models" in *12th International Conference on Learning Representations* (2024); <https://openreview.net/forum?id=vESNKdEMGp>.
- 1272** V. Dorna, A. R. Mekala, W. Zhao, A. McCallum, J. Zico Kolter, Z. C. Lipton, P. Maini, "OpenUnlearning: Accelerating LLM Unlearning via Unified Benchmarking of Methods and Metrics" in *39th Annual Conference on Neural Information Processing Systems Datasets and Benchmarks Track* (2025); <https://openreview.net/forum?id=Gy67Zh5X1i>.
- 1273** S. Alberti, K. Hasanaliyev, M. Shah, S. Ermon, Data Unlearning in Diffusion Models, *arXiv [cs.LG]* (2025); <http://arxiv.org/abs/2503.01034>.
- 1274** P. Henderson, E. Mitchell, C. Manning, D. Jurafsky, C. Finn, "Self-Destructing Models: Increasing the Costs of Harmful Dual Uses of Foundation Models" in *Proceedings of the 2023 AAAI/ACM Conference on AI, Ethics, and Society* (Association for Computing Machinery, New York, NY, USA, 2023), *AIES '23*, pp. 287–296; <https://doi.org/10.1145/3600211.3604690>.
- 1275** D. Rosati, J. Wehner, K. Williams, Ł. Bartoszcze, D. Atanasov, R. Gonzales, S. Majumdar, C. Maple, H. Sajjad, F. Rudzicz, Representation Noising Effectively

Prevents Harmful Fine-Tuning on LLMs, *arXiv [cs.CL]* (2024); <http://arxiv.org/abs/2405.14577>.

1276 R. Tamirisa, B. Bharathi, L. Phan, A. Zhou, A. Gatti, T. Suresh, M. Lin, J. Wang, R. Wang, R. Arel, A. Zou, D. Song, B. Li, D. Hendrycks, M. Mazeika, Tamper-Resistant Safeguards for Open-Weight LLMs, *arXiv [cs.LG]* (2024); <http://arxiv.org/abs/2408.00761>.

1277 A. Abdalla, I. Shaheen, D. DeGenaro, R. Mallick, B. Raita, S. A. Bargal, GIFT: Gradient-Aware Immunization of Diffusion Models against Malicious Fine-Tuning with Safe Concepts Retention, *arXiv [cs.CR]* (2025); <http://arxiv.org/abs/2507.13598>.

1278 B. Li, R. Gu, J. Wang, L. Qi, Y. Li, R. Wang, Z. Qin, T. Zhang, "Towards Resilient Safety-Driven Unlearning for Diffusion Models against Downstream Fine-Tuning" in *39th Annual Conference on Neural Information Processing Systems* (2025); <https://openreview.net/forum?id=iEtCCt6FjP>.

1279* A. F. Cooper, C. A. Choquette-Choo, M. Bogen, M. Jagielski, K. Filippova, K. Z. Liu, A. Chouldechova, J. Hayes, Y. Huang, N. Mireshghallah, I. Shumailov, E. Triantafillou, P. Kairouz, N. Mitchell, P. Liang, D. E. Ho, Y. Choi, ... K. Lee, Machine Unlearning Doesn't Do What You Think: Lessons for Generative AI Policy, Research, and Practice, *arXiv [cs.LG]* (2024); <http://arxiv.org/abs/2412.06966>.

1280 J. Łucki, B. Wei, Y. Huang, P. Henderson, F. Tramèr, J. Rando, An Adversarial Perspective on Machine Unlearning for AI Safety, *arXiv [cs.LG]* (2024); <http://arxiv.org/abs/2409.18025>.

1281* A. Deeb, F. Roger, Do Unlearning Methods Remove Information from Language Model Weights?, *arXiv [cs.LG]* (2024); <http://arxiv.org/abs/2410.08827>.

1282 Y. Scholten, S. Günnemann, L. Schwinn, A Probabilistic Perspective on Unlearning and Alignment for Large Language Models, *arXiv [cs.LG]* (2024); <http://arxiv.org/abs/2410.03523>.

1283 A. S. Sharma, N. Sarkar, V. Chundawat, A. A. Mali, M. Mandal, Unlearning or Concealment? A Critical Analysis and Evaluation Metrics for Unlearning in Diffusion Models, *arXiv [cs.LG]* (2024); <http://arxiv.org/abs/2409.05668>.

1284 J. Betley, D. C. H. Tan, N. Warncke, A. Sztyber-Betley, X. Bao, M. Soto, N. Labenz, O. Evans, "Emergent Misalignment: Narrow Finetuning Can Produce Broadly Misaligned LLMs" in *Proceedings of the 42nd International Conference on Machine Learning* (2025); <https://openreview.net/forum?id=aOIJ2gVRWW>.

1285 L. Sharkey, B. Chughtai, J. Batson, J. Lindsey, J. Wu, L. Bushnaq, N. Goldowsky-Dill, S. Heimersheim, A. Ortega, J. Bloom, S. Biderman, A. Garriga-Alonso, A. Conmy, N. Nanda, J. Rumbelow, M. Wattenberg, N. Schoots, ... T. McGrath, Open Problems in Mechanistic Interpretability, *arXiv [cs.LG]* (2025); <http://arxiv.org/abs/2501.16496>.

1286 S. Casper, C. Ezell, C. Siegmann, N. Kolt, T. L. Curtis, B. Bucknall, A. Haupt, K. Wei, J. Scheurer, M. Hobbhahn, L. Sharkey, S. Krishna, M. Von Hagen, S. Alberti, A. Chan, Q. Sun, M. Gerovitch, ...

D. Hadfield-Menell, "Black-Box Access Is Insufficient for Rigorous AI Audits" in *The 2024 ACM Conference on Fairness, Accountability, and Transparency* (ACM, New York, NY, USA, 2024), pp. 2254–2272; <https://doi.org/10.1145/3630106.3659037>.

1287* S. Marks, J. Treutlein, T. Bricken, J. Lindsey, J. Marcus, S. Mishra-Sharma, D. Ziegler, E. Ameisen, J. Batson, T. Belonax, S. R. Bowman, S. Carter, B. Chen, H. Cunningham, C. Denison, F. Dietz, S. Golechha, ... E. Hubinger, Auditing Language Models for Hidden Objectives, *arXiv [cs.AI]* (2025); <http://arxiv.org/abs/2503.10965>.

1288 M. Tegmark, S. Omohundro, Provably Safe Systems: The Only Path to Controllable AGI, *arXiv [cs.CY]* (2023); <http://dx.doi.org/10.48550/arXiv.2309.01933>.

1289 Y. Bengio, M. K. Cohen, N. Malkin, M. MacDermott, D. Fornasiere, P. Greiner, Y. Kaddar, Can a Bayesian Oracle Prevent Harm from an Agent?, *arXiv [cs.AI]* (2024); <http://arxiv.org/abs/2408.05284>.

1290 A. Zolkowski, K. Nishimura-Gasparian, R. McCarthy, R. S. Zimmermann, D. Lindner, Early Signs of Steganographic Capabilities in Frontier LLMs, *arXiv [cs.CR]* (2025); <http://arxiv.org/abs/2507.02737>.

1291* A. Dafoe, E. Hughes, Y. Bachrach, T. Collins, K. R. McKee, J. Z. Leibo, K. Larson, T. Graepel, Open Problems in Cooperative AI, *arXiv [cs.AI]* (2020); <http://arxiv.org/abs/2012.08630>.

1292 I. Seeber, E. Bittner, R. O. Briggs, T. de Vreede, G.-J. de Vreede, A. Elkins, R. Maier, A. B. Merz, S. Oeste-Reiß, N. Randrup, G. Schwabe, M. Söllner, Machines as Teammates: A Research Agenda on AI in Team Collaboration. *Information & Management* **57**, 103174 (2020); <https://doi.org/10.1016/j.im.2019.103174>.

1293 R. Shah, P. Freire, N. Alex, R. Freedman, D. Krasheninnikov, L. Chan, M. D. Dennis, P. Abbeel, A. Dragan, S. Russell, Benefits of Assistance over Reward Learning (2020); <https://openreview.net/forum?id=DFIoGDZeJB>.

1294 E. Mosqueira-Rey, E. Hernández-Pereira, D. Alonso-Ríos, J. Bobes-Bascarán, Á. Fernández-Leal, Human-in-the-Loop Machine Learning: A State of the Art. *Artificial Intelligence Review* **56**, 3005–3054 (2023); <https://doi.org/10.1007/s10462-022-10246-w>.

1295 J. Babcock, J. Krámar, R. V. Yampolskiy, "Guidelines for Artificial Intelligence Containment" in *Next-Generation Ethics: Engineering a Better Society*, A. E. Abbas, Ed. (Cambridge University Press, Cambridge, 2019), pp. 90–112; <https://doi.org/10.1017/9781108616188.008>.

1296 Y. He, E. Wang, Y. Rong, Z. Cheng, H. Chen, "Security of AI Agents" in *2025 IEEE/ACM International Workshop on Responsible AI Engineering (RAIE)* (IEEE, 2025), pp. 45–52; <https://doi.org/10.1109/raie66699.2025.00013>.

1297 N. Yu, V. Skripniuk, S. Abdelnabi, M. Fritz, "Artificial Fingerprinting for Generative Models: Rooting Deepfake Attribution in Training Data" in *2021 IEEE/CVF International Conference on Computer Vision (ICCV)* (IEEE, 2021); <https://doi.org/10.1109/iccv48922.2021.01418>.

- 1298** P. Fernandez, G. Couairon, H. Jégou, M. Douze, T. Furon, "The Stable Signature: Rooting Watermarks in Latent Diffusion Models" in *2023 IEEE/CVF International Conference on Computer Vision (ICCV)* (2023), pp. 22409–22420; <https://doi.org/10.1109/ICCV51070.2023.02053>.
- 1299** M. Christ, S. Gunn, T. Malkin, M. Raykova, Provably Robust Watermarks for Open-Source Language Models, *arXiv [cs.CR]* (2024); <http://arxiv.org/abs/2410.18861>.
- 1300*** X. Xu, Y. Yao, Y. Liu, Learning to Watermark LLM-Generated Text via Reinforcement Learning, *arXiv [cs.LG]* (2024); <http://arxiv.org/abs/2403.10553>.
- 1301** G. Pagnotta, D. Hitaj, B. Hitaj, F. Perez-Cruz, L. V. Mancini, TATTOOED: A Robust Deep Neural Network Watermarking Scheme Based on Spread-Spectrum Channel Coding, *arXiv [cs.CR]* (2022); <http://arxiv.org/abs/2202.06091>.
- 1302** P. Lv, P. Li, S. Zhang, K. Chen, R. Liang, H. Ma, Y. Zhao, Y. Li, A Robustness-Assured White-Box Watermark in Neural Networks. *IEEE Transactions on Dependable and Secure Computing* **20**, 5214–5229 (2023); <https://doi.org/10.1109/tdsc.2023.3242737>.
- 1303** L. Li, B. Jiang, P. Wang, K. Ren, H. Yan, X. Qiu, "Watermarking LLMs with Weight Quantization" in *Findings of the Association for Computational Linguistics: EMNLP 2023*, H. Bouamor, J. Pino, K. Bali, Eds. (Association for Computational Linguistics, Singapore, 2023), pp. 3368–3378; <https://doi.org/10.18653/v1/2023.findings-emnlp.220>.
- 1304*** A. Block, A. Sekhari, A. Rakhlin, GaussMark: A Practical Approach for Structural Watermarking of Language Models, *arXiv [cs.CR]* (2025); <http://arxiv.org/abs/2501.13941>.
- 1305** S. Zhu, A. Ahmed, R. Kuditipudi, P. Liang, Independence Tests for Language Models, *arXiv [cs.LG]* (2025); <http://arxiv.org/abs/2502.12292>.
- 1306** R. Kuditipudi, J. Huang, S. Zhu, D. Yang, C. Potts, P. Liang, "Blackbox Model Provenance via Palimpsestic Membership Inference" in *39th Annual Conference on Neural Information Processing Systems* (2025); <https://openreview.net/forum?id=VRhVS59yhP>.
- 1307** S. A. Benraouane, *AI Management System Certification according to the ISO/IEC 42001 Standard: How to Audit, Certify, and Build Responsible AI Systems* (Productivity Press, New York, 1st Ed., 2024); <https://doi.org/10.4324/9781003463979>.
- 1308** A. Liu, L. Pan, Y. Lu, J. Li, X. Hu, X. Zhang, L. Wen, I. King, H. Xiong, P. Yu, A Survey of Text Watermarking in the Era of Large Language Models. *ACM Computing Surveys* **57**, 1–36 (2025); <https://doi.org/10.1145/3691626>.
- 1309** Z. Yang, G. Zhao, H. Wu, Watermarking for Large Language Models: A Survey. *Mathematics* **13**, 1420 (2025); <https://doi.org/10.3390/math13091420>.
- 1310** W. Wan, J. Wang, Y. Zhang, J. Li, H. Yu, J. Sun, A Comprehensive Survey on Robust Image Watermarking. *Neurocomputing* **488**, 226–247 (2022); <https://doi.org/10.1016/j.neucom.2022.02.083>.
- 1311** M. S. Uddin, Ohidujjaman, M. Hasan, T. Shimamura, Audio Watermarking: A Comprehensive Review. *International Journal of Advanced Computer Science and Applications* **15** (2024); <https://doi.org/10.14569/IJACSA.2024.01505141>.
- 1312** S. Mohammad Niyaz Khan, J. Mohd Ghazali, L. Q. Zakaria, S. N. Ahmad, K. A. Elias, Various Image Classification Using Certain Exchangeable Image File Format (EXIF) Metadata of Images. *Malaysian Journal of Information and Communication Technology (MyJICT)*, 1–12 (2018); <https://doi.org/10.53840/myjict3-1-33>.
- 1313*** W. Warby, Green Chameleon on a Branch (2024); <https://unsplash.com/photos/IJAYVG2V4Y>.
- 1314** U.S. Nuclear Regulatory Commission, "Regulatory Guide 1.174: An Approach for Using Probabilistic Risk Assessment in Risk-Informed Decisions on Plant-Specific Changes to the Licensing Basis" (U.S. Nuclear Regulatory Commission, Office of Nuclear Regulatory Research, 1998); <https://www.nrc.gov/docs/ml0037/ml003740133.pdf>.
- 1315** E. Seger, N. Dreksler, R. Moulange, E. Dardaman, J. Schuett, K. Wei, C. Winter, M. Arnold, S. Ó. hÉigeartaigh, A. Korinek, M. Anderljung, B. Bucknall, A. Chan, E. Stafford, L. Koessler, A. Ovadya, B. Garfinkel, ... A. Gupta, "Open-Sourcing Highly Capable Foundation Models: An Evaluation of Risks, Benefits, and Alternative Methods for Pursuing Open-Source Objectives" (Centre for the Governance of AI, 2023); <http://arxiv.org/abs/2311.09227>.
- 1316** A. Chan, B. Bucknall, H. Bradley, D. Krueger, Hazards from Increasingly Accessible Fine-Tuning of Downloadable Foundation Models, *arXiv [cs.LG]* (2023); <http://arxiv.org/abs/2312.14751>.
- 1317** R. Bommasani, S. Kapoor, K. Klyman, S. Longpre, A. Ramaswami, D. Zhang, M. Schaake, D. E. Ho, A. Narayanan, P. Liang, Considerations for Governing Open Foundation Models. *Science* **386**, 151–153 (2024); <https://doi.org/10.1126/science.adp1848>.
- 1318** Open Source Initiative, The Open Source AI Definition – 1.0 (2024); <https://opensource.org/ai/open-source-ai-definition/>.
- 1319** D. G. Widder, M. Whittaker, S. M. West, Why "Open" AI Systems Are Actually Closed, and Why This Matters. *Nature* **635**, 827–833 (2024); <https://doi.org/10.1038/s41586-024-08141-1>.
- 1320** P. Nobel, A. Z. Rozenstein, C. Sharma, Unbundling AI Openness, *Social Science Research Network* (2025); <https://doi.org/10.2139/ssrn.5407422>.
- 1321** OECD, "AI Openness: A Primer for Policymakers" (OECD Publishing, 2025); https://www.oecd.org/content/dam/oecd/en/publications/reports/2025/08/ai-openness_958d292b/02f73362-en.pdf.
- 1322** L. Gimpel, "Toward Open-Source AI Systems as Digital Public Goods: Definitions, Hopes and Challenges" in *New Frontiers in Science in the Era of AI* (Springer Nature Switzerland, Cham, 2024), pp. 129–142; https://doi.org/10.1007/978-3-031-61187-2_8.

- 1323** K.-T. Tran, B. O'Sullivan, H. D. Nguyen, UCCIX: Irish-eXcellence Large Language Model, *arXiv [cs.CL]* (2024); <http://arxiv.org/abs/2405.13010>.
- 1324*** E. Seger, B. O'Dell, "Open Horizons: Exploring Nuanced Technical and Policy Approaches to Openness in AI" (Demos and Mozilla, 2024); https://demos.co.uk/wp-content/uploads/2024/08/Mozilla-Report_2024.pdf.
- 1325** E. Seger, A. Ovadya, B. Garfinkel, D. Siddarth, A. Dafoe, Democratising AI: Multiple Meanings, Goals, and Methods, *arXiv [cs.AI]* (2023); <http://dx.doi.org/10.48550/arXiv.2303.12642>.
- 1326** T. Shevlane, A. Dafoe, "The Offense-Defense Balance of Scientific Knowledge: Does Publishing AI Research Reduce Misuse?" in *Proceedings of the AAAI/ACM Conference on AI, Ethics, and Society* (Association for Computing Machinery, New York, NY, USA, 2020), *AIES '20*, pp. 173–179; <https://doi.org/10.1145/3375627.3375815>.
- 1327** J. Cable, A. Black, "With Open Source Artificial Intelligence, Don't Forget the Lessons of Open Source Software" (Cybersecurity and Infrastructure Security Agency CISA, 2024); <https://www.cisa.gov/news-events/news/open-source-artificial-intelligence-dont-forget-lessons-open-source-software>.
- 1328** D. Gray Widder, S. West, M. Whittaker, Open (for Business): Big Tech, Concentrated Power, and the Political Economy of Open AI, *SSRN [preprint]* (2023); <https://doi.org/10.2139/ssrn.4543807>.
- 1329** J. Linåker, C. Osborne, J. Ding, B. Burtenshaw, A Cartography of Open Collaboration in Open Source AI: Mapping Practices, Motivations, and Governance in 14 Open Large Language Model Projects, *arXiv [cs.SE]* (2025); <http://dx.doi.org/10.48550/arXiv.2509.25397>.
- 1330** I. Solaiman, R. Bommasani, D. Hendrycks, A. Herbert-Voss, Y. Jernite, A. Skowron, A. Trask, Beyond Release: Access Considerations for Generative AI Systems, *arXiv [cs.CY]* (2025); <http://arxiv.org/abs/2502.16701>.
- 1331** E. Seger, J. Hancock, "The Open Dividend Building an AI Openness Strategy to Unlock the UK's AI Potential" (Demos, 2025); https://demos.co.uk/wp-content/uploads/2025/06/The-Open-Dividend_Report_2025.ac-2.pdf.
- 1332*** OpenAI, Introducing Gpt-Oss-Safeguard (2025); <https://openai.com/index/introducing-gpt-oss-safeguard/>.
- 1333** S. Lermen, C. Rogers-Smith, J. Ladish, LoRA Fine-Tuning Efficiently Undoes Safety Training in Llama 2-Chat 70B, *arXiv [cs.LG]* (2023); <http://arxiv.org/abs/2310.20624>.
- 1334** Q. Zhan, R. Fang, R. Bindu, A. Gupta, T. Hashimoto, D. Kang, "Removing RLHF Protections in GPT-4 via Fine-Tuning" in *2024 Annual Conference of the North American Chapter of the Association for Computational Linguistics* (Mexico City, Mexico, 2024); <https://doi.org/10.48550/arXiv.2311.05553>.
- 1335** R. Bhardwaj, S. Poria, Language Model Unalignment: Parametric Red-Teaming to Expose Hidden Harms and Biases, *arXiv [cs.CL]* (2023); <http://arxiv.org/abs/2310.14303>.
- 1336** S. Li, E. C.-H. Ngai, F. Ye, T. Voigt, PEFT-as-an-Attack! Jailbreaking Language Models during Federated Parameter-Efficient Fine-Tuning, *arXiv [cs.CR]* (2024); <http://arxiv.org/abs/2411.19335>.
- 1337** D. Volkov, Badllama 3: Removing Safety Finetuning from Llama 3 in Minutes, *arXiv [cs.LG]* (2024); <http://arxiv.org/abs/2407.01376>.
- 1338** P. S. Pandey, S. Simko, K. Pelrine, Z. Jin, "Accidental Vulnerability: Factors in Fine-Tuning That Shift Model Safeguards" in *Workshop on Socially Responsible Language Modelling Research* (2025); <https://openreview.net/forum?id=zKhSRlJEmv>.
- 1339*** Y. Kilcher, Ykilcher/gpt-4chan (2023); <https://huggingface.co/ykilcher/gpt-4chan>.
- 1340** S. Mercer, S. Spillard, D. P. Martin, Brief Analysis of DeepSeek R1 and Its Implications for Generative AI, *arXiv [cs.LG]* (2025); <http://arxiv.org/abs/2502.02523>.
- 1341** LMArena, Text Arena (2025); <https://lmarena.ai/leaderboard/text>.
- 1342*** Alibaba Cloud Unveils New AI Models and Revamped Infrastructure for AI Computing, *Alibaba Cloud Community* (2024); https://www.alibabacloud.com/blog/alibaba-cloud-unveils-new-ai-models-and-revamped-infrastructure-for-ai-computing_601622.
- 1343** A. I. Epoch, Epoch Capabilities Index (2025); <https://epoch.ai/benchmarks/eci/>.
- 1344*** OpenAI, S. Agarwal, L. Ahmad, J. Ai, S. Altman, A. Applebaum, E. Arbus, R. K. Arora, Y. Bai, B. Baker, H. Bao, B. Barak, A. Bennett, T. Bertao, N. Brett, E. Brevdo, G. Brockman, ... S. Zhao, Gpt-Oss-120b & Gpt-Oss-20b Model Card, *arXiv [cs.CL]* (2025); https://cdn.openai.com/pdf/419b6906-9da6-406c-a19d-1bb078ac7637/oai_gpt-oss_model_card.pdf.
- 1345** X. Qi, Y. Zeng, T. Xie, P.-Y. Chen, R. Jia, P. Mittal, P. Henderson, "Fine-Tuning Aligned Language Models Compromises Safety, Even When Users Do Not Intend To" in *The 12th International Conference on Learning Representations (ICLR 2024)* (Vienna, Austria, 2023); <https://openreview.net/forum?id=hTEGyKf0dZ>.
- 1346** Z. Xie, X. Song, J. Luo, "Attack via Overfitting: 10-Shot Benign Fine-Tuning to Jailbreak LLMs" in *39th Annual Conference on Neural Information Processing Systems* (2025); <https://openreview.net/forum?id=utvu4PJ0Ct>.
- 1347** A. Basdevant, C. François, V. Storch, K. Bankston, A. Bdeir, B. Behlendorf, M. Debbah, S. Kapoor, Y. LeCun, M. Surman, H. King-Turvey, N. Lambert, S. Maffulli, N. Marda, G. Shivkumar, J. Tunney, Towards a Framework for Openness in Foundation Models: Proceedings from the Columbia Convening on Openness in Artificial Intelligence, *arXiv [cs.SE]* (2024); <http://arxiv.org/abs/2405.15802>.

- 1348** K. Wei, L. Heim, Designing Incident Reporting Systems for Harms from General-Purpose AI, *arXiv [cs.CY]* (2025); <http://arxiv.org/abs/2511.05914>.
- 1349** B. Nevo, A Sprint Toward Security Level 5, *Institute for Progress* (2025); <https://ifp.org/a-sprint-toward-security-level-5/>.
- 1350** E. Grunewald, A. B. Gershovich, "Accelerating AI Data Center Security" (Institute for AI Policy and Strategy, 2025); <https://www.iaps.ai/s/Accelerating-AI-Data-Center-Security.pdf>.
- 1351** R. Rinberg, A. Karvonen, A. Hoover, D. Reuter, K. Warr, Verifying LLM Inference to Detect Model Weight Exfiltration, *arXiv [cs.CR]* (2025); <http://arxiv.org/abs/2511.02620>.
- 1352** Cyber Safety Review Board, "Review of the Summer 2023 Microsoft Exchange Online Intrusion" (Cyber Safety Review Board, 2024); <https://www.cisa.gov/sites/default/files/2025-03/CSRBReviewOfTheSummer2023MEOIntrusion508.pdf>.
- 1353*** E. Harris, J. Harris, M. Beall, "Defense in Depth: An Action Plan to Increase the Safety and Security of Advanced AI" (Gladstone AI, 2024); https://images.assettype.com/cdomagazine/2024-03/de879ba6-0309-483c-b63d-727b4c815592/Gladstone_AI_Action_Plan_Executive_Summary.pdf.
- 1354** US National Telecommunications and Information Administration, "Dual-Use Foundation Models with Widely Available Model Weights NTIA Report" (US Department of Commerce, 2024); <https://www.ntia.gov/issues/artificial-intelligence/open-model-weights-report>.
- 1355** J. Bateman, D. Baer, S. A. Bell, G. O. Brown, M.-F. (tino) Cuéllar, D. Ganguli, P. Henderson, B. Kotila, L. Lessig, N. B. Lundblad, J. Napolitano, D. Raji, E. Seger, M. Sheehan, A. Skowron, I. Solaiman, H. Toner, A. P. Zvyagina, "Beyond Open vs. Closed: Emerging Consensus and Key Questions for Foundation AI Model Governance" (Carnegie Endowment for International Peace, 2024); <https://carnegieendowment.org/research/2024/07/beyond-open-vs-closed-emerging-consensus-and-key-questions-for-foundation-ai-model-governance?lang=en>.
- 1356** J. Alaga, M. Chen, "Marginal Risk Relative to What? Distinguishing Baselines in AI Risk Management" in *ICML Workshop on Technical AI Governance (TAIG)* (2025); <https://openreview.net/forum?id=8pK2xrYwjD>.
- 1357** U. C. Ajuzieogu, The Term Structure of AI Risk: Economic Frameworks for Pricing Long-Term AI Uncertainty (2025); https://www.researchgate.net/profile/Uchechukwu-Ajuzieogu/publication/392076391_The_Term_Structure_of_AI_Risk_Economic_Frameworks_for_Pricing_Long-Term_AI_Uncertainty/links/6832e618df0e3f544f58f034/The-Term-Structure-of-AI-Risk-Economic-Frameworks-for-Pricing-Long-Term-AI-Uncertainty.pdf.
- 1358** M. M. Gandhi, P. Cihon, O. C. Larter, R. Anselmetti, "Societal Capacity Assessment Framework: Measuring Advanced AI Implications for Vulnerability, Resilience, and Transformation" in *ICML Workshop on Technical AI Governance (TAIG)* (2025); <https://openreview.net/forum?id=8gn9NeL0Ai>.
- 1359** D. Kondor, V. Hafez, S. Shankar, R. Wazir, F. Karimi, Complex Systems Perspective in Assessing Risks in Artificial Intelligence. *Philosophical Transactions. Series A, Mathematical, Physical, and Engineering Sciences* **382**, 20240109 (2024); <https://doi.org/10.1098/rsta.2024.0109>.
- 1360** C. Perrow, The Limits of Safety: The Enhancement of a Theory of Accidents. *Journal of Contingencies and Crisis Management* **2**, 212–220 (1994); <https://doi.org/10.1111/j.1468-5973.1994.tb00046.x>.
- 1361** M. M. Maas, "Regulating for 'Normal AI Accidents': Operational Lessons for the Responsible Governance of Artificial Intelligence Deployment" in *Proceedings of the 2018 AAAI/ACM Conference on AI, Ethics, and Society* (ACM, New York, NY, USA, 2018), pp. 223–228; <https://doi.org/10.1145/3278721.3278766>.
- 1362** N. G. Leveson, *Engineering a Safer World: Systems Thinking Applied to Safety* (The MIT Press, 2012); <https://doi.org/10.7551/mitpress/8179.001.0001>.
- 1363** D. Paton, D. Johnston, *Disaster Resilience: An Integrated Approach (2nd Ed.)* (Charles C Thomas Publisher, Springfield, MO, 2017); https://www.ccthomas.com/details.cfm?P_ISBN13=9780398091699.
- 1364** S. Tyler, M. Moench, A Framework for Urban Climate Resilience. *Climate and Development* **4**, 311–326 (2012); <https://doi.org/10.1080/17565529.2012.745389>.
- 1365** V. Haldane, C. De Foo, S. M. Abdalla, A.-S. Jung, M. Tan, S. Wu, A. Chua, M. Verma, P. Shrestha, S. Singh, T. Perez, S. M. Tan, M. Bartos, S. Mabuchi, M. Bonk, C. McNab, G. K. Werner, ... H. Legido-Quigley, Health Systems Resilience in Managing the COVID-19 Pandemic: Lessons from 28 Countries. *Nature Medicine* **27**, 964–980 (2021); <https://doi.org/10.1038/s41591-021-01381-y>.
- 1366** B. Andrés, R. Poler, Enhancing Enterprise Resilience through Enterprise Collaboration. *IFAC Proceedings Volumes* **46**, 688–693 (2013); <https://doi.org/10.3182/20130619-3-ru-3018.00283>.
- 1367** T. Tanner, A. Bahadur, M. Moench, "Challenges for Resilience Policy and Practice" (Overseas Development Institute, 2017); <https://odi.org/en/publications/challenges-for-resilience-policy-and-practice/>.
- 1368** A. Mentges, L. Halekotte, M. Schneider, T. Demmer, D. Lichte, A Resilience Glossary Shaped by Context: Reviewing Resilience-Related Terms for Critical Infrastructures. *International Journal of Disaster Risk Reduction: IJDRR* **96**, 103893 (2023); <https://doi.org/10.1016/j.ijdr.2023.103893>.
- 1369** T. Girum, K. Lentiro, M. Geremew, B. Migora, S. Shewamare, Global Strategies and Effectiveness for COVID-19 Prevention through Contact Tracing, Screening, Quarantine, and Isolation: A Systematic

Review. *Tropical Medicine and Health* **48**, 91 (2020); <https://doi.org/10.1186/s41182-020-00285-w>.

1370 R. C. de Lima, J. A. S. Quaresma, Emerging Technologies Transforming the Future of Global Biosecurity. *Frontiers in Digital Health* **7**, 1622123 (2025); <https://doi.org/10.3389/fdgth.2025.1622123>.

1371 J. P. Jakupciak, R. R. Colwell, Biological Agent Detection Technologies. *Molecular Ecology Resources* **9 Suppl s1**, 51–57 (2009); <https://doi.org/10.1111/j.1755-0998.2009.02632.x>.

1372 T. Rebmann, K. McPhee, L. Osborne, D. P. Gillen, G. A. Haas, Best Practices for Healthcare Facility and Regional Stockpile Maintenance and Sustainment: A Literature Review. *Health Security* **15**, 409–417 (2017); <https://doi.org/10.1089/hs.2016.0123>.

1373 L. Bakanidze, P. Imnadze, D. Perkins, Biosafety and Biosecurity as Essential Pillars of International Health Security and Cross-Cutting Elements of Biological Nonproliferation. *BMC Public Health* **10 Suppl 1**, S12 (2010); <https://doi.org/10.1186/1471-2458-10-S1-S12>.

1374 The Future Society, What Is an Artificial Intelligence Crisis and What Does It Mean to Prepare for One? (2025); <https://thefuturesociety.org/aicrisisexplainer/>.

1375 K. Alluri, S. Gopikrishnan, “Enhancing IoT Security: A Review of Multi-Factor Authentication Protocols and Their Effectiveness” in *Smart Innovation, Systems and Technologies* (Springer Nature Singapore, Singapore, 2025), *Smart Innovation, Systems and Technologies*, pp. 619–630; https://doi.org/10.1007/978-981-96-2182-8_46.

1376 M. Parveen, M. A. Shaik, “Review on Penetration Testing Techniques in Cyber Security” in *2023 Second International Conference on Augmented Intelligence and Sustainable Systems (ICAISS)* (2023), pp. 1265–1270; <https://doi.org/10.1109/ICAISS58487.2023.10250659>.

1377 ISO, IEC, ISO/IEC 27035-1:2023 Information Technology — Information Security Incident Management Part 1: Principles and Process (2023); <https://www.iso.org/standard/78973.html>.

1378 S. Patel, A. Bhadouria, K. Dodiya, A. Patel, Evaluating Modern Ransomware and Effective Data Backup and Recovery Solutions. **10**, 50–57 (2024); https://www.researchgate.net/profile/Kiran-Dodiya/publication/384291113_Evaluating_Modern_Ransomware_and_Effective_Data_Backup_and_Recovery_Solutions/links/66f2fcef553d245f9e34d3a6/Evaluating-Modern-Ransomware-and-Effective-Data-Backup-and-Recovery-Solutions.pdf.

1379 European Parliament and the Council of the European Union, Regulation (EU) 2024/2847 of the European Parliament and of the Council of 23 October 2024 on Horizontal Cybersecurity Requirements for Products with Digital Elements and Amending Regulations (EU) No 168/2013 and (EU) No 2019/1020 and Directive (EU) 2020/1828 (Cyber Resilience Act) (Text with EEA Relevance). (2024); <http://data.europa.eu/eli/reg/2024/2847/oj>.

1380 A. Y. Lee, R. C. Moore, J. T. Hancock, Building Resilience to Misinformation in Communities of Color: Results from Two Studies of Tailored Digital Media Literacy Interventions. *New Media & Society* (2024); <https://doi.org/10.1177/14614448241227841>.

1381 Partnership on AI, “Responsible Practices for Synthetic Media: A Framework for Collective Action” (Partnership on AI, 2023); <https://partnershiponai.org/download/7636/?tmstv=1677282001>.

1382 J. Pohl, D. Assenmacher, M. Seiler, H. Trautmann, C. Grimme, Artificial Social Media Campaign Creation for Benchmarking and Challenging Detection Approaches. *Workshop Proceedings of the 16th International AAAI Conference on Web and Social Media* **2022**, 91 (2022); <https://doi.org/10.36190/2022.91>.

1383 National Institute of Standards and Technology (US), “Reducing Risk Posed by Synthetic Content an Overview of Technical Approaches to Digital Content Transparency” (National Institute of Standards and Technology (U.S.), 2024); <https://doi.org/10.6028/nist.ai.100-4>.

1384 L. Whittaker, J. Kietzmann, K. Letheren, R. Mulcahy, R. Russell-Bennett, Brace Yourself! Why Managers Should Adopt a Synthetic Media Incident Response Playbook in an Age of Falsity and Synthetic Media. *Business Horizons* **66**, 277–290 (2022); <https://doi.org/10.1016/j.bushor.2022.07.004>.

1385 H. Peng, P.-W. Lee, Reimagining U.S. Tort Law for Deepfake Harms: Comparative Insights from China and Singapore. *Journal of Tort Law* **18**, 579–607 (2025); <https://doi.org/10.1515/jtl-2025-0028>.

1386 A. Ali, I. A. Qazi, Countering Misinformation on Social Media through Educational Interventions: Evidence from a Randomized Experiment in Pakistan. *Journal of Development Economics* **163**, 103108 (2023); <https://doi.org/10.1016/j.jdevco.2023.103108>.

1387 I. A. Bykov, M. V. Medvedeva, “Media Literacy and AI-Technologies in Digital Communication: Opportunities and Risks” in *2024 Communication Strategies in Digital Society Seminar (ComSDS)* (IEEE, 2024), pp. 21–24; <https://doi.org/10.1109/comsds61892.2024.10502053>.

1388 I. D. Raji, A. Smart, R. N. White, M. Mitchell, T. Gebru, B. Hutchinson, J. Smith-Loud, D. Theron, P. Barnes, “Closing the AI Accountability Gap: Defining an End-to-End Framework for Internal Algorithmic Auditing” in *Proceedings of the 2020 Conference on Fairness, Accountability, and Transparency (FAT* ’20)* (Association for Computing Machinery, New York, NY, USA, 2020), pp. 33–44; <https://doi.org/10.1145/3351095.3372873>.

1389 B. Lange, K. Lam, B. Hamelin, D. Jovana, S. Brown, A. Hasan, A Framework for Assurance Audits of Algorithmic Systems. *Proceedings of the 2024 Acm Conference on Fairness, Accountability, and Transparency* **1**, 1078–1092 (2024); <https://philpapers.org/rec/LANAFF-2>.

1390 L. Cao, AI and Data Science for Smart Emergency, Crisis and Disaster Resilience. *International*

- Journal of Data Science and Analytics* **15**, 231–246 (2023); <https://doi.org/10.1007/s41060-023-00393-w>.
- 1391** K. Gao, P. Vytelingum, S. Weston, W. Luk, C. Guo, High-Frequency Financial Market Simulation and Flash Crash Scenarios Analysis: An Agent-Based Modelling Approach. *Journal of Artificial Societies and Social Simulation: JASSS* **27** (2024); <https://doi.org/10.18564/jasss.5403>.
- 1392** P. Uday, K. Marais, Designing Resilient Systems-of-Systems: A Survey of Metrics, Methods, and Challenges. *Systems Engineering* **18**, 491–510 (2015); <https://doi.org/10.1002/sys.21325>.
- 1393** S. Surminski, L. M. Bouwer, J. Linnerooth-Bayer, How Insurance Can Support Climate Resilience. *Nature Climate Change* **6**, 333–334 (2016); <https://doi.org/10.1038/nclimate2979>.
- 1394** B. G. Reguero, M. W. Beck, D. Schmid, D. Stadtmüller, J. Raeppele, S. Schüssele, K. Pfliegner, Financing Coastal Resilience by Combining Nature-Based Risk Reduction with Insurance. *Ecological Economics: The Journal of the International Society for Ecological Economics* **169**, 106487 (2020); <https://doi.org/10.1016/j.ecolecon.2019.106487>.
- 1395** S. H. Rouhani, C.-L. Su, S. Mobayen, N. Razmjoo, M. Elsis, Cyber Resilience in Renewable Microgrids: A Review of Standards, Challenges, and Solutions. *Energy (Oxford, England)* **309**, 133081 (2024); <https://doi.org/10.1016/j.energy.2024.133081>.
- 1396** J. D. Rozich, R. J. Howard, J. M. Justeson, P. D. Macken, M. E. Lindsay, R. K. Resar, Standardization as a Mechanism to Improve Safety in Health Care. *Joint Commission Journal on Quality and Safety* **30**, 5–14 (2004); [https://doi.org/10.1016/s1549-3741\(04\)30001-8](https://doi.org/10.1016/s1549-3741(04)30001-8).
- 1397** S. C. Mallam, K. Nordby, P. Haavardtun, H. Nordland, T. Viveka Westerberg, Shifting Participatory Design Approaches for Increased Resilience. *IIEE Transactions on Occupational Ergonomics and Human Factors* **9**, 78–85 (2021); <https://doi.org/10.1080/24725838.2021.1966131>.
- 1398** A. C. Arevian, J. O'Hora, F. Jones, J. Mango, L. Jones, P. G. Williams, J. Booker-Vaughns, A. Jones, E. Pulido, D. Banner-Jackson, K. B. Wells, Participatory Technology Development to Enhance Community Resilience. *Ethnicity & Disease* **28**, 493–502 (2018); <https://doi.org/10.18865/ed.28.S2.493>.
- 1399** J. Kgomo, Towards Social Responsible Scaling Policies, *Social Science Research Network* (2025); <https://doi.org/10.2139/ssrn.5394880>.
- 1400** E. Brynjolfsson, A. Korinek, A. Agrawal, “The Economics of Transformative AI: A Research Agenda” (Stanford Digital Economy Lab, 2024); <https://digitaleconomy.stanford.edu/wp-content/uploads/2024/11/ETAI-White-Paper.pdf>.
- 1401** OECD Employment Outlook 2023, *OECD* (2023); https://www.oecd.org/en/publications/oecd-employment-outlook-2023_08785bba-en/full-report/artificial-intelligence-and-the-labour-market-introduction_ea35d1c5.html.
- 1402** Z. Qureshi, Technology, Growth, and Inequality: Changing Dynamics in the Digital Era, *Brookings* (2021); <https://www.brookings.edu/articles/technology-growth-and-inequality-changing-dynamics-in-the-digital-era/>.
- 1403** International Labour Organization, What Works? Active Labour Market Policies as Pathways to Decent Work (2024); <https://www.ilo.org/what-works-active-labour-market-policies-and-their-joint-provision>.
- 1404** M. Lane, “Who Will Be the Workers Most Affected by AI?: A Closer Look at the Impact of AI on Women, Low-Skilled Workers and Other Groups” (Organisation for Economic Co-Operation and Development (OECD), 2024); <https://doi.org/10.1787/14dc6f89-en>.
- 1405** R. E. Enck, The OODA Loop. *Home Health Care Management & Practice* **24**, 123–124 (2012); <https://doi.org/10.1177/1084822312439314>.
- 1406** P. Omidian, N. Khaji, A. A. Aghakouchak, An Integrated Decision-Making Approach to resilience–LCC Bridge Network Retrofitting Using a Genetic Algorithm-Based Framework. *Resilient Cities and Structures* **4**, 16–40 (2025); <https://doi.org/10.1016/j.rcns.2024.12.002>.
- 1407** C. Merlano, Enhancing Cyber Security through Artificial Intelligence and Machine Learning: A Literature Review. *Journal of Cyber Security* **6**, 89–116 (2024); <https://doi.org/10.32604/jcs.2024.056164>.
- 1408** A. L. Buczak, E. Guven, A Survey of Data Mining and Machine Learning Methods for Cyber Security Intrusion Detection. *IEEE Communications Surveys & Tutorials* **18**, 1153–1176 (2016); <https://doi.org/10.1109/comst.2015.2494502>.
- 1409** N. Shone, T. N. Ngoc, V. D. Phai, Q. Shi, A Deep Learning Approach to Network Intrusion Detection. *IEEE Transactions on Emerging Topics in Computational Intelligence* **2**, 41–50 (2018); <https://doi.org/10.1109/tetci.2017.2772792>.
- 1410** N. Sandotra, B. Arora, A Comprehensive Evaluation of Feature-Based AI Techniques for Deepfake Detection. *Neural Computing & Applications* **36**, 3859–3887 (2024); <https://doi.org/10.1007/s00521-023-09288-0>.
- 1411** A. Dandooh, A. S. El-Fishawy, E. E.-D. Hemdan, Digital Watermarking Using Artificial Intelligence: Concept, Techniques, and Future Trends. *Security and Privacy* **8** (2025); <https://doi.org/10.1002/spy2.502>.
- 1412** B. V. S. Chauhan, A. Vedralnam, K. P. Wyche, S. Verma, “AI for Natural Disaster Prediction and Management” in *Prospects of Artificial Intelligence in the Environment* (Springer Nature Singapore, Singapore, 2025), pp. 171–207; https://doi.org/10.1007/978-981-96-6863-2_6.
- 1413** D. B. Olawade, J. Teke, O. Fapohunda, K. Weerasinghe, S. O. Usman, A. O. Ige, A. Clement David-Olawade, Leveraging Artificial Intelligence in Vaccine Development: A Narrative Review. *Journal of Microbiological Methods* **224**, 106998 (2024); <https://doi.org/10.1016/j.mimet.2024.106998>.

- 1414** A. Cesaro, F. Wan, H. Shi, K. Wang, C. M. Maupin, M. L. Barker, J. Liu, S. J. Fox, J. Yeo, C. de la Fuente-Nunez, Antiviral Discovery Using Sparse Datasets by Integrating Experiments, Molecular Simulations, and Machine Learning. *Cell Reports Physical Science* **6** (2025); <https://doi.org/10.1016/j.xcrp.2025.102554>.
- 1415** R. Fang, R. Bindu, A. Gupta, Q. Zhan, D. Kang, LLM Agents Can Autonomously Hack Websites, *arXiv [cs.CR]* (2024); <http://dx.doi.org/10.48550/arXiv.2402.06664>.
- 1416** R. Fang, R. Bindu, A. Gupta, D. Kang, LLM Agents Can Autonomously Exploit One-Day Vulnerabilities, *arXiv [cs.CR]* (2024); <http://arxiv.org/abs/2404.08144>.
- 1417** R. Fang, R. Bindu, A. Gupta, Q. Zhan, D. Kang, Teams of LLM Agents Can Exploit Zero-Day Vulnerabilities, *arXiv [cs.MA]* (2024); <http://arxiv.org/abs/2406.01637>.
- 1418*** S. Joyce, Cloud CISO Perspectives: Our Big Sleep Agent Makes a Big Leap, and Other AI News, *Google Cloud Blog* (2025); <https://cloud.google.com/blog/products/identity-security/cloud-ciso-perspectives-our-big-sleep-agent-makes-big-leap>.
- 1419** H. Bradley, G. Sastry, The Great Refactor: How to Secure Critical Open-Source Code against Memory Safety Exploits by Automating Code Hardening at Scale (2025); <https://ifp.org/the-great-refactor/>.
- 1420** A. Sagan, Health Systems Resilience during COVID-19: Lessons for Building Back Better (2021); <https://www.preventionweb.net/publication/health-systems-resilience-during-covid-19-lessons-building-back-better>.
- 1421** J. B. Bullock, S. Hammond, S. Krier, AGI, Governments, and Free Societies, *arXiv [cs.CY]* (2025); <http://arxiv.org/abs/2503.05710>.
- 1422** B. Schneier, N. E. Sanders, Rewiring Democracy, *MIT Press* (2021); <https://mitpress.mit.edu/9780262049948/rewiring-democracy/>.
- 1423** J. Taylor, K. Krishna, “Vibe Teaming: How Human-Human-AI Collaboration Could Disrupt Knowledge Work for the World’s Toughest Challenges” (Center for Sustainable Development at Brookings, 2025); <https://www.brookings.edu/articles/vibe-teaming-human-ai-collaboration-disrupts-knowledge-work/>.
- 1424** C. Aveggio, A. Patel, S. Nevo, K. Webster, *Exploring the Offense-Defense Balance of Biology* (RAND Corporation, 2025); <https://www.rand.org/pubs/perspectives/PEA4102-1.html>.
- 1425** M. Brundage, “Operation Patchlight” (Institute for Progress, 2025); <https://ifp.org/operation-patchlight/>.
- 1426** B. Garfinkel, A. Dafoe, “How Does the Offense-Defense Balance Scale?” in *Emerging Technologies and International Stability* (Routledge, London, 1st Edition., 2021), pp. 247–274; <https://doi.org/10.4324/9781003179917-10>.
- 1427** S. E. Chang, T. McDaniels, J. Fox, R. Dhariwal, H. Longstaff, Toward Disaster-Resilient Cities: Characterizing Resilience of Infrastructure Systems with Expert Judgments. *Risk Analysis: An Official Publication of the Society for Risk Analysis* **34**, 416–434 (2014); <https://doi.org/10.1111/risa.12133>.
- 1428** Core Writing Team, H. Lee and J. Romero (eds.), “Climate Change 2023: Synthesis Report. Contribution of Working Groups I, II and III to the Sixth Assessment Report of the Intergovernmental Panel on Climate Change” (Intergovernmental Panel on Climate Change, 2023); <https://doi.org/10.59327/IPCC/AR6-9789291691647>.
- 1429*** G. K. Hadfield, J. Clark, Regulatory Markets: The Future of AI Governance, *arXiv [cs.AI]* (2023); <http://arxiv.org/abs/2304.04914>.
- 1430** J. Stiglitz, Distinguished Lecture on Economics in Government: The Private Uses of Public Interests: Incentives and Institutions. *The Journal of Economic Perspectives: A Journal of the American Economic Association* **12**, 3–22 (1998); <https://doi.org/10.1257/jep.12.2.3>.
- 1431** J. Sandbrink, H. Hobbs, J. Swett, A. Dafoe, A. Sandberg, Differential Technology Development: A Responsible Innovation Principle for Navigating Technology Risks. *SSRN Electronic Journal* (2022); <https://doi.org/10.2139/ssrn.4213670>.
- 1432** T. Cernuschi, E. Furrer, N. Schwalbe, A. Jones, E. R. Berndt, S. McAdams, Advance Market Commitment for Pneumococcal Vaccines: Putting Theory into Practice. *Bulletin of the World Health Organization* **89**, 913–918 (2011); <https://doi.org/10.2471/BLT.11.087700>.
- 1433** J. J. Anderson, D. Rode, H. Zhai, P. Fischbeck, A Techno-Economic Assessment of Carbon-Sequestration Tax Incentives in the U.S. Power Sector. *International Journal of Greenhouse Gas Control* **111**, 103450 (2021); <https://doi.org/10.1016/j.ijggc.2021.103450>.
- 1434** T. Kannegieter, Nondeterministic Torts: LLM Stochasticity and Tort Liability, *Social Science Research Network* (2025); <https://doi.org/10.2139/ssrn.5208155>.
- 1435** M. Buiten, A. de Streel, M. Peitz, The Law and Economics of AI Liability. *Computer Law and Security Report* **48**, 105794 (2023); <https://doi.org/10.1016/j.clsr.2023.105794>.
- 1436** J. Mervis, Research Agencies Revel in Final 2016 Budget. *Science* **351**, 10–11 (2016); <http://www.jstor.org/stable/24741369>.
- 1437** D. Wallach, TRACTOR: Translating All C to Rust, *Darpa*; <https://www.darpa.mil/research/programs/translating-all-c-to-rust>.
- 1438*** T. Hutson, Microsoft and OpenAI Launch Societal Resilience Fund, *Microsoft On the Issues* (2024); <https://blogs.microsoft.com/on-the-issues/2024/05/07/societal-resilience-fund-open-ai/>.
- 1439*** B. Taylor, Built to Benefit Everyone (2025); <https://openai.com/index/built-to-benefit-everyone/>.

- 1440** DARPA AI Cyber Challenge Aims to Secure Nation's Most Critical Software; <https://www.darpa.mil/news/2023/ai-cyber-challenge-software>.
- 1441** N. Kolt, M. Anderljung, J. Barnhart, A. Brass, K. Esvelt, G. K. Hadfield, L. Heim, M. Rodriguez, J. B. Sandbrink, T. Woodside, Responsible Reporting for Frontier AI Development, *arXiv [cs.CY]* (2024); <http://arxiv.org/abs/2404.02675>.
- 1442** H. Rosenqvist, N. K. Reitan, L. Petersen, D. Lange, "ISRA: Improver Societal Resilience Analysis for Critical Infrastructure" in *Safety and Reliability – Safe Societies in a Changing World* (CRC Press, London, 1st Edition., 2018), pp. 1211–1220; <https://doi.org/10.1201/9781351174664-153>.
- 1443** M. D. Gerst, "A Review of Community Resilience Indicators Using a Systems Measurement Framework" (National Institute of Standards and Technology, 2024); <https://doi.org/10.6028/nist.sp.2300-01>.
- 1444*** OpenAI, A \$50 Million Fund to Build with Communities (2025); <https://openai.com/index/50-million-fund-to-build-with-communities/>.
- 1445*** OpenAI, A People-First AI Fund: \$50M to Support Nonprofits (2025); <https://openai.com/index/people-first-ai-fund/>.
- 1446*** Anthropic, Preparing for AI's Economic Impact: Exploring Policy Responses (2025); <https://www.anthropic.com/research/economic-policy-responses>.
- 1447** AI Security Institute, Strengthening AI Resilience (2025); <https://www.aisi.gov.uk/work/strengthening-ai-resilience>.
- 1448** N. Kariuki, "Economy" in *Artificial Intelligence Index Report 2025* (2025); https://hai.stanford.edu/assets/files/hai_ai-index-report-2025_chapter4_final.pdf.
- 1449** M. Rauh, N. Marchal, A. Manzini, L. A. Hendricks, R. Comanescu, C. Akbulut, T. Stepleton, J. Mateos-Garcia, S. Bergman, J. Kay, C. Griffin, B. Bariach, I. Gabriel, V. Rieser, W. Isaac, L. Weidinger, Gaps in the Safety Evaluation of Generative AI. *Proceedings of the AAAI/ACM Conference on AI, Ethics, and Society* **7**, 1200–1217 (2024); <https://doi.org/10.1609/aies.v7i1.31717>.
- 1450** S. Biderman, H. Schoelkopf, L. Sutawika, L. Gao, J. Tow, B. Abbasi, A. F. Aji, P. S. Ammanamanchi, S. Black, J. Clive, A. DiPofi, J. Etxaniz, B. Fattori, J. Z. Forde, C. Foster, J. Hsu, M. Jaiswal, ... A. Zou, Lessons from the Trenches on Reproducible Evaluation of Language Models, *arXiv [cs.CL]* (2024); <http://arxiv.org/abs/2405.14782>.
- 1451*** R. Appel, P. McCrory, A. Tamkin, M. McCain, T. Neylon, M. Stern, "The Anthropic Economic Index Report: Uneven Geographic and Enterprise AI Adoption" (Anthropic, 2025); <https://www.anthropic.com/economic-index>.



有关本出版物的任何查询请发送至：
secretariat.AIStateofScience@dsit.gov.uk.

研究序列编号：DSIT 2026/001

英国政府于 2026 年 2 月发布

© 版权所有 2026

designbysoapbox.com